

Reckless Endangerment of Children from covid vaccines

The Scientific and Medical Evidence from around the world confirms that the risks of these vaccines far outweigh the benefits for children

The Risk of Covid19 deaths in Children in the age group 5 - 11 years old

In the graphs below provided by the Central Statistics Office, in Ireland, it is stated that in the 0-14 age group there have been no deaths from March 2020 to the present January 2022. This information has been stated by the Central Statistics Office (CSO) and is highly reliable. I include screenshot of official reports below. No children in this age group died of covid19. The Infection Fatality Rate for children was zero. The risk was zero.

Show Table: Table 1 Profile of COVID-19 Deaths and Cases up to and including Friday 15 October 2021

Table 1: Profile of COVID-19 Deaths and Cases up to and including Friday October 15 2021 ^{1, 5}

	Total Deaths ²	Median Age of Deaths	Total Cases ³	Median Age of Cases
Total	5,306		414,802	33
Confirmed cases	5,057	82	414,802	33
Probable cases ⁴	249		0	0
Profile of the confirmed cases follows:				
Sex				
Female	2,363	84	212,284	33
Male	2,693	81	202,426	32
Unknown	92	26
Age				
0-14	0	0	62,536	8
15-24	84,775	20
25-44	50	36	134,469	33
45-64	392	58	91,363	53
65-79	1,531	74	26,524	71
80+	3,079	87	15,077	86
Age not stated	58	0

Source: CSO. <https://www.cso.ie/en/releasesandpublications/ep/p-covid19/covid-19informationhub/health/covid-19deathsandcasesstatistics/>

Show Table: Table 1 Profile of COVID-19 Deaths and Cases up to and including Friday 10 December 2021

Table 1: Profile of COVID-19 Deaths and Cases up to and including Friday December 10 2021 ^{1, 5}

	Total Deaths ²	Median Age of Deaths	Total Cases ³	Median Age of Cases
Total	5,788		622,379	33
Confirmed cases	5,518	82	622,379	33
Probable cases ⁴	270		0	0
Profile of the confirmed cases follows:				
Sex				
Female	2,547	84	316,925	34
Male	2,971	81	305,106	32
Unknown	0	0	348	30
Age				
0-14	113,935	8
15-24	6	20	111,458	20
25-44	60	36	202,371	33
45-64	473	58	137,083	53
65-79	1,710	74	40,596	71
80+	3,267	87	16,853	86
Age not stated	83	0

Source: CSO. <https://www.cso.ie/en/releasesandpublications/ep/p-covid19/covid-19informationhub/health/covid-19deathsandcasesstatistics/>

The covid19 cases stated in the graphs relate to those children who had positive PCR tests, however, the scientific evidence from around the world show that the rate of false positives in Ireland was over 95% due to high cycle counts being used, that is 40 – 45 cycles. These high cycle counts were officially stated by the HSE and Irish government and are in the books of evidence. This has provided inaccurate figures for covid19 cases in Ireland.

I include epidemiological findings about covid19 below. This is categorised by age group. As you can see the risk to children is tiny and insignificant and less than that of seasonal colds and flu's which occur every year.

The most recent research by Dr. John Ioannidis one of the top Epidemiologists in the world and a Professor of Medicine, Health Research and Policy, and of Biomedical Data Science in Stanford University in the USA, shows the following data for covid19

The average Infection Fatality Rate was:

- 0.0003% at 0-19 years
- 0.003% at 20-29 years
- 0.011% at 30-39 years
- 0.035% at 40-49 years
- 0.129% at 50-59 years
- 0.501% at 60-69 years.

Age-stratified infection fatality rate of COVID-19 in the non-elderly informed from pre-vaccination national seroprevalence studies

Ioannidis et al. October 2022

<https://www.medrxiv.org/content/10.1101/2022.10.11.22280963v1>

Earlier research by Dr. John Ioannidis

Infection fatality rate of COVID-19 in community-dwelling populations with emphasis on the elderly:

An overview.

Ioannidis and Axfors. July 2021

<https://www.medrxiv.org/content/10.1101/2021.07.08.21260210v1.full-text> See Chart below:

Median Infection Fatality Rate (IFR)

Age	Infection Fatality Rate
0-19	0.0027%
20-29	0.014%
30-39	0.031%
40-49	0.082%
50-59	0.27%
60-69	0.59%
70-100	2.4%

In January 2021, CDC figures about the Infection Fatality Rate were as follows:

COVID19 SURVIVAL RATES	
00-14 YEARS	99.9998%
15-44 YEARS	99.9931%
45-64 YEARS	99.9294%
65-85 YEARS	99.6297%
> 85 YEARS	98.2499%

Jan, 2021

Sources: CDC in USA, January 27 2021.

https://www.cdc.gov/nchs/nvss/vsrr/covid_weekly/index.htm#SexAndAge

And <https://childrenshealthdefense.org/covid-vaccine-secrets/resources>

In September, 2020 the CDC in the USA published the following survival rates and infection fatality rates for covid19 infection for different age groups

CDC COVID-19 Survival Rates

- Age 0-19 — 99.997%
- Age 20-49 — 99.98%
- Age 50-69 — 99.5%
- Age 70+ — 94.6%

These scientific studies and statistics clearly show that the most up to date covid19 risk for children in the age group 5 -11 is 0.0003 which is less than seasonal colds and flu's every year, and does not pose a significant risk of dying from covid19.

Are Serious Illnesses and Disabilities caused by covid19 for age group 5 – 11 ?

The Scientific Evidence shows that children have strong natural immunity against covid19.

There have been no scientific studies to date showing serious illnesses and disabilities caused by covid19 for this age group. Scientific studies worldwide show that children up to the age of 18 have strong natural immunity against covid19. Their risk of serious illness or death is over a thousand times less than that of adults. The innate immunity of children appears to be able to detect, destroy

and clear the covid19 virus very efficiently. They recover very quickly from covid19 and many have few if any symptoms according to scientific studies and the clinical experience of doctors. I refer you to the books of evidence.

The tiny risk of covid19 death and disease in children has become even more rare with the Omicron variant according to scientific research findings and official statistics. See

COVID-19 Genetic Vaccine Safety in Children

by Dr. Robert Malone

<https://rwmalonemd.substack.com/p/covid-19-genetic-vaccine-safety-in>

Data from the Office for National Statistics in February 2022 show that the vast majority of children have natural antibodies to covid19 and natural immunity against covid19

“ At least two-thirds of children in the UK aged 8 years and above would have tested positive for antibodies to SARS-CoV-2, the specific virus that causes coronavirus (COVID-19), in the latest week.

Between 63.3% and 72.7% of children aged between 8 and 11 years would have tested positive for antibodies in the week beginning 10 January 2022.”

“Among children aged 12 to 15 years, between 90.2% and 93.3% would have tested positive for COVID-19 antibodies in the same week.”

Source:

<https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/articles/coronaviruscovid19/latestinsights>

And news story in Daily Mail

Vaccinating five to 11-year-olds against Covid won't 'make much difference' because most have natural immunity and jabs don't prevent school closures, expert says ahead of official decision

Daily Mail, February 2022

<https://www.dailymail.co.uk/news/article-10493103/Vaccinating-5-year-olds-against-Covid-wont-make-difference-expert-says-ahead-decision.html>

A recently published scientific study confirms these findings

Children develop robust and sustained cross-reactive spike-specific immune responses to SARS-CoV-2 infection

Dowell et al. 2021

<https://www.nature.com/articles/s41590-021-01089-8>

Latest data confirms children and young adults are at extremely low risk from severe Covid-19. Most children experience very mild symptoms and recover within a week.

<https://www.bristol.ac.uk/news/2021/july/ncmd-covidrisks.html>. There have been very few deaths in children and the majority of deaths have not been from Covid-19 and mostly occurred in children with multiple life-limiting co-morbidities. <https://www.nature.com/articles/s41591-021-01578-1.pdf>

Latest studies also show children are at very small risk from Long Covid-19 and most recover within a week <https://www.bbc.co.uk/news/health-58071898> . In addition, there is no data or evidence that the vaccines prevent Long Covid .

Majority of teens have now been infected and have already developed natural immunity through infection, which is shown to be more robust, comprehensive, and long-lasting than vaccine-derived immunity. <https://www.wsj.com/articles/prior-covid-19-infection-offered-better-protection-than-vaccination-during-delta-wave-11642619009>

Many experts have argued that healthy children should be allowed to catch Covid and develop natural immunity when young, when the illness is very mild. In this BMJ article the authors state *Once most adults are vaccinated, circulation of SARS-CoV-2 may in fact be desirable, as it is likely to lead to primary infection early in life when disease is mild, followed by booster re-exposures throughout adulthood as transmission blocking immunity wanes but disease blocking immunity remains high. This would keep reinfections mild and immunity up to date.*"

<https://www.bmj.com/content/373/bmj.n1197>

The books of evidence provide more evidence of children's natural immunity against covid19 which is far superior to that of adults. Scientific, medical and statistical evidence from around the world is showing that natural immunity is far superior to covid vaccine induced immunity and this is listed in our books of evidence.

No need for covid vaccines which pose significant risks of illnesses, disabilities and deaths for children. See evidence below.

Medical Factors Affecting the risk of dying or developing serious illness from covid19 for the age group 5 -11 and across all age groups

Top medical doctors and scientists and health authorities worldwide admit that there have been safe and effective medicines such as Ivermectin, Hydroxychloroquine, Zelenko Protocol, Fareed & Tyson Protocol, Budenoside, Vitamin D, Regeneron, etc. for covid19 since April 2020 and they have saved millions of lives . This is a legal and medical fact and has been cited in several books of evidence provided to the gardai in ongoing criminal investigations / cases. These medicines can be used to treat and cure covid19 and can be used as preventatives to prevent covid19 infection. Children in the ages can be given these medicines for these purposes. This can reduce the duration of infection, the probability of getting it and the risk of serious infection. This is especially the case for vulnerable children with pre-existing illnesses and health conditions. The covid19 risk to children is tiny and insignificant and can be reduced further through use of these safe and effective medicines.

There is no need to give experimental covid vaccines to children aged 5 -11 as they pose unacceptably high health and safety risks for children in this age group.

Further Scientific Analysis of the alleged risk posed by children to the community

In the first Book of Evidence titled 'Scientific Expert Report on the COVID-19 Epidemic Response in Ireland' viewable at <https://www.data-analytica.org/Ireland.pdf>

There is a chapter titled 'M. What is the magnitude of the risk children pose in disease spread? Is there any rationale for lockdown related restrictions on children?'

The scientific findings and statistics are analysed and they clearly show that children do not pose a risk of covid19 spread. Their ability to destroy and clear the covid19 virus and develop life long immunity to the virus creates a type of herd immunity or community immunity preventing the virus from spreading in the community. The scientific evidence shows that this strong innate natural immunity in children protects the community, society, the nation. It is proving to be far better and far more effective than covid vaccines and boosters which lose all effectiveness after a few months and make vaccinated people more vulnerable to getting covid19 infections and passing them on to other people.

Vulnerable children with pre-existing illnesses or health conditions

Do covid vaccines improve the health outcomes for vulnerable children with pre-existing illnesses or health conditions or worsen them ?

The scientific and medical evidence shows that children have strong natural immunity against covid19 and have over 1,000 times less risk than adults. Vulnerable children are not at increased risk of severe covid19 or dying. This published study in Britain recently confirmed this fact:

Immunocompromised children and young people are at no increased risk of severe COVID-19
Chappell et al. January 2022

<https://www.sciencedirect.com/science/article/pii/S016344532100548X>

Scientific and medical evidence from around the world detailed below shows that covid vaccines and boosters create injuries, illnesses, disabilities and deaths in children, including healthy children and vulnerable or ill children, and they add to the burden of vulnerable children with pre-existing illnesses. These covid vaccines can add more illnesses and more diseases onto vulnerable and ill children and worsen their existing condition and increase the risk of more serious disabilities and death. In addition to this, covid vaccines and boosters which lose all effectiveness after a few months make vaccinated people including children more vulnerable to getting covid19 infections and passing them on to other people. The safe and effective medicines listed above for covid19 treatment can be used to treat vulnerable children or be used as preventatives or prophylactics.

What are the views of the top medical doctors and scientists in the world, the Global Experts, on this particular issue ?

The [Physicians Declaration of the International Association of Physicians and Medical Scientists](#), which has 16,000+ medical doctors and scientists has the following resolution:

RESOLVED, THAT HEALTHY CHILDREN SHALL NOT BE SUBJECT TO FORCED VACCINATION

- Negligible clinical risks from SARS-CoV-2 infection exist for healthy children under eighteen.
- Long term safety of the current COVID vaccines in children cannot be determined prior to instituting such policies. Without high-powered, reproducible, long term safety data, risks to the long-term health status of children remain too high to support use in healthy children.

- Children risk severe, adverse events from receiving the vaccine. Permanent physical damage to the brain, heart, immune and reproductive system associated with SARS-CoV-2 spike protein-based genetic vaccines has been demonstrated in children.
- Healthy, unvaccinated children are critical to achieving herd immunity. Natural immunity is proven to tolerate infection, benefiting community protection while there is insufficient data to assess whether COVID-19 vaccines assist herd immunity.

Source: International Association of Physicians and Medical Scientists at

<https://doctorsandscientistsdeclaration.org/>

and

News report at <https://childrenshealthdefense.org/defender/physicians-scientists-kids-should-not-get-covid-vaccine/>

The risk of death, serious injuries, illnesses or disabilities from covid vaccines for children aged 5 – 11 and children in general, ages 0 - 17 years old.

No children aged 0 to 14 years old have died of covid19 in Ireland. So a covid vaccine which causes death or serious injuries, illnesses or disabilities for children will immediately pose much greater risks than benefits for this age group. The high number of deaths, serious injuries, illnesses and disabilities caused to children in this age group and other age groups worldwide means the risks far outweigh the benefits. This will be detailed below and is also in the books of evidence.

The JCVI which approves vaccines in Britain came to a similar conclusion in Autumn 2021 and rejected covid vaccines for 12 -15 year olds based on risks of injuries, disabilities and deaths. In their statement of Sept 3, 2021 they stated: *"Overall, the committee ...acknowledges that there is considerable uncertainty regarding the magnitude of the potential harms. The margin of benefit, based primarily on a health perspective, is considered too small to support advice on a universal programme of vaccination of otherwise healthy 12 to 15-year-old children at this time. As longer-term data on potential adverse reactions accrue, greater certainty may allow for a reconsideration of the benefits and harms. Such data may not be available for several months*

<https://www.gov.uk/government/publications/jcvi-statement-september-2021-covid-19-vaccination-of-children-aged-12-to-15-years/jcvi-statement-on-covid-19-vaccination-of-children-aged-12-to-15-years-3-september-2021>

We do not know long term effects of post vaccine myocarditis. Adam Finn of the JCVI said on This Morning program 8 September 2021 when asked about cases of inflammation of the heart said:

The problem is though, that the investigations done on the hearts of these children do show some changes on the scans. And it will take some time to find out whether those changes resolve and they end up with a perfectly normal heart with no risk of future problems - or not.” ...”We can't be absolutely sure [there's no long-term damage to children from the vaccine]. And that's why indeed the JCVI has hesitated to make a clear recommendation to immunise all these children. Because it is conceivable that it will turn out that there will be a small number of children who could have long-term injury as a consequence of this. We are very definite in this country that we don't recommend vaccination routinely unless we're really sure that the benefits outweigh the risks

<https://youtu.be/XwzpP3t17LU>

Professor Adam Finn of JCVI (September 2021) - told The Times: "*Parents are justified in waiting until the risks are clearer before getting their teenagers vaccinated and the NHS needs to spell out the uncertainty over long-term effects better* Writing with Guido Pieles, the consultant cardiologist who advised the JCVI, Finn explains that U.S. cardiologists are seeing signs of scarring in the hearts of otherwise healthy teenagers who suffer rare post-vaccine inflammation the warn that such scarring is known to carry a risk of *life-threatening arrhythmias or sudden cardiac arrest.* Finn and Pieles suggest that parents consider waiting six months or so until the longer-

term consequences of heart changes start to become clear.

<https://dailysceptic.org/2021/09/18/covid-vaccines-for-children-would-not-be-approved-before-full-investigation-in-normal-times-says-government-advisor>

Prof Anthony Harnden Deputy Chair of JCVI - My responsibility is to children not to government
JCVI deputy chair defends JCVI vaccine decision against mass roll out

<https://www.channel4.com/news/my-responsibility-is-to-children-not-government-jcvi-deputy-chair-defends-vaccine-decision>

Covid-19: JCVI opts not to recommend universal vaccination of 12-15 year olds

BMJ, 2021

<https://www.bmj.com/content/374/bmj.n2180>

News reports about this at <https://www.theguardian.com/society/2021/aug/07/jcvi-largely-opposed-to-covid-vaccination-for-children-under-16> and Daily Mail article at

<https://www.dailymail.co.uk/news/article-9956419/Shock-JCVI-experts-decide-NOT-recommend-Covid-jabs-healthy-children-aged-12-15.html>

Cost - Benefit Analysis done in Britain

In the UK the JCVI did not recommend COVID-19 vaccines for children in 2021

In September 2021 the JCVI announced its decision not to recommend the COVID-19 vaccine to all healthy children was based on concern over what they describe as ‘occurrences’ of myocarditis and pericarditis following Pfizer and Moderna mRNA COVID-19 vaccinations. The JCVI say the benefit of vaccinating children is only marginal in terms of their health. This was after data from the US suggests there are 60 cases of the heart condition for every million second doses given to 12 to 17 year old boys (compared to eight in one million girls) ⁽¹⁾. The JCVI determined the risk-benefit ratio was not favourable as they compared the 60 in one million risk of heart inflammation to the two in one million chance of dying of covid19. As previously mentioned, A University College London (UCL), Imperial College London and the universities of Bristol, York and Liverpool study published in July 2021, found that children with confirmed COVID-19 had a roughly one in 50,000 chance of being admitted to intensive care with COVID and a two in a million chance of dying ⁽²⁾. As previously mentioned also, Israel saw two deaths per 60 cases of myocarditis. The UK government didn’t listen to the experts at the JCVI, they are ‘jabbing’ the kids anyway.

The latest figures from the USA and UK now show that the rates for myocarditis in children and other illnesses and disabilities and deaths from the covid vaccines are far higher than the rate of 2 deaths per million for dying from covid19. The cost benefit analysis for Ireland must factor in the fact that zero children died of covid19 and that any deaths, injuries, illnesses and disabilities caused by the covid vaccines and boosters to children are an unacceptable high risk.

1. Triggler PRaN. Scientists not backing Covid jabs for 12 to 15-year-olds London, UK BBC 2021 Sep 04 [Available from: <https://www.bbc.com/news/health-58438669>].
2. Gibbons K. Children face two-in-a-million Covid death risk, study finds. The Times. 2021 Jul 09.

Three named blood clots linked to COVID-19 vaccines which can affect children

There are three named blood clots linked to COVID-19 vaccination. Scientists named one unusual prothrombotic syndrome reaction, vaccine-induced immune thrombotic thrombocytopenia (VITT) ⁽³⁾. To bamboozle us with science jargon VITT is also called thrombosis with thrombocytopenia syndrome (TTS) and vaccine-induced prothrombotic immune thrombocytopenia (VIPIT) ⁽⁴⁾. The second vaccine-associated blood clot is a clot in the vessels draining blood from the brain, known as cerebral venous sinus thrombosis (CVST). On April 2nd 2021, Oxford announced it had paused its COVID-19 vaccine study in children as it awaited more data on blood CVST after the AstraZeneca vaccine, Vaxevria⁽⁵⁾. Between March 2nd and April 21st 2021, case reports of CVST with thrombocytopenia were noted after Janssen COVID-19 vaccination ⁽⁶⁾. A third named vaccine-associated blood clot is multiple blood clots in multiple blood vessels, which is known as disseminated intravascular coagulation (DIC). Contrary to popular belief, all COVID-19 vaccines are linked to blood clots. An Oxford University study found the number of people who report blood clots after receiving COVID-19 vaccines is approximately the same for those who received either the Pfizer, Moderna or the AstraZeneca vaccine ⁽⁷⁾.

They are giving Pfizer to the kids

As obesity is the main risk factor for hospitalisation in COVID-19, hospitalised COVID-19 patients are statistically far more likely to be obese ⁽⁹⁾. Being obese or *overweight* predisposes individuals to increased risk of thrombotic (clotting) disorders such as myocardial infarction (heart attack), stroke, and venous thromboembolism (a clot that moves) ⁽¹⁰⁾. Sound science would compare blood clots in all COVID-19 populations, not just in those hospitalised. The reality is that a true comparison of the frequency of clots post COVID-19 infection with the frequency of clots post-COVID vaccination is a nigh impossible task given the difficulty in establishing baseline incidence ⁽¹¹⁾. A global perspective of COVID-19 epidemiology noted that the *true* total number of infections is likely >20 times greater than what is reported ⁽¹²⁾. Regarding blood clot risk in the young, the UK Joint Committee on Vaccination

and Immunisation (JCVI) recently recommended that people under 30 will be offered an alternative to the AstraZeneca COVID-19 vaccine ⁽¹³⁾. In Ireland, as mentioned, adverse reactions after COVID-19 vaccines are reported to HPR. By June 2021, the HPR had received 18 reports of blood clots possibly associated with receiving the Oxford-AstraZeneca COVID-19 Vaccine, Vaxzevria⁽¹⁴⁾.

Children have strong Natural Immunity which destroys and clears covid19 and helps achieve herd immunity or community immunity

Children protect their parents and grandparents because they are immune and can't get it or spread it! This is called herd immunity or community immunity. It is the responsibility of the healthy in our community to catch and become immune to the virus to protect our vulnerable. A University of Glasgow study of over 300,000 adults living in HCW households looked at households shared with children and found that not only are children at no greater risk from contracting COVID-19, children actually protect the adults they live with. Children have higher levels of exposure to endemic coronaviruses than adults, and, as with adults, evidence exists for B cell and T cell cross-reactivity between SARS-CoV-2 and these endemic coronaviruses. Although a range of potential mechanisms exists, these SARS-CoV-2 responsive T cells provide protection against COVID-19, which is why children are relatively protected from COVID-19 and therefore contact with children also affords adults a degree of protection from COVID-19⁽¹⁵⁾. Vaccinating children is nothing less than criminal. On September 11th 2021, Pfizer-BioNTech announced that it is expected to file its regulatory dossier on vaccinating five to 11 year olds in September and has laid out plans to seek approval in children aged six months to two years later in 2021. Six month old babies being vaccinated for a cold! This is reckless endangerment of children for the purpose of increasing the profits of the vaccine companies.

1. Trigg PRaN. Scientists not backing Covid jabs for 12 to 15-year-olds London, UK BBC 2021 Sep 04 [Available from: <https://www.bbc.com/news/health-58438669>].
2. Gibbons K. Children face two-in-a-million Covid death risk, study finds. The Times. 2021 Jul 09.
3. Andreas Greinacher KS, Jan Wesche et al. Towards Understanding ChAdOx1 nCov-19 Vaccine-induced Immune Thrombotic Thrombocytopenia (VITT). Research Square. 2021 Apr 20 PREPRINT
4. Cuker TEWaA. COVID-19: Vaccine-induced immune thrombotic thrombocytopenia (VITT) Philadelphia, Pennsylvania, United States: UpToDate; 2021 Apr 30 [Available from: <https://www.uptodate.com/contents/covid-19-vaccine-induced-immune-thrombotic-thrombocytopenia-vitt>].
5. Staff R. Oxford pauses COVID-19 vaccine study in kids, awaits more data on blood clot issues Toronto, Canada: Thomson Reuters; 2021 Apr 06 [Available from: <https://www.reuters.com/article/uk-health-coronavirus-britain-vaccine-idUSKBN2BT2F5>].

6. See I, Su JR, Lale A, Woo EJ, Guh AY, Shimabukuro TT, et al. US Case Reports of Cerebral Venous Sinus Thrombosis With Thrombocytopenia After Ad26.COVS.S Vaccination, March 2 to April 21, 2021. *Jama*. 2021.
7. al MTe. Cerebral venous thrombosis and portal vein thrombosis: a retrospective cohort study of 537,913 COVID-19 cases. Oxford, UK: Oxford Health NHS Foundation Trust; 2021 Apr.
8. Deleted reference
9. Bellini B, Cresci B, Cosentino C, Profili F, Bartolacci S, Scoccimarro D, et al. Obesity as a risk factor for hospitalization in COroNaVirus Disease-19 (COVID-19) patients: Analysis of the Tuscany regional database. *Nutr Metab Cardiovasc Dis*. 2021;31(3):769-73.
10. Blokhin IO, Lentz SR. Mechanisms of thrombosis in obesity. *Curr Opin Hematol*. 2013;20(5):437-44.
11. EMA. COVID-19 Vaccine AstraZeneca: benefits still outweigh the risks despite possible link to rare blood clots with low blood platelets Amsterdam, Netherlands: EMA; 2021 Mar 18 [Available from: <https://www.ema.europa.eu/en/news/covid-19-vaccine-astrazeneca-benefits-still-outweigh-risks-despite-possible-link-rare-blood-clots>].
12. Ioannidis JPA. Global perspective of COVID-19 epidemiology for a full-cycle pandemic. *Eur J Clin Invest*. 2020;50(12):e13423.
13. Torjesen I. Covid-19: Risk of cerebral blood clots from disease is 10 times that from vaccination, study finds. *BMJ*. 2021;373:n1005.
14. HPRA. COVID-19 Medicines and Vaccines Dublin, Ireland: Health Products Regulatory Authority (HPRA); 2021 [Available from: <https://www.hpra.ie/homepage/medicines/covid-19-updates>].
15. Wood R, Thomson E, Galbraith R, Gribben C, Caldwell D, Bishop J, et al. Sharing a household with children and risk of COVID-19: a study of over 300 000 adults living in healthcare worker households in Scotland. *Archives of Disease in Childhood*. 2021:archdischild-2021-321604.

The risks from these vaccines for 12 -15 year olds are similar to those for 5 – 11 year olds. The evidence shows a heightened risk of certain vaccine caused illnesses and disabilities for children. The British government went against this advice from JCVI and rolled out covid vaccinations for children and the evidence now shows that deaths, serious injuries, illnesses and disabilities have resulted for children. Mass vaccination of this age group constitutes the crime of Reckless Endangerment of Children and other crimes such as assault causing grievous bodily harm, poisoning, manslaughter and even murder and criminal cases are proceeding in Britain and the USA and other countries. If this vaccination continues in Ireland for this age group, there will be criminal charges brought against those responsible. View the evidence below.

The US FDA and Pfizer advisory committee admitted that the long-term safety of the vaccine for 5-11-year-old children will have to be carried out post vaccinations. *The number of participants in the current clinical development program is too small to detect any potential risks of myocarditis associated with vaccination. Long-term safety of COVID-19 vaccine in participants 5 to <12 years of age will be studied in 5 post-authorization safety studies, including a 5-year follow-up study to evaluate long term sequelae of post-vaccination myocarditis/pericarditis*
<https://www.fda.gov/media/153409/download>

Scientific Analysis of Costs VS Benefits for children

The scientific and medical evidence shows no benefits and plenty of costs for children.

Pros

Healthy children are not at risk from C-19 and do not drive transmission of C-19

As previously mentioned, A University College London (UCL), Imperial College London and the universities of Bristol, York and Liverpool study published in July 2021, found that children with confirmed C-19 had a roughly one in 50,000 chance of being admitted to intensive care with C-19 and a two in a million chance of dying (1). According to Euro surveillance, there is no evidence whatsoever of secondary transmission of COVID-19 from children in Irish schools(2).

The benefits to children are non-existent and in fact likely, not required

It is widely acknowledged that C-19 vaccines do not prevent transmission of the virus. Children will still get and spread C-19 (3). Irish children will likely already have natural immunity to Omicron. As of 9th February 2022, the Office of National Statistics (ONS) reported that at least two-thirds aged 8 to 11 years in the UK have C-19 antibodies (4). Infectious disease expert Professor Paul Hunter, says that “giving healthy primary school children Covid jabs is pointless because most have already had the mild Omicron strain and recovered” (5). The evidence presented for this court case also shows that once natural immunity against covid19 is attained by adults or children, this natural immunity is effective against all strains of covid19. The human immune system can remember and identify many different characteristics of the virus and destroy future versions and variants of it, based on this multiple recognition, and this immune memory can last for many decades or whole lifetimes. The science and evidence show that natural immunity is far superior to covid vaccine induced immunity.

Cons

The risk of myocarditis outweighs the benefits of vaccine

Myocarditis rates reported to Vaccine Adverse Events Reporting System (VAERS) were significantly higher in those aged between 13 to 23, with approximately 80% occurring in males. Within 8 weeks of the C-19 vaccines being offered to 12-15-year-olds the authors found 19 times the expected number of myocarditis cases in vaccinees (person receiving vaccine) compared to background myocarditis rates for this age group. Additionally, a 5-fold increase in myocarditis rate was observed after dose 2, as opposed to dose 1 in 15-year-old males. 67% of all cases occurred with Pfizer vaccine. Of the total myocarditis adverse event reports, 6 individuals died, 2 were under 20 years of age, 1 was 13(6).

UK JCVI does not recommend COVID-19 vaccines for healthy children

In September 2021 the *Joint Committee on Vaccination and Immunisation (JCVI)* decided not to recommend the C-19 vaccine to healthy children, based on concerns over myocarditis and pericarditis following Pfizer and Moderna mRNA COVID-19 vaccinations. This was after US reports of 60 cases of the heart inflammation for every million second doses given to 12 to 17 year old boys (compared to eight in one million girls) (7). Currently, the JCVI only recommends C-19 vaccination to children aged 5 to 11 years who are in a clinical risk group, or are in household with immunosuppressed individuals. In the UK, the MHRA Yellow Card reporting rate for suspected myocarditis in persons aged under 18 year olds was 11 per million doses (data as of 1 December 2021)(8).

Sweden, Norway and Finland do not recommend C-19 vaccines for healthy children

The Norwegian government refuses to recommend C-19 vaccines for children as “Children rarely become seriously ill, and knowledge is still limited about rare side effects or side effects that may arise at a distant time. There is little individual benefit for most children”(9). Finland has also limited children's C-19 vaccines to high-risk households(10). Finish Chief Physician Hanna Nohynek said, “Getting more information about the safety of the vaccines is even more important if society wants to influence the course of the pandemic by vaccinating children”. She added, “children rarely become severely ill and would only slightly benefit from the vaccine”(10). The Danish Health Authority is at present considering whether to continue vaccinating children aged 5-11 against C-19 as neighbouring Sweden and Norway do not vaccinate the same age group (11).

Myocarditis incidence in Ireland post C-19 Vaccine

As of 5th Nov 2021, there had been 83 reports of heart inflammation after receiving a C-19 vaccine according to the Health Protection Regulatory Authority (HPRA). The HPRA has received 25 reports of myocarditis, 33 reports of pericarditis and 22 involving a combination of both. 70 occurred after the Pfizer vaccine and 10 after the Moderna vaccine. Men were over-represented among the cases accounting for 57 reports against 23 for women. The median age of reports was 35 years and cases ranged in age from 12 to 81 years, with five involving people aged 12 to 17(12).

Accurately assessing risk and benefit is nigh impossible

It is impossible to accurately assess the risks versus benefits of vaccination as the risks are hugely underreported. Factors associated with not reporting adverse events following immunisation (AEFIs) included healthcare workers not being familiar with filling in the VAERS report or not being aware of what was required of them to file a VAERS report (13). In the US, a Harvard Pilgrim study reported that less than 1% of AEFIs are reported to VAERS, leaving more than 99% unreported (14). The Health Service Executive (HSE) also acknowledge that 99% of AEFIs go unreported (15).

1. Gibbons K. Children face two-in-a-million Covid death risk, study finds. The Times. 2021 Jul 09.
2. Heavey L, Casey G, Kelly C, Kelly D, McDarby G. No evidence of secondary transmission of COVID-19 from children attending school in Ireland, 2020. Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin. 2020;25(21):2000903.
3. Swan DA, Bracis C, Janes H, Moore M, Matrajt L, Reeves DB, et al. COVID-19 vaccines that reduce symptoms but do not block infection need higher coverage and faster rollout to achieve population impact. Scientific reports. 2021;11(1):15531-.
4. ONS. Coronavirus (COVID-19) latest insights London, UK: The Office for National Statistics (ONS) 2022 [Available from: <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/articles/coronaviruscovid19/latestinsights>].
5. Ely J. Vaccinating five to 11-year-olds against Covid won't 'make much difference' because most have natural immunity and jabs don't prevent school closures, expert says ahead of official decision 'THIS WEEK'. Daily Mail. 2022 Feb 09.
6. Rose J, McCullough PA. A Report on Myocarditis Adverse Events in the U.S. Vaccine Adverse Events Reporting System (VAERS) in Association with COVID-19 Injectable Biological Products. Current problems in cardiology. 2021:101011-. WITHDRAWN pending a court case

7. Triggie PRaN. Scientists not backing Covid jabs for 12 to 15-year-olds London, UK BBC 2021 Sep 04 [Available from: <https://www.bbc.com/news/health-58438669>].
8. Care DoHaS. JCVI statement on COVID-19 vaccination of children and young people: 22 December 2021 London, UK: UK government 2021 Dec 22 [Available from: <https://www.gov.uk/government/publications/jcvi-update-on-advice-for-covid-19-vaccination-of-children-and-young-people/jcvi-statement-on-covid-19-vaccination-of-children-and-young-people-22-december-2021#:~:text=At%20the%20current%20time%2C%20JCVI,in%20a%20clinical%20risk%20group>].
9. Desk N. Norwegian government refuses to recommend Covid vaccines for children. The Rio Times 2022 Jan 25.
10. Lehto E. Finland to limit children's COVID-19 vaccines to high-risk households Canary Wharf, London, UK: Reuters; 2021 Dec [Available from: <https://www.reuters.com/world/europe/finland-limit-childrens-covid-19-vaccines-high-risk-households-2021-12-02/>].
11. Desk N. Denmark reconsiders Covid-19 vaccination recommendation for children Stockholm, Sweden: The Local DK; 2022 Feb [Available from: <https://www.thelocal.dk/20220202/denmark-reconsiders-covid-19-vaccination-recommendation-for-children/>].
12. Cullen P. Three additional cases of heart inflammation after vaccines reported. Irish Times. 2021 Nov.
13. McNeil MM, Li R, Pickering S, Real TM, Smith PJ, Pemberton MR. Who is unlikely to report adverse events after vaccinations to the Vaccine Adverse Event Reporting System (VAERS)? Vaccine. 2013;31(24):2673-9.
14. Care HPH. Electronic Support for Public Health–Vaccine Adverse Event Reporting System (ESP:VAERS). Harvard, MA, US: Harvard Pilgrim Health Care; 2010.
15. Clarke DA. Adverse events following Immunisation Common and Uncommon [Power Point]. Dublin: HSE National Immunisation Office 2016 [updated Sept 2016. Available from: <https://www.hse.ie/eng/health/immunisation/hcpinfo/conference/adverseevents.pdf>].

Evidence of the Crime of Reckless Endangerment of Children from giving them covid19 vaccines which are scientifically proven to be unsafe and ineffective, and the legal and Constitutional requirement to halt and stop the covid vaccinations of children on this basis

The scientific data from VAERS in the CDC, from MHRA in Britain, the HPRA in Ireland, the EMA Eudravigilance database in the EU and DAEN in Australia all show that covid vaccinated children and adults are getting blood clots, hemorrhages, heart inflammation, myocarditis, pericarditis, heart attacks, strokes, seizures, shaking and neurological illnesses, Anaphylaxis, Bells Palsy, and other medical conditions and illnesses and sudden deaths shortly after receiving covid vaccines. These are fatal in some cases and life-long illnesses which can cause early death or chronic illness in many cases. This is causing concern to governments and health authorities worldwide. The VAERS data, MHRA data in Britain, the HPRA data in Ireland, the EMA Eudravigilance database data in the EU and DAEN data in Australia are on the web site at <https://www.data-analytica.org/page2.htm>

We include links to research findings worldwide below.

- Over 1,000 published scientific studies showing covid vaccines and boosters are dangerous and the risks including injuries, illnesses and disabilities and All Cause Mortality caused by the vaccines to adults and children far outweigh the benefits are on this web site:

<https://www.saveusnow.org.uk/covid-vaccine-scientific-proof-lethal/>

The same crimes have been committed in Ireland. This has caused a large number of deaths and injuries, illnesses and disabilities in Ireland in 2021 and 2022 and this has been corroborated by official statistics showing a big rise in excess mortality in Ireland and many other countries. This list of 1,000 published scientific studies is being used in criminal investigations and criminal cases due before the courts in Britain and the ICC in the Hague in 2022.

Britain

Metropolitan Police Number: 6029679/21 ICC Case Number: OTP-CR-473/21

Covid19 Vaccine Deaths Worldwide by June 2022

By June 2022, official government and health authority reports show that Europe, the USA, the UK and Australia received reports of **7,338,772 injuries and 77,068 deaths due to Covid-19 vaccination.** This is very high compared to other vaccines. In the USA more people have died of the covid19 vaccine than all other vaccines combined over the last 30 years according to the VAERS database. And we provide a comparison between the flu vaccine where over 1 billion doses were given and the covid19 vaccine where 500 million doses were given in the USA, and show that the covid19 vaccine is


far deadlier.

Country by Country below.

UK

Reported Number of Adverse Reactions and Deaths due to Covid-19 Vaccination the UK as of June 2022

■ Injuries ■ Deaths




Source: MHRA, Yellow card reports

<https://www.gov.uk/government/publications/coronavirus-covid-19-vaccine-adverse-reactions/coronavirus-vaccine-summary-of-yellow-card-reporting#annex-1-vaccine-analysis-print>

USA

Reported Number of Adverse Reactions and Deaths due to Covid-19 Vaccination the USA as of June 2022




Source: VAERS database of CDC

<https://wonder.cdc.gov/controller/datarequest/D8;jsessionid=4715088FA3527C5B25E9F044F276>

and <https://openvaers.com/covid-data>

The EU

Reported Number of Adverse Reactions and Deaths due to Covid-19 Vaccination Europe as of June 2022



Source: Eudravigilance <https://www.ema.europa.eu/en/human-regulatory/research-development/pharmacovigilance/eudravigilance>

Australia

5 medicines selected between 01/01/2020 - 27/05/2022.

Selected medicines

Trade name	Active ingredients
COMIRNATY COVID-19 vaccine	tozinameran
COVID-19 Vaccine (TNS)	COVID-19 Vaccine (Type not specified)
COVID-19 Vaccine AstraZeneca	ChAdOx1-S (Viral vector)
NUVAXOVID COVID-19 Vaccine	SARS-CoV-2 rS (NVX-CoV2373)
Spikevax COVID-19 vaccine	Elasomeran (mRNA)

Search results

The results are shown in two tabs.

Number of reports (cases): **129923**

Number of cases with a single suspected medicine: **127282**

Number of cases where death was a reported outcome: **877**

Source: DAEN of the Therapeutic Goods Administration (TGA) <https://www.tga.gov.au/database-adverse-event-notifications-daen>

MHRA, November 2022

Statistics from the MHRA system in Britain which tracks covid19 vaccine deaths, injuries, illnesses and disabilities shows 1,517,540 injuries, illnesses and disabilities, many of them serious. The total number of deaths reported is 2,272. There are over 100,000 people with new illnesses or disabilities as a result of these vaccines in Britain. This is truly shocking. Up to September 28th, 2022 the MHRA reports a total of 4,459 adverse events for children, comprising 4,121 Pfizer, 266 AstraZeneca, 37 Moderna . This includes 83 reported cases with Pfizer of myocarditis/pericarditis, suggesting a current reported risk of 12 cases per million for first doses and 9 per million for second dose for this age group.

Top scientists and medical doctors compiled an Expert Report on covid19 vaccines and comparison to other vaccines using government databases in many countries

This report was prepared by the World Council for Health (WCH). The report was prepared to determine whether sufficient pharmacovigilance data exists on WHO VigiAccess, CDC VAERS, EudraVigilance, and UK Yellow Card Scheme to establish a safety signal on Covid-19 vaccines. The Report provides irrefutable evidence which shows the covid19 vaccines are the most dangerous vaccines ever given to the general public.


Report at

<https://worldcouncilforhealth.org/wp-content/uploads/2022/08/Pharmacovigilance-Report-1.pdf>

News report at <https://worldcouncilforhealth.org/news/independent-pharmacovigilance-report-recall-of-covid-19-vaccines>


Comparison of Flu Vaccine to Covid19 vaccine in terms of doses and deaths

See charts below



Source: <https://www.cdc.gov/flu/prevent/vaccine-supply-historical.htm>

Deaths reported as Adverse Reactions to the Covid-19 Vaccines
in the USA from December 2020 to 28th Jan 2022
vs
Death reported as Adverse Reactions to the Influenza Vaccines
in the USA from 2008 to 2020
Source - CDC VAERS Database




Source: <https://wonder.cdc.gov/vaers.html>


Official US Government figures for vaccine deaths

Deaths Reported to the Vaccine Adverse Event Reporting System (VAERS) in USA

1990 to December 2021



- The VAERS data also show that these covid19 vaccines have caused more serious adverse effects for children than any other vaccine in the last 22 years.



HPRA Report Ireland

As of 5 July 2022, the HPRA has received a total of 20,350 reports of side effects in association with COVID-19 vaccines. They have not released the death figures.

mRNA vaccines (Comirnaty® and Spikevax®)	13,340
Adenoviral vector vaccines (Vaxzevria® and Jcovden® [previously Janssen])	6,677
Recombinant adjuvanted spike protein vaccine (Nuvaxovid®)	5
Brand unknown/not specified	328

Source: <http://www.hpra.ie/homepage/medicines/covid-19-updates/covid-19-vaccine-communications>

According to the HPRA 113 people have died and 20,182 injuries and illnesses have been caused by the covid19 vaccines by May 10, 2022. These figures are being under-reported and may be 10 times higher according to international research.

[https://www.hpra.ie/docs/default-source/default-document-library/safety-update-covid-19-vaccines-overview-of-national-reporting-experience-\(19052022\).pdf?sfvrsn=4](https://www.hpra.ie/docs/default-source/default-document-library/safety-update-covid-19-vaccines-overview-of-national-reporting-experience-(19052022).pdf?sfvrsn=4)

Ireland May 2022

“As of 10 May, the HPRA received 445 reports of suspected side effects following vaccination with Comirnaty® in the age category 5-17 years old, 114 of which related to a child, with the remainder

relating to an adolescent..... Overall, the reports received are consistent with the types of reports received for adults, with most being mild to moderate in nature. The most regularly reported include dizziness/fainting, headache, fever, nausea/vomiting, and tiredness

[https://www.hpra.ie/docs/default-source/default-document-library/safety-update-covid-19-vaccines-overview-of-national-reporting-experience-\(19052022\).pdf?sfvrsn=4](https://www.hpra.ie/docs/default-source/default-document-library/safety-update-covid-19-vaccines-overview-of-national-reporting-experience-(19052022).pdf?sfvrsn=4)

Ireland, March 2022

A HPRA report dated 24 March 2022 states that there were 401 reports of serious adverse effects caused by the covid19 vaccine to children aged 5 to 19 years old. Page 17 of the report details some of these serious injuries and illnesses. The HPRA report can be downloaded at

[http://www.hpra.ie/docs/default-source/default-document-library/safety-update-covid-19-vaccines-overview-of-national-reporting-experience-\(24032022\).pdf?sfvrsn=0](http://www.hpra.ie/docs/default-source/default-document-library/safety-update-covid-19-vaccines-overview-of-national-reporting-experience-(24032022).pdf?sfvrsn=0)

There were **110 deaths and 19,869 injuries and illnesses** caused by the covid19 vaccines. Most of these injuries and illnesses are serious and life changing. A Harvard Medical School Study in 2010 shows that the real figures for vaccine deaths and injuries may be 10 times higher.


There is evidence from many sources including witnesses we will bring before the court that all of the vaccine injuries and disabilities are not being officially recognised and counted in Ireland.

This corroborates the evidence mentioned above which has been compiled for the British courts and the International Criminal Court.

- Children (Under 18) Adverse Events U.K. – up to March 23rd, the MHRA reports a total of 3,674 adverse event reports, comprising 3,366 Pfizer, 262 AstraZeneca, 24 Moderna and 22 unspecified from 3,314,700 children vaccinated. This includes 70 reported cases with Pfizer of myocarditis / pericarditis, suggesting a current reported risk of 14 cases per million first doses and 12 per million second doses for this age group.
- VAERS CDC data for children in USA in October 2022

COVID Vaccine Reports in Children (Ages 6 mos.-17 years)

Through November 4, 2022



Source: VAERS database of CDC <https://openvaers.com/covid-data/child-summaries>

VAERS data is under reported by a factor of 10 to 100 according to scientific studies

The VAERS system is a US Government vaccine monitoring system which tracks vaccine deaths and injuries in the USA. This system identifies 10% of vaccine deaths and 1% of vaccine caused injuries, side effects, disabilities and new illnesses according to a Harvard Medical School study in 2010.

' Adverse events from drugs and vaccines are common, but underreported. Although 25% of ambulatory patients experience an adverse drug event, less than 0.3% of all adverse drug events and 1 - 13% of serious events are reported to the Food and Drug Administration (FDA). Likewise, fewer than 1% of vaccine adverse events are reported. Low reporting rates preclude or slow the identification of "problem" drugs and vaccines that endanger public health. New surveillance methods for drug and vaccine adverse effects are needed.'

Harvard Medical School study 2010

Source: [Electronic Support for Public Health–Vaccine Adverse Event Reporting System \(ESP:VAERS\)](#) and <https://digital.ahrq.gov/ahrq-funded-projects/electronic-support-public-health-vaccine-adverse-event-reporting-system/final-report>

This scientific research by Harvard University Medical School means Reports to VAERS will need to be multiplied by 100 and that deaths and serious injuries / disabilities / new illnesses multiplied by 10 to get accurate statistics for injuries and deaths caused by covid19 vaccines in the USA.

A recent scientific study on the covid19 vaccines found anaphylaxis occurred at a rate of 2.47 per 10,000 vaccinations which is 247 per million and is 10 times higher than officially reported.

Source: <https://jamanetwork.com/journals/jama/fullarticle/2777417>

A scientific study by Dr. Jessica Rose and Mathew Crawford and Steve Kirsch in the USA found in 2021 that there is under-reporting to VAERS and the most credible estimate for deaths and illnesses is 41 times the rate reported to VAERS. This means the real figures are 41 times higher. This gives 7.2 million hospitalisations, 1.2 million deaths, 2.3 million permanently disabilities and 2.1 million cases of myocarditis. Underreporting factor of 41 is scientifically presented on

<https://www.skirsch.com/covid/Deaths.pdf>

Links to scientific studies at <https://expose-news.com/2021/09/20/covid-19-vaccines-have-killed-at-least-150000-people-in-the-usa/>

See scientific papers in our other books of evidence.

- **1,200 Published Scientific studies about covid19 vaccine deaths, injuries and disabilities**

<https://react19.org/1250-covid-vaccine-reports/>

- **The real and nefarious reason for vaccinating children which has not been disclosed to the general public**

The Pfizer covid19 vaccine got emergency use authorisation and this gave the company liability protection under the Prep Act and Cares Act in the USA and similar laws in the EU. To get full approval for the vaccine and liability protection, the vaccine must be given to children, even if many children die or are injured or disabled by this vaccine. The evidence and facts show the covid vaccine causes a high and rising death rate for children and high rates of illness and disability. This serves profit interests, it does not serve the Public Interest and the Common Good. In fact it goes against the Public Interest and the Common Good.

- **New Scientific Study in Thailand shows a rate of Myocarditis of 1 in 43 for covid19 vaccinated children**

Cardiovascular manifestation of the BNT162b2 mRNA COVID-19 Vaccine in Adolescents

Mansanguan et al. August 2022

<https://www.mdpi.com/2414-6366/7/8/196>

This new scientific study from Thailand shows a high risk of children developing Myocarditis or other heart conditions and diseases after covid19 vaccinations. **A rate of 1 in 43 is very high, furthermore 29% of children developed various heart abnormalities and conditions, some subclinical.** This is serious as this lasts for the rest of their lives and indicates higher risk of early death or premature death. The high numbers of young people under 18 dying suddenly in Ireland since Summer 2021 and into 2022, especially of heart conditions, bleeding and haemorrhages, and published on www.rip.ie corroborates the scientific findings in many scientific studies. And also the grim findings found in the Pfizer trial of the covid19 vaccine, released under Federal Court order in the USA. And in 2021 many American schools introduced defibrillators for children due to the growing rate of heart illnesses in American children. And defibrillators are being put into all English schools from 2021 onwards. This is a new, strange, unexpected and unprecedented development of children getting heart attacks after covid19 vaccinations in 2021 and this threat will continue into the future.

Source: <https://www.theguardian.com/education/2022/jul/17/defibrillators-to-be-installed-in-all-english-state-schools-by-end-of-next-school-year>

News interview with Dr. Peter McCullough, a doctor and Cardiologist, about this finding in Thailand

<https://rumble.com/v1fs6r6-alarmingly-high-rates-of-teen-myocarditis-found-in-thailand-preprint-1-in-4.html>

This new scientific study corroborates the scientific findings of Oster, 2022,

<https://jamanetwork.com/journals/jama/fullarticle/2788346>

and

Persistent Cardiac Magnetic Resonance Imaging Findings in a Cohort of Adolescents with Post-Coronavirus Disease 2019 mRNA Vaccine Myopericarditis

Shauer et al.

<https://www.jpeds.com/article/S0022-3476%2822%2900282-7/fulltext#%20>

and

Increased emergency cardiovascular events among under-40 population in Israel during vaccine rollout and third COVID-19 wave

Levi et al. April 2022 <https://www.nature.com/articles/s41598-022-10928-z>

The study by Levi and in the VAERS data at <https://stevekirsch.substack.com/p/the-vaers-x-factor-analysis> showed that the “cardiac arrest” reports were elevated by a factor of 93 times higher than the annual baseline rate for covid vaccinated people (VAERS reports from all vaccines combined in previous years.)

and

**BNT162b2 Vaccine-Associated Myo/Pericarditis in Adolescents: A Stratified Risk-Benefit Analysis
Hoeg et al. 2022**

<https://onlinelibrary.wiley.com/doi/10.1111/eci.13759>

and

In Israel, a study in *Nature* observed a similar trend for 16-39 year-olds, with cardiac arrest emergency calls rising and falling with the first and second doses and then rising and falling again after doses for recovered individuals.

<https://www.nature.com/articles/s41598-022-10928-z#Fig1>

and

A Systematic Review and Meta-analysis of the Association Between SARS-CoV-2 Vaccination and Myocarditis or Pericarditis

Gao et al. September 2022

[https://www.ajpmonline.org/article/S0749-3797\(22\)00453-6/fulltext](https://www.ajpmonline.org/article/S0749-3797(22)00453-6/fulltext)

A comprehensive review and meta-analysis of published research confirm that young adults (40 years old and younger) have an elevated risk for myocarditis or pericarditis after mRNA COVID-19 vaccination. The analysis is reported in a new study in the *American Journal of Preventive Medicine*, published by Elsevier.

and

Comparative Safety of the BNT162b2 Messenger RNA COVID-19 Vaccine vs Other Approved Vaccines in Children Younger Than 5 Years

Toepfner et al. JAMA 2022

<https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2797451>

This study published in *The Journal of the American Medical Association*, included 7,806 children aged five or younger who were followed for an average of 91.4 days after their first Pfizer vaccination. The study showed that one in 500 children under five years of age who received a Pfizer mRNA—messenger ribonucleic acid—covid vaccine were hospitalised with a vaccine injury, and one in 200 had symptoms ongoing for weeks or months afterwards.

This was debated in the British Parliament in October 2022

<https://hansard.parliament.uk/Commons/2022-10-24/debates/FF880636-BC3B-4BDB-A5E0-D6D4B82B2888/Covid-19VaccinesSafety?highlight=excess%20deaths#contribution-76C612FC-E196-4082-8B1B-1E5ACC5D54BF>

and

Serious adverse events of special interest following mRNA COVID-19 vaccination in randomized trials in adults

Fraiman, Doshi, et al. August 2022

<https://www.sciencedirect.com/science/article/pii/S0264410X22010283>

Results

Pfizer and Moderna mRNA COVID-19 vaccines were associated with an excess risk of serious adverse events of special interest of 10.1 and 15.1 per 10,000 vaccinated over placebo baselines of 17.6 and 42.2 (95 % CI -0.4 to 20.6 and -3.6 to 33.8), respectively. Combined, the mRNA vaccines were associated with an excess risk of serious adverse events of special interest of 12.5 per 10,000 vaccinated (95 % CI 2.1 to 22.9); risk ratio 1.43 (95 % CI 1.07 to 1.92). The Pfizer trial exhibited a 36 % higher risk of serious adverse events in the vaccine group; risk difference 18.0 per 10,000 vaccinated (95 % CI 1.2 to 34.9); risk ratio 1.36 (95 % CI 1.02 to 1.83). The Moderna trial exhibited a 6 % higher risk of serious adverse events in the vaccine group: risk difference 7.1 per 10,000 (95 % CI -23.2 to 37.4); risk ratio 1.06 (95 % CI 0.84 to 1.33). Combined, there was a 16 % higher risk of serious adverse events in mRNA vaccine recipients: risk difference 13.2 (95 % CI -3.2 to 29.6); risk ratio 1.16 (95 % CI 0.97 to 1.39).

Analysis

They found that the Pfizer and Moderna mRNA vaccines were associated with an increased risk of serious adverse events of special interest: 10.1 events per 10,000 vaccinated for Pfizer and 15.1 events per 10,000 for Moderna. When combined, the mRNA vaccines were associated with an increased risk of 12.5 per 10,000 vaccinated.

The research stated that this level of increased risk post-vaccine is greater than the risk reduction in COVID-19 hospitalization in both Pfizer and Moderna trials, which was 2.3 per 10,000 participants for Pfizer and 6.4 per 10,000 for Moderna. This means that on this measure, the Pfizer vaccine results in a net increase in serious adverse events of 7.8 per 10,000 vaccinated and the Moderna vaccine of 8.7 per 10,000 vaccinated.

- **1 in Every 99 Small Children Who Receive the covid19 Vaccine are Hospitalised By It, Study Finds. And children suffer more illnesses than with other vaccines**

Comparative Safety of the BNT162b2 Messenger RNA COVID-19 Vaccine vs Other Approved

Vaccines in Children Younger Than 5 Years

Toepfner et al. 2022, JAMA

<https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2797451>

and news report at

<https://dailysceptic.org/2022/10/20/one-in-every-500-small-children-who-receive-the-pfizer-vaccine-are-hospitalised-by-it-study-finds/>

Table 2. Active-Comparator Analysis of Symptoms Occurring After BNT162b2 and Non-BNT162b2 Vaccinations

Variable	Frequencies, No./total No. (%)		Logistic regression	
	BNT162b2	Non-BNT162b2	OR (95% CI)	P value
Disposition				
Physical rest	706/4570 (15.4)	261/1491 (17.5)	0.89 (0.76-1.05)	.16
Antipyretics	339/4570 (7.4)	220/1491 (14.8)	0.54 (0.45-0.66)	<.001
Ambulatory	41/4570 (0.9)	7/1491 (0.5)	1.78 (0.78-4.04)	.17
Inpatient	5/4570 (0.1)	0/1491 (0.0)	NA	NA
Mortality	0/4570 (0.0)	0/1491 (0.0)	NA	NA
Symptoms				
Duration >90 d	1/4570 (0.0)	0/1491 (0.0)	NA	NA
Duration ongoing	24/4570 (0.5)	1/1491 (0.1)	NA	NA
Any symptom reported	2323/4570 (50.8)	564/1491 (37.8)	1.62 (1.43-1.84)	<.001
Local	1808/4520 (40.0)	380/1491 (25.5)	1.68 (1.38-2.05) ^a	<.001 ^a
General	874/4506 (19.4)	388/1491 (26.0)	0.77 (0.63-0.95) ^a	.005 ^a
Fever	305/4570 (6.7)	256/1491 (17.2)	0.42 (0.32-0.55) ^a	<.001 ^a
Musculoskeletal system	193/4496 (4.3)	21/1491 (1.4)	2.55 (1.32-4.94) ^a	<.001 ^a
Gastrointestinal	151/4493 (3.4)	36/1491 (2.4)	1.54 (0.89-2.65) ^a	.28 ^a
Otolaryngologic	84/4477 (1.9)	4/1491 (0.3)	6.37 (1.50-27.09) ^a	.004 ^a
Pulmonary	64/4477 (1.4)	7/1491 (0.5)	2.93 (0.94-9.13) ^a	.09 ^a
Cardiovascular	17/4481 (0.4)	4/1491 (0.3)	1.36 (0.28-6.69) ^a	>.99 ^a
Neurologic	64/4470 (1.4)	7/1491 (0.5)	2.52 (0.81-7.85) ^a	.24 ^a
Psychological	87/4468 (1.9)	15/1491 (1.0)	2.29 (1.00-5.25) ^a	.06 ^a
Dermatologic	128/4456 (2.9)	19/1491 (1.3)	2.18 (1.07-4.45) ^a	.02 ^a

Chart above from study shows Pfizer covid vaccine causes more illnesses than other vaccines.

- **Ineffectiveness**

In the USA the Pfizer vaccinations in the 5-11 year olds led to very poor efficacy; 31% [according to the CDC](#) and 12% after 7 weeks according to a massive database comprising over 1.3 million children (365,000 of whom were vaccinated) from [the NY Department of Health](#). Five to 11-year-

old children dropped into the **negative efficacy** by 8 weeks after receiving the second dose. Negative efficacy means the vaccine is totally ineffective against covid19 and actually increases a child's chance of getting infected with covid19. There was a large, linear drop in efficacy seen with each successive week following full vaccination. Extremely narrow confidence intervals confirm the validity of these data. By 8 weeks following their second dose, vaccinated children were placed at higher risk of developing COVID19 than unvaccinated children. By 9 weeks, their risk was even higher. The fact is that being vaccinated placed these children in a higher risk category for a COVID19 infection than if they had never been vaccinated.


Scientific paper titled 'Effectiveness of the BNT162b2 vaccine among children 5-11 and 12-17 years in New York after the Emergence of the Omicron Variant'

Dorabawila et al. 2022

<https://www.medrxiv.org/content/10.1101/2022.02.25.22271454v1.full.pdf>

- **Euromomo Statistics**

According to Euromomo statistics excess deaths among children across Europe had increased by a massive 552% from week 22 in 2021 to week 4 in 2022. With an 848% increase recorded up to the end of 2021, and a 444% increase recorded so far in 2022.




Source: <https://www.euromomo.eu/graphs-and-maps>

444% increase over 2017-2020 average

Covid19 vaccines were approved by the EMA for children from week 22 of 2021. The first chart examines excess mortality over weeks 22 to 52 for a few years and the 2017-2020 average and


the second chart examines the excess mortality from week 22 of one year to week 44 of the following year..



848% increase over 2017-2020 average

Excess Deaths among Children aged 0-14 across Europe, Week 22 of 1 Year to Week 44 of following Year

Source: European Mortality Monitoring Project (EuroMOMO), Official Data from 27 Countries




552% increase over 2017-2020 average

The Correlation between covid19 vaccine doses and excess deaths for children aged 0 to 14 in Europe

-

Euromomo countries- 0-14 cumulative excess deaths VS 10-14yo EU/EEA cumulative vaccine doses



Sources: <https://vaccinetracker.ecdc.europa.eu/public/extensions/COVID-19/vaccine-tracker.html#age-group-tab> and <https://www.euromomo.eu/graphs-and-maps>

Several countries are considering banning covid19 vaccines for children.

A full news report into this at <https://boriguagato.substack.com/p/all-cause-mortality-effects-of-covid>

- The big rise in Excess Mortality for children aged 0 – 14 begins after week 22 in 2021 when they start receiving covid19 vaccines. This has continued up the present in 2022



Euromomo statistics continue to show a big increase in excess mortality for children aged 0 to 14 in 2022. This big increase in excess mortality in late 2021 and for 2022 is related to the covid19 vaccinations of children during this time. The following chart tracks excess mortality up to week 44 in 2022.

WEEK RANGE




SHOW

Weekly **Cumulated**

..... Baseline — 2022 — 2020 — 2021 — 2019 — 2018 — 2016 — 2017

0-14 years


2022, Week 44
929




Source: <https://www.euromomo.eu/graphs-and-maps/>

0-14 years

2022, Week 40
807



15-44 years



Source: <https://www.euromomo.eu/graphs-and-maps/>

The charts above from Euromomo show a big increase in excess mortality for children in 2022. This corroborates the evidence showing the covid19 vaccines are dangerous for children, and increase the risk of death or serious illness for children.

A sudden big rise in child deaths after covid19 vaccinations of children in the EU. The correlation between excess child deaths and covid19 vaccinations of children is strong. See charts below.


Big Rise in Excess Mortality for children after covid19 vaccinations throughout Europe

Year-to-date excess death figures for children aged 0-14, up an incredible 2,555% in 2022 on the 2020 figure!

<https://www.euromomo.eu/graphs-and-maps#excess-mortality>

See chart below

Fig 2.




and News report at <https://dailysceptic.org/2022/08/15/why-are-all-cause-excess-deaths-in-the-under-45s-so-much-higher-this-year-than-at-the-height-of-the-pandemic/>

The following chart shows the weekly excess deaths throughout 2020 and 2021 among children aged 0 to 14 across Europe. The graph has been taken from the EuroMOMO website

..... Baseline — 2021 — 2020

0-14 years




Source: <https://www.euromomo.eu/graphs-and-maps>

Deaths among children throughout 2020 were generally below the expected number of deaths. This trend continued throughout 2021 up to week 22, at which point excess deaths were recorded week on week until the end of the year. The covid19 vaccines for children were approved by the EMA and other health bodies in EU countries from week 22 onwards. And the vaccine was approved for 5-11 year olds from November 2021 onwards. We see a big rise in excess mortality for children from mid 2021 onwards and into 2022. This coincides with the covid19 vaccines for children. We are seeing the same rise in excess deaths for vaccinated adults in 2021 and 2022.

To reinforce the point, we compare excess mortality for children for 2020 and 2021. **The evidence is clear that high numbers of children are being killed.**

..... Baseline — 2020 — 2021




0-14 years



Source: <https://www.euromomo.eu/graphs-and-maps>


The first chart below shows a big rise in excess mortality in 2022, it is now higher at this point in 2022 than it was at the same point in either 2020 or 2021. The second chart shows a massive rise in excess mortality for children aged 0 -14 from Autumn 2021 when covid vaccinations began to the end of

2021 and this rise has continued into 2022.




News report at <https://alexberenson.substack.com/p/another-week-with-deaths-far-above>

Latest Euromomo statistics in August 2022 show a big increase in excess mortality from mid 2021 into 2022 after covid19 vaccinations of children began in mid 2021




Source: <https://web.archive.org/web/20220829112527/https://www.euromomo.eu/graphs-and-maps>




Source: <https://www.euromomo.eu/graphs-and-maps>

Since the EMA first approved the Pfizer Covid-19 injection for use in children in May 2021, Europe has recorded 1,224 excess deaths among children aged 0 to 14 since covid vaccines were introduced for them. This is much higher than previous years. Week 22 is when the EMA approved covid vaccines for children. Week 22 of 2021 to week 37 of 2022 are compared against the average for a similar time period from 2017 to 2021. Child deaths in 2021-2022 are 7 times higher than the average for previous years.




Source: <https://www.euromomo.eu/graphs-and-maps>



Source: <https://www.euromomo.eu/graphs-and-maps>


In 2021 the first half of the year saw a reduction in excess mortality for children while the second half of the year saw a big increase in excess mortality after covid vaccines were given to them.



Source: <https://www.euromomo.eu/graphs-and-maps>

In 2021 the first half of the year saw a reduction in excess mortality for children while the second half of the year saw a big increase in excess mortality after covid vaccines were given to them. By week 33 in 2021, this increase was slow but growing.

There has also been a big increase in excess mortality among the youth aged 15 to 44 after the introduction of covid19 vaccines



Source: <https://www.euromomo.eu/graphs-and-maps>

- EuroMomo Investigations are ongoing into excess mortality for children in the European Union from Autumn 2021 and all of 2022. This corresponds to the covid19 vaccinations of children.

EuroMOMO Bulletin, Week 33, 2022

Print Share


EuroMOMO pooled estimates show an elevated level of excess mortality

This week's overall pooled EuroMOMO estimates of all-cause mortality for the participating European countries show elevated excess mortality, especially among the elderly (65 years or older).

Data from 26 European countries or subnational regions were included in this week's pooled analysis of all-cause mortality.

— Pooled deaths ■ Normal range - - - Baseline - - - Substantial increase ■ Corrected for delay in registration

All ages



Source: <https://www.euromomo.eu/bulletins/2022-33/>

EuroMOMO Bulletin, Week 36, 2022


Print Share

EuroMOMO pooled estimates show an elevated level of excess mortality

This week's overall pooled EuroMOMO estimates of all-cause mortality for the participating European countries show elevated excess mortality. Since mid-2021, the accumulated level of mortality in Europe in the age group of 0-14 years seems to have increased. The possible explanations are being investigated.

Data from 24 European countries or subnational regions were included in this week's pooled analysis of all-cause mortality.

Spain does not participate in EuroMOMO outputs in week 36/2022, due to an adjustment process related with mortality data sources at national level.



Source: <https://www.euromomo.eu/bulletins/2022-36/>

- In UK, the Office of National Statistics found a 22% increase in child deaths aged 5-9 years old after covid19 vaccinations began for them in April 2022

Comparison for weeks 14 – 35 for 2022, 2021 and 2020

Source: Office for National Statistics

Table 2a: Weekly provisional figures on d

Week number	Week ending	05-09
14	8 Apr 2022	8
15	15 Apr 2022	4
16	22 Apr 2022	4
17	29 Apr 2022	2
18	6 May 2022	4
19	13 May 2022	4
20	20 May 2022	3
21	27 May 2022	5
22	3 Jun 2022	5
23	10 Jun 2022	2
24	17 Jun 2022	11
25	24 Jun 2022	4
26	1 Jul 2022	2
27	8 Jul 2022	5
28	15 Jul 2022	3
29	22 Jul 2022	7
30	29 Jul 2022	5
31	5 Aug 2022	6
32	12 Aug 2022	5
33	19 Aug 2022	5
34	26 Aug 2022	8
35	2 Sep 2022	2

Total so far in 2022 - 104. This figure will increase by the end of 2022


Source:

<https://www.ons.gov.uk/file?uri=/peoplepopulationandcommunity/birthsdeathsandmarriages/death/datasets/weeklyprovisionalfiguresondeathsregisteredinenglandandwales/2022/publicationfileweek352022.xlsx>

Total in 2021 - 86

Total in 2020 - 85

- UK government statistics show covid vaccinated children 45 times more likely to die of all causes than the unvaccinated



Source: Office for National Statistics (ONS)

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland>

and

<https://www.ons.gov.uk/file?uri=/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland/deathsoccurringbetween1january2021and31may2022/referencetable06072022accessible.xlsx>

- Children aged 5-11 will no longer be offered Covid jabs, except those in clinical risk groups, UKHSA confirms in Britain

Guardian newspaper report, September 2022

<https://www.theguardian.com/world/2022/sep/06/anger-at-plans-to-roll-back-covid-vaccines-to-under-11s-in-england>

This supports the scientific and medical findings of The Joint Committee on Vaccination and

Immunisation (JCVI) in UK which recently advised that COVID vaccines in 5–11-year-old children are non-essential

<https://joppp.biomedcentral.com/articles/10.1186/s40545-022-00424-0>

- **Top Cardiologist Dr. Peter McCullough testifying before the Pennsylvania State Senate in March 2022 on the sudden death of children shortly after getting their covid19 vaccines**

<https://rumble.com/vwrmhd-dr.-peter-mccullough-the-four-pillars-of-pandemic-response.html>

- **Comparative Safety of the BNT162b2 Messenger RNA COVID-19 Vaccine vs Other Approved Vaccines in Children Younger Than 5 Years**

Toepfner et al. JAMA 2022

<https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2797451>

This study published in *The Journal of the American Medical Association*, included 7,806 children aged five or younger who were followed for an average of 91.4 days after their first Pfizer vaccination. The study showed that one in 500 children under five years of age who received a Pfizer mRNA—messenger ribonucleic acid—covid vaccine were hospitalised with a vaccine injury, and one in 200 had symptoms ongoing for weeks or months afterwards.

This was debated in the British Parliament in October 2022

<https://hansard.parliament.uk/Commons/2022-10-24/debates/FF880636-BC3B-4BDB-A5E0-D6D4B82B2888/Covid-19VaccinesSafety?highlight=excess%20deaths#contribution-76C612FC-E196-4082-8B1B-1E5ACC5D54BF>

- **Rise in “sudden deaths” and “sudden adult deaths syndrome” of healthy young people under 18 years old who were covid19 vaccinated in 2021 and 2022 provides more corroborating evidence**

The web site www.rip.ie provides information about deaths of people around Ireland on a daily basis and is a reliable and credible indicator of deaths in Ireland. The rise in “sudden deaths” of healthy young people under 18 years old who were covid19 vaccinated in 2021 and 2022 provides more evidence for our case against the covid19 vaccines. The rise in “sudden child death syndrome” in Ireland and other highly covid19 vaccinated countries has appeared in the news and media in Ireland and many other countries. One can access the www.rip.ie database online. Pictures of many young people who “died suddenly” in 2021 and 2022. Some links provided below.

<https://www.google.com/search?q=www.rip.ie+died+suddenly+2021&tbm=isch&sa=X&ved=2ahU>

[KEwjgyafO N74AhUhuaQKHWVZAL4Q AUoAnoECAEQBA&biw=1408&bih=637&dpr=1.36](https://www.google.com/search?q=www.rip.ie+died+suddenly+2021)

<https://www.google.com/search?q=www.rip.ie+died+suddenly+2021>

<https://www.google.com/search?q=www.rip.ie+died+suddenly+2022&source=Inms&tbm=isch&sa=X&ved=2ahUKEwqi7eW t74AhXHGewKHUY0ATYQ AUoAnoECAEQBA&biw=1408&bih=637&dpr=1.36>

<https://www.google.com/search?q=www.rip.ie+died+suddenly+2022>

- **Video about the mass killing and injuring and disabling of children by covid19 vaccines**

The Vaccine Safety Research Foundation produced a video showing the facts and evidence about the effects of covid19 vaccines on children. Its at


<https://rumble.com/v1mszqu-are-the-kids-ok.html>



Vaccine Safety Research Foundation <https://www.vacsafety.org/>

- **Press Conference held by top German medical doctors, Professors and Scientists condemn covid19 vaccines for small children as they pose too many risks of serious injuries, illnesses, disabilities or death. This was held in November 2022.**

Link to video of press conference - <https://www.youtube.com/watch?v=zkgzVkdzDFw>



Pressekonferenz von MWGFD - 16.11.2022 um 14 Uhr

MWGFD e.V. 80.4K subscribers [Subscribe](#) [1.8K](#) [Share](#) [...](#)


- **Big increase in Excess mortality in Britain for 0 - 24 year olds in 2021 and 2022**

This is an age group which should not be experiencing high excess mortality. This rise in excess mortality correlates to the introduction of covid19 vaccines in 2021.

Excess Mortality in England by Age Group

Date Range (week ending): 27/03/2020 to 23/09/2022

Weekly Excess Deaths by Date of Registration, Persons (0-24), England



Source: UK government.

<https://app.powerbi.com/view?r=eyJrljoiYmUwNmFhMjYtNGZhYS00NDk2LWFIMTAOTg0OOGNhNmFiNGM0liwidCI6ImVINGUxNDk5LTRhMzUtNGlyZS1hZDQ3LTVmM2NmOWRIODY2NiIsImMiOjh9>


- **CDC figures show massive increase in excess mortality for people 0 – 24 in USA since 2021**

This is an age group which should not be experiencing high excess mortality. This rise in excess mortality correlates to the introduction of covid19 vaccines in 2021.

Cumulative Excess Deaths [United States, 0-24 years]

Weekly, All-Causes

USMortality.com



Sources: CDC.gov, Census.gov

Show Months | CSV | JSON | ▲

Source: <https://usmortality.com/deaths/excess-cumulative/united-states>

- **Pfizer admitted that the covid19 vaccine does not stop the spread of the virus among children and among adults and among people.**

A senior Pfizer executive, Janine Small, admitted to the European Parliament on October 11, 2022 that there was no evidence to show the covid19 vaccine stopped the spread of the virus. The vaccine was never tested to see if it stopped transmission of the virus. This meant that the reason for covid19 vaccine passports, discrimination and mandates was based on lies and fraud.

Video from the EU Parliament - <https://rumble.com/v1nk7fg-in-covid-hearing-pfizer-director-admits-vaccine-was-never-tested-on-prevent.html>

News reports

<https://www.news.com.au/technology/science/human-body/pfizer-did-not-know-whether-covid-vaccine-stopped-transmission-before-rollout-executive-admits/news-story/f307f28f794e173ac017a62784fec414>

<https://www.youtube.com/watch?v=mnxlxzoZx0&t=0s>

<https://www.youtube.com/watch?v=2jTgDj7uiX8>

<https://www.youtube.com/watch?v=J6Vb18gOnUM>


Lies and misinformation by politicians, medical doctors, scientists, healthcare leaders, government

advisors, news readers and news anchors, and journalists stating that the covid19 vaccines stop spread or transmission

<https://twitter.com/CristianTerhes/status/1580710466808328192>

This fraud and lies led to loss of many lives and injury and disability to many people and to financial losses and this carries both criminal liability and civil liability for those people involved in promoting the vaccines, the vaccine passports, discrimination and mandates.

- **UK government data shows a 53% increase in excess mortality among teenagers after receiving the covid19 vaccines in UK in 2021. This correlates to the introduction of covid19 vaccines for teenagers in the UK.**



The increases are very high especially after week 23 when covid19 vaccinations of teenagers began. And this increase has been sustained as vaccinations continue. Deaths among teenage boys were virtually the same between week 1 and 17 in 2020 and 2021 but then increased by 53% between week 18 and 52 following the introduction of the Covid-19 vaccine to this age group. This is strong proof of causation. This is the 'smoking gun'.

Sources:

<https://www.ons.gov.uk/file?uri=%2fpeoplepopulationandcommunity%2fbirthsdeathsandmarriages%2fdeaths%2fdatasets%2fweeklyprovisionalfiguresondeathsregisteredinenglandandwales%2f2020/publishedweek532020.xlsx>

and

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/dataset/weeklyprovisionalfiguresondeathsregisteredinenglandandwales>

and


<https://www.ons.gov.uk/file?uri=%2fpeoplepopulationandcommunity%2fbirthsdeathsandmarriages%2fdeaths%2fdatasets%2fweeklyprovisionalfiguresondeathsregisteredinenglandandwales%2f2021/publishedweek522021.xlsx>

and

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/dataset/weeklyprovisionalfiguresondeathsregisteredinenglandandwales>

Covid19 vaccinations in UK

Figure 7. Cumulative weekly vaccine uptake by age



News report and analysis of this at

<https://expose-news.com/2022/09/19/gov-confirms-huge-increase-teen-deaths-after-covid-vaccination/>

- **There is a contradiction between two government bodies in Britain regarding covid19 vaccinations of breastfeeding women. The JCVI has advised to give covid19 vaccinations to breastfeeding women while the Public Assessment Report of the British government has advised against this in August 2022.**

The dangers of covid19 vaccination for breastfeeding women have NOT been scientifically established by August 2022

JCVI -

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1098808/Greenbook-chapter-14A-17August2022.pdf

Public Assessment Report of the British government -

<https://www.gov.uk/government/publications/regulatory-approval-of-pfizer-biontech-vaccine-for-covid-19/summary-public-assessment-report-for-pfizerbiontech-covid-19-vaccine>

Dr. John Campbell in Britain provides an important lecture about this contradiction in video below:

<https://www.youtube.com/watch?v=7gLLay852jM>

- **Sweden decides against recommending COVID vaccines for kids aged 5-12**

Reuters, January 27, 2022

<https://www.reuters.com/world/europe/sweden-decides-against-recommending-covid-vaccines-kids-aged-5-12-2022-01-27/>

- **Norway and Finland refuse to fully support vaccinations of all children aged 5 - 11 due to safety concerns**

News reports below:

<https://covidcalltohumanity.org/2022/01/25/norway-believes-natural-immunity-is-better-protection-for-children-five-to-11-years/>

and

<https://covidcalltohumanity.org/2021/12/05/finland-will-not-recommend-covid-injections-for-healthy-children-aged-5-to-11-years/>

- **Denmark bans COVID vaccines for children, August 2022**

News reports

https://www.westernstandard.news/news/denmark-bans-covid-vaccines-for-children/article_f9f70ba0-18c4-11ed-89cc-3b914fdcb391.html

and

<https://www.sst.dk/da/corona/vaccination>

and

<https://expose-news.com/2022/08/10/children-denmark-no-longer-subjected-to-covid-vaccines/>

and <https://yandex.com/search/?text=denmark+ban+covid+vaccine+children>

- The covid19 vaccine caused severe illness and disability for a small child Maddie de Garay in the Pfizer covid19 vaccine trials in the USA. News report at <https://thehighwire.com/> Episode 280, Rigged, 1hr mark, August 11, 2022
- **Uruguay Halts COVID-19 Vaccine for Kids Under 13, Judge Demands Government Officials Turn Over Pfizer Contracts**
<https://childrenshealthdefense.org/defender/uruguay-covid-vaccine-kids/>
- **More scientific studies showing that the covid19 vaccines rapidly lose effectiveness and are ineffective for Children**

BNT162b2 COVID-19 vaccination uptake, safety, effectiveness and waning in children and young people aged 12–17 years in Scotland

Rudan et al. 2022. Lancet

[https://www.thelancet.com/journals/lanepi/article/PIIS2666-7762\(22\)00209-5/fulltext](https://www.thelancet.com/journals/lanepi/article/PIIS2666-7762(22)00209-5/fulltext)

'The waning of the protective effect against the symptomatic disease began after five weeks post-first and post-second dose.'

Vaccine effectiveness in negative figures and low figures

Vaccine Status (dose,week)	N	Delta Period				Omicron Period			
		Events	VE%	L95%CI	U95%CI	Events	VE%	L95%CI	U95%CI
None	16722	3368				1365			
1 st 0–1	2927	615	13.0	1.4	23.3	60	-18.4	-89.3	26.0
1 st 2–5	4510	499	64.2	59.2	68.5	116	22.8	-6.4	44.0
1 st 6–9	1792	309	39.8	27.0	50.3	179	11.9	-16.1	33.1
1 st 10–13	2303	368	34.8	20.9	46.2	340	-22.4	-52.3	1.6
1 st 14–17	3319	253	28.7	8.0	44.8	790	-24.2	-46.5	-5.3
1 st 18+	2268	16	51.8	-16.4	80.1	866	-24.7	-46.7	-6.0
2 nd 0–1	812	21	38.8	-15.8	67.7	154	34.0	13.2	49.9
2 nd 2–5	1259	2	95.6	77.0	99.1	173	65.5	56.0	73.0
2 nd 6+/6–9	852	1	96.7	51.3	99.8	229	43.4	26.9	56.2
2 nd 10–13	645	0				234	8.9	-19.1	30.3
2 nd 14+	219	0				89	1.2	-49.3	34.6

Table 3: Effectiveness of the BNT162b2 in 16–17 year-olds. Odds ratios are shown for Delta and Omicron periods. Odds ratios were estimated using a conditional logistic regression model, with positive tests matched to negative controls by age, location, and date of test. The model contains adjustments for sex, deprivation, urban/rural classification, previous positivity, number of previous tests and risk group category. (VE=vaccine effectiveness; L95%CI=lower 95% confidence limit; U95%CI=upper 95% confidence limit; “N” is the number of persons contributing to each sub-sample; “events” is the number of episodes of symptomatic infections with positive tests that were recorded among those persons in each sub-sample. Due to lack of events in the period post-second dose for the Delta period, we collapsed them all into a 6+ weeks category, while for the Omicron period we report categories 6–9, 10–13 and 14+ weeks categories).

Effects of Vaccination and Previous Infection on Omicron Infections in Children

Lin et al. September 2022

<https://www.nejm.org/doi/full/10.1056/NEJMc2209371>

- **Published scientific study finds RNA has been found in the breast milk of covid vaccinated women. This is a dangerous new development.**

Detection of Messenger RNA COVID-19 Vaccines in Human Breast Milk

Hanna et al. September 2022

<https://jamanetwork.com/journals/jamapediatrics/fullarticle/2796427>

and video lecture about this by Dr. John Campbell at

<https://www.youtube.com/watch?v=1uF1oPyh8OY>

and some evidence of infants being killed by messenger RNA in the breast milk

<https://rtmag.co.il/english/648-reports-of-side-effects-in-infants-exposed-to-the-covid-19-vaccines-via-breastfeeding>

- **UK Government admits COVID Vaccinated Children are 4423% more likely to die of any cause and 13,633% more likely to die of COVID-19 than Unvaccinated Children**


in July 2022, the Office of National Statistics in Britain published a report showing a massive increase in covid19 deaths and all cause mortality among covid19 vaccinated children.

Sources:

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland>


and

<https://www.ons.gov.uk/file?uri=/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland/deathsoccurringbetween1january2021and31may2022/referencetable06072022accessible.xlsx>



Teenagers: Mortality-Rates by Vaccination Status per 100,000 person-years, England, Children aged 15 to 19, for period 1st Jan 2021 to 31st May 2022

Source: Office for National Statistics



- **More Corroboration of our evidence - Expert report prepared by top Australian medical doctors and scientists for courts and judges regarding covid19 vaccines**

The Time of COVID

A Report by Phillip M. Altman BPharm(Hons), MSc, PhD Clinical Trial & Pharmaceutical Regulatory Affairs Consultant

9 August 2022

[https://8630368.fs1.hubspotusercontent-na1.net/hubfs/8630368/AMPS/Altman%20Report%20Final%20Version%2011-8-22%20\(1\).pdf?utm_source=hs_email&utm_medium=email&hsenc=p2ANqtz-xjQ4yMhGSvS8df2ZONWTM_ADj08_oeghLx5TUDvBguoqJ4XQkAsxR5SbdeemLRLFJ8As](https://8630368.fs1.hubspotusercontent-na1.net/hubfs/8630368/AMPS/Altman%20Report%20Final%20Version%2011-8-22%20(1).pdf?utm_source=hs_email&utm_medium=email&hsenc=p2ANqtz-xjQ4yMhGSvS8df2ZONWTM_ADj08_oeghLx5TUDvBguoqJ4XQkAsxR5SbdeemLRLFJ8As)

and

Open Letter by Dr. Professor Christopher Neil to many medical organizations in relation to this Report

<http://npaq-8630368.hs-sites.com/covid-19-an-update-of-evidence-based-information>

- **What is causing the big increase in excess mortality in 2021 and 2022 ?**

Pfizer vaccine trial data and documents released under Federal Court Order in USA

A court in the USA has ordered Pfizer to release its documents about the covid19 vaccine and one can view them on the following web site - <https://phmpt.org/pfizers-documents/> . I refer the court to the Pfizer trial document at <https://phmpt.org/wp-content/uploads/2021/11/5.3.6-postmarketing-experience.pdf> and pages 30 - 38 of that document which show the appalling injuries and illnesses and disabilities caused by the covid19 vaccines. And also show 42,000 adverse event case reports and 158,000 adverse events and 1,223 deaths by February 28, 2021, less than 3 months into the vaccination of the general public. I refer to page 7 the Pfizer trial document. This is official Pfizer data from their own internal documents and trial. I attach pages 30 - 38 and page 7 of this Pfizer trial document to my affidavit in the following pages.

Pages 30 – 38 and Page 7 of the Pfizer covid vaccine trial data and internal document, released under a Federal Court Order in the USA

- **Important Published Scientific papers by top Cardiologist in Britain in September 2022**

Curing the pandemic of misinformation on COVID-19 mRNA vaccines through real evidence-based medicine - Part 1

Dr. Aseem Malhotra, Cardiologist, Britain.

Journal of Insulin Resistance | Vol 5, No 1 | a71 | DOI: <https://doi.org/10.4102/jir.v5i1.71> | ©

2022 Aseem Malhotra | This work is licensed under [CC Attribution 4.0](#)

Submitted: 10 June 2022 | Published: 26 September 2022

Results: In the non-elderly population the “number needed to treat” to prevent a single death runs into the thousands. Re-analysis of randomised controlled trials using the messenger ribonucleic acid (mRNA) technology suggests a greater risk of serious adverse events from the vaccines than being hospitalised from COVID-19. Pharmacovigilance systems and real-world safety data, coupled with plausible mechanisms of harm, are deeply concerning, especially in relation to cardiovascular safety. Mirroring a potential signal from the Pfizer Phase 3 trial, a significant rise in cardiac arrest calls to ambulances in England was seen in 2021, with similar data emerging from Israel in the 16–39-year-old age group.

Conclusion: It cannot be said that the consent to receive these agents was fully informed, as is required ethically and legally. A pause and reappraisal of global vaccination policies for COVID-19 is long overdue.

Curing the pandemic of misinformation on COVID-19 mRNA vaccines through real evidence-based medicine - Part 2

Dr. Aseem Malhotra, Cardiologist, Britain.

Journal of Insulin Resistance | Vol 5, No 1 | a72 | DOI: <https://doi.org/10.4102/jir.v5i1.72> | ©

2022 Aseem Malhotra | This work is licensed under [CC Attribution 4.0](#)

Submitted: 10 June 2022 | Published: 26 September 2022

Background: Authorities and sections of the medical profession have supported unethical, coercive, and misinformed policies such as vaccine mandates and vaccine passports, undermining the principles of ethical evidence-based medical practice and informed consent. These regrettable actions are a symptom of the ‘medical information mess’: The tip of a mortality iceberg where prescribed medications are estimated to be the third most common cause of death globally after heart disease and cancer.

Aim: To identify the major root causes of these public health failures.

Methods: A narrative review of both current and historical driving factors that underpin the

pandemic of medical misinformation.

Results: Underlying causes for this failure include regulatory capture – guardians that are supposed to protect the public are in fact funded by the corporations that stand to gain from the sale of those medications. A failure of public health messaging has also resulted in wanton waste of resources and a missed opportunity to help individuals lead healthier lives with relatively simple – and low cost – lifestyle changes.

Conclusion: There is a strong scientific, ethical and moral case to be made that the current COVID vaccine administration must stop until all the raw data has been subjected to fully independent scrutiny. Looking to the future the medical and public health professions must recognise these failings and eschew the tainted dollar of the medical-industrial complex. It will take a lot of time and effort to rebuild trust in these institutions, but the health – of both humanity and the medical profession – depends on it.

Dr Malhotra says: “Pharmacovigilance systems and real-world safety data, coupled with plausible mechanisms of harm, are deeply concerning, especially in relation to cardiovascular safety.

Informed Consent argument for the courts in Ireland and abroad

“It cannot be said that the consent to receive these agents was fully informed, as is required ethically and legally.”

“Authorities and sections of the medical profession have supported unethical, coercive and misinformed policies such as vaccine mandates and vaccine passports, undermining the principles of informed consent.”

“These regrettable actions are a symptom of the ‘medical misinformation mess’”

International News Report at


<https://www.youtube.com/watch?v=z5uyYSkPVng> and

<https://uncut.substack.com/p/leading-doctors-stop-all-jabs-immediately>

Dr. Malhotra says the covid19 vaccine “is causing serious adverse effects in 1 in 800” and needs to be withdrawn.

Corroborating Evidence of a Massive Increase in Deaths and in Excess Mortality in Ireland after the introduction of covid19 vaccines in January 2021

Deaths - Ireland - 2021 rev.11/01/2022			
Month	(1) RIP.ie Deaths Occ.	(2)GRO Pr.5yr.Av	(1) - (2) Excess RIP.ie
Jan	4,059	3,226	833
Feb	3,251	2,706	545
Mar	2,753	2,833	-80
Apr	2,611	2,536	75
May	2,693	2,525	168
Jun	2,419	2,332	87
Jul	2,651	2,329	322
Aug	2,612	2,333	279
Sep	2,610	2,407	203
Oct	2,953	2,584	369
Nov	3,059	2,580	479
Dec	3,143	2,956	187
YTD	34,814	31,348	3,466



Sources: Kieran Morrissey and RIP.ie and General Registration Office, Ireland

Deaths registered in GRO and occurring in year received from GRO by email 05/10/2021 to KM			
Year	Deaths Occuring	Population x 1,000	Death Rate
2015	30,816	4,688	6.57
2016	31,363	4,740	6.62
2017	31,141	4,793	6.50
2018	31,793	4,857	6.55
2019	31,626	4,922	6.43
2015-2019 Ave.	31,348	4,800	6.53
2020	31,940	4,997	6.39
Excess in 2020	592	Excess =	1.85%

- Deaths in 2020 31,940
Deaths in 2021 34,814

Increase in Deaths in 2021 = 2,874. A 9% increase on 2020. This is a big increase in deaths in one year and the highest in over 30 years.

Excess Mortality in 2021 = **3,466**. This is 9.9% of total deaths in 2021. Excess Mortality in 2020 was **592**.

Irish Population = 5.11 million (CSO, <https://www.cso.ie/en/releasesandpublications/ep/p-pme/populationandmigrationestimatesapril2021/mainresults/>)

Death Rate in 2021 per 1,000 = 6.81. This is the highest death rate in over 20 years. The deaths in 2021 have reversed a declining rate of deaths over the last 20 years. This sudden rise in deaths and the death rate is continuing into 2022.

In March 2022, the Central Statistics Office (CSO) in Ireland released figures showing a large increase in deaths in 2021 after the introduction of covid19 vaccines. They found a 14.9% increase in deaths by Quarter 3 in 2022

Vital Statistics

Quarter 3 2021

	Quarter 3 2021	Quarter 3 2020
Births	16,747	14,477
Deaths	8,165	7,111
Marriages	7,022	3,080
Natural increase	8,582	7,366

The number of births increased by 2,270 (15.7%) and deaths increased by 1,054 (14.8%) compared to the same period in 2020.

Figure 1 Births, deaths and natural increase, 2015–2021 Quarter 3



There were 16,747 births in quarter 3 2021, 2,270 births or 15.7% more than the same period in 2020. This corresponds to a birth rate of 13.4 per 1,000 population, an increase of 1.8 points per thousand population from quarter 3 2020.

There were 8,165 deaths in quarter 3 2021, an increase of 14.8% (or 1,054 deaths) from quarter 3 2020. This equates to a death rate of 6.5 per 1,000 population, an increase of 0.8 points from quarter 3 2020.

It is the **All Cause Mortality** which is the key factor in assessing the safety of all vaccines. Previous books of evidence including the Pfizer trial data show that **All Cause Mortality** is higher in covid vaccinated people than in unvaccinated people.

International Medical Crisis Declared Due to Unprecedented Illnesses, Disabilities and Deaths from Covid19 Vaccines

At a press conference on September 10th 2022, over 400 doctors and scientists from more than 34 countries declared an international medical crisis due to diseases and deaths associated with Covid19 injections. The Declaration originated among concerned medics and professionals in Asia from a group called the Universal Health Organisation.

Declaration - <http://medicalcrisisdeclaration.com/>

Press Release - <https://jamesroguski.substack.com/api/v1/file/095a906c-5c46-4a7f-895c-47faca997698.pdf>

Video of Press Conference - <https://www.youtube.com/watch?v=k0nwcIzP4yE>

Universal Health Organisation web site - <https://uho.org.in/index.html>

News report at <https://jamesroguski.substack.com/p/medical-crisis-declaration>

An excerpt from the Declaration

‘ We, the medical doctors and scientists from all over the world, declare that there is an international medical crisis due to the diseases and deaths co-related to the administration of products known as “COVID-19 vaccines”.

We are currently witnessing an excess in mortality in those countries where the majority of the population has received the so called “COVID-19 vaccines”. To date, this excess mortality has neither been sufficiently investigated nor studied by national and international health institutions.....’

They made eight urgent demands:

1. A worldwide ‘stop’ to the national inoculation campaigns with the products known as “Covid-19 vaccines.”
 2. Investigation of all sudden deaths of people who were healthy previous to the inoculation.
 3. Implementation of early detection programmes of cardiovascular events which could lead to sudden deaths with analysis such as D-dimer and Troponin, in all those that were inoculated with the products known as “Covid-19 vaccines,” as well as the early detection of serious tumours.
 4. Implementation of research and treatment programmes for victims of adverse effects after receiving the so-called “Covid-19 vaccine.”
 5. Undertaking analyses of the composition of vials of Pfizer, Moderna, Astra Zeneca, Janssen, Sinovac, Sputnik V and any other product known as “Covid-19 vaccines,” by independent research groups with no affiliation to pharmaceutical companies, nor any conflict of interest.
 6. Studies to be conducted on the interactions between the different components of the so-called “Covid-19 vaccines” and their molecular, cellular and biological effects.
 7. Implementation of psychological help and compensation programmes for any person that has developed a disease or disability as a consequence of the so-called “Covid-19 vaccines.”
 8. Implementation and promotion of psychological help and compensation programmes for the family members of any person who died as a result of having been inoculated with the product known as “Covid-19 vaccines.”
- A Judicial Review about the vaccinations of children aged 12-15 was successful in the High Court in Britain in February 2022 and this led to the termination of covid vaccinations of these children in Britain. This judgment is based on safety risks for the children from these covid vaccines. A further court hearing will be had later in the year to establish why the British government ignored the expert advice of the

JCVI not to vaccinate children in 2021 and went ahead and approved covid vaccinations of them and this led to harms, injuries, illnesses and deaths for many children. I enclose public information from the firm of solicitors involved in this High Court action in Britain.



John J McNally & Co Solicitors

2 hrs ·

Update on Judicial Review challenge

We are delighted to note that the Department of Health have formally confirmed, through their solicitors, that their Covid-19 vaccination programme within schools has been terminated, thereby removing the unacceptable risk that a healthy 12-15 year old child could receive a #Covid vaccine in the absence of their parents and, furthermore, in the absence of parental consent.

Whilst the primary objective of our challenge has now been achieved, our substantive challenge against the ministerial decision to disregard the scientific advice of the JCVI will continue.

We are acutely aware, through the UK Government's own safety surveillance data, that thousands of healthy children in the UK have reported adverse events in the aftermath of vaccination, many of these injuries can only be described as serious.

Our challenge has now been listed for an initial 'Leave' (Permission to proceed) hearing on the 21st of March.

We are very grateful for the overwhelming support that we have received from the community in relation to this matter.

Our office will continue to advocate for children who have been left voiceless and defenceless during the past 2 years.


An important precedent has been set in the High Court in Britain in relation to covid vaccinations of children. This precedent has relevance to the Irish courts. It should also be pointed out that the parties in the court case and the High Court judges involved accept that there are injuries, illnesses and deaths caused to children by these vaccines.

- **133 times increase in Myocarditis among the covid vaccinated according to scientific study**

Myocarditis Cases Reported After mRNA-Based COVID-19 Vaccination in the US From December 2020 to August 2021

Oster et al. JAMA, 2022

See Chart below



Results Among 192 405 448 persons receiving a total of 354 100 845 mRNA-based COVID-19 vaccines during the study period, there were 1991 reports of myocarditis to VAERS and 1626 of these reports met the case definition of myocarditis. Of those with myocarditis, the median age was 21 years (IQR, 16-31 years) and the median time to symptom onset was 2 days (IQR, 1-3 days). Males comprised 82% of the myocarditis cases for whom sex was reported. The crude reporting rates for cases of myocarditis within 7 days after COVID-19 vaccination exceeded the expected rates of myocarditis across multiple age and sex strata. The rates of myocarditis were highest after the second vaccination dose in adolescent males aged 12 to 15 years (70.7 per million doses of the BNT162b2 vaccine), in adolescent males aged 16 to 17 years (105.9 per million doses of the BNT162b2 vaccine), and in young men aged 18 to 24 years (52.4 and 56.3 per million doses of the BNT162b2 vaccine and the mRNA-1273 vaccine, respectively). There were 826 cases of myocarditis among those younger than 30 years of age who had detailed clinical information available; of these cases, 792 of 809 (98%) had elevated troponin levels, 569 of 794 (72%) had abnormal

electrocardiogram results, and 223 of 312 (72%) had abnormal cardiac magnetic resonance imaging results. Approximately 96% of persons (784/813) were hospitalized and 87% (577/661) of these had resolution of presenting symptoms by hospital discharge. The most common treatment was nonsteroidal anti-inflammatory drugs (589/676; 87%).

Conclusions and Relevance Based on passive surveillance reporting in the US, the risk of myocarditis after receiving mRNA-based COVID-19 vaccines was increased across multiple age and sex strata and was highest after the second vaccination dose in adolescent males and young men. This risk should be considered in the context of the benefits of COVID-19 vaccination.

Chart below shows increased risk of myocarditis for covid vaccinated people in different age groups. There is increased risk for teenagers and children.

Table 2. Reports to VAERS After mRNA-Based COVID-19 Vaccination That Met the CDC’s Case Definition for Myocarditis Within a 7-Day Risk Interval per Million Doses of Vaccine Administered

	Reported cases of myocarditis within a 7-d risk interval per million doses of vaccine administered (95% CI) ^a				Expected cases of myocarditis in a 7-d risk interval per million doses (95% CI) ^c
	Vaccination with BNT162b2		Vaccination with mRNA-1273 ^b		
	First dose	Second dose	First dose	Second dose	
Males					
Age group, y					
12-15	7.06 (4.88-10.23)	70.73 (61.68-81.11)			0.53 (0.40-0.70)
16-17	7.26 (4.45-11.86)	105.86 (91.65-122.27)			1.34 (1.05-1.72)
18-24	3.82 (2.40-6.06)	52.43 (45.56-60.33)	10.73 (7.50-15.34)	56.31 (47.08-67.34)	1.76 (1.58,1.98)
25-29	1.74 (0.78-3.87)	17.28 (13.02-22.93)	4.88 (2.70-8.80)	24.18 (17.93-32.61)	1.45 (1.21-1.74)
30-39	0.54 (0.20-1.44)	7.10 (5.26-9.57)	3.00 (1.81-4.97)	7.93 (5.61-11.21)	0.63 (0.54-0.73)
40-49	0.55 (0.21-1.48)	3.50 (2.28-5.36)	0.59 (0.19-1.82)	4.27 (2.69-6.78)	0.78 (0.67-0.90)
50-64	0.42 (0.17-1.01)	0.68 (0.33-1.43)	0.62 (0.28-1.39)	0.85 (0.41-1.79)	0.77 (0.68-0.86)
≥65	0.19 (0.05-0.76)	0.32 (0.10-1.00)	0.18 (0.05-0.72)	0.51 (0.21-1.23)	
Females					
Age group, y					
12-15	0.49 (0.12-1.98)	6.35 (4.05-9.96)			0.17 (0.11-0.29)
16-17	0.84 (0.21-3.37)	10.98 (7.16-16.84)			0.42 (0.27-0.66)
18-24	0.18 (0.03-1.31)	4.12 (2.60-6.54)	0.96 (0.31-2.96)	6.87 (4.27-11.05)	0.38 (0.30-0.49)
25-29	0.26 (0.04-1.84)	2.23 (1.07-4.69)	0.41 (0.06-2.94)	8.22 (5.03-13.41)	0.48 (0.35-0.65)
30-39	0.72 (0.32-1.60)	1.02 (0.49-2.14)	0.74 (0.28-1.98)	0.68 (0.22-2.10)	0.47 (0.39-0.57)
40-49	0.24 (0.06-0.97)	1.73 (0.98-3.05)	0.18 (0.02-1.25)	1.89 (0.98-3.63)	0.89 (0.77-1.04)
50-64	0.37 (0.15-0.88)	0.51 (0.23-1.14)	0.65 (0.31-1.36)	0.43 (0.16-1.15)	1.00 (0.89-1.13)
≥65	0.08 (0.01-0.54)	0.35 (0.13-0.92)		0.26 (0.08-0.81)	

and news report

Myocarditis Risk Increases Up To 133 FOLD Following Covid Vaccination, Study Finds

<https://dailysceptic.org/2022/01/26/myocarditis-risk-increases-up-to-133-fold-following-covid-vaccination-study-finds/>

- **A few hundred scientific research papers showing a link between covid19 vaccinations and Myocarditis**

These are listed on the following site:

https://scholar.google.com/scholar?hl=en&as_sdt=0%2C5&q=myocarditis+covid+vaccination&btnG=

- **Incidence of Myocarditis/Pericarditis Following mRNA COVID-19 Vaccination Among Children and Younger Adults in the United States**

Goddard et al.

<https://www.acpjournals.org/doi/10.7326/M22-2274#t1-M222274>

- **A new published scientific study, in 2022, shows that more than two-thirds of adolescents with COVID-19 vaccine-related myopericarditis had persistent heart abnormalities months after their initial diagnosis.**

[https://www.jpeds.com/article/S0022-3476\(22\)00282-7/fulltext#%20](https://www.jpeds.com/article/S0022-3476(22)00282-7/fulltext#%20)

- **Determinants of COVID-19 Vaccine-Induced Myocarditis Requiring Hospitalization**

Peter McCullough and Jessica Rose

<https://zenodo.org/record/6564414#.YzRwNu0o82x>

- **Fully Vaccinated Children are 13,633% more likely to die of COVID than Unvaccinated Children**


The latest dataset from the Office of National Statistics (ONS) in the UK is titled '*Deaths by Vaccination Status, England, 1 January 2021 to 31 May 2022*', and it can be accessed on the ONS site and downloaded at

<https://www.ons.gov.uk/file?uri=/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland/deathsoccurringbetween1january2021and31may2022/referencetable06072022accessible.xlsx>

Age group	Vaccination status	Person-years	Count of deaths involving COVID-19
10-14	Unvaccinated	2881265	9
10-14	First dose, less than 21 days ago	61754	2
10-14	First dose, at least 21 days ago	280645	0
10-14	Second dose, less than 21 days ago	36646	0
10-14	Second dose, between 21 days and 6 months ago	135989	0
10-14	Second dose, at least 6 months ago	1028	0
10-14	Third dose or booster, less than 21 days ago	723	0
10-14	Third dose or booster, at least 21 days ago	2422	1

Unvaccinated 2,881,265 Person-years / 100,000 = 28.81

Unvaccinated Covid-19 Deaths (9) / 28.81 = 0.3 Deaths per 100,000 person-years



Source: Office of national Statistics, UK.

<https://www.ons.gov.uk/file?uri=/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/dataset/s/deathsbyvaccinationstatusengland/deathsoccurringbetween1january2021and31may2022/referencetable06>

- **Covid-19 injection increase the risk of all-cause death for children by an average of 8,100%, and the risk of dying of Covid-19 by an average of 30,200%. Whilst two doses increase the risk of all-cause death by an average of 3,600%.**

On 16th May 2022, the Office for National Statistics (ONS) in the UK published a dataset containing details on ‘deaths by vaccination status in England’ between 1st Jan 2021 and 31st March 2022. This is viewable at

<https://www.ons.gov.uk/file?uri=%2fpeoplepopulationandcommunity%2fbirthsdeathsandmarriages%2fdeaths%2fdatasets%2fdeathsbyvaccinationstatusengland%2fdeathsoccurringbetween1january2021and31march2022/referencetable20220516accessible.xlsx>

and

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland>

The dataset contains various tables showing details such as, ‘Monthly age-standardised mortality rates by vaccination status for deaths involving COVID-19’, and ‘Monthly age-standardised mortality rates by vaccination status for non-COVID-19 deaths’.

On table 9 of the ‘Deaths by Vaccination Status’ dataset, the ONS have inadvertently provided enough details on deaths among children and teenagers by vaccination status to calculate the mortality rates ourselves, and they are shocking.

Age group	Vaccination status	Person-years	Count of deaths involving COVID-19	Count of deaths non-COVID-19 deaths	Count of all cause deaths
10-14	Unvaccinated	2684874	9	155	164
10-14	First dose, less than 21 days ago	59243	2	2	4
10-14	First dose, at least 21 days ago	222243	0	11	11
10-14	Second dose, less than 21 days ago	28570	0	0	0
10-14	Second dose, between 21 days and 6 months ago	53711	0	11	11
10-14	Second dose, at least 6 months ago	446	0	1	1
10-14	Third dose or booster, less than 21 days ago	413	0	1	1
10-14	Third dose or booster, at least 21 days ago	1077	1	4	5


All we need to do is divide the person-years by 100,000, and then divide the number of deaths by the answer to that equation.

So for unvaccinated 10-14 year-olds we perform the following calculation to work out the all-cause death mortality rate –

$$2,684,874 \text{ (person-years)} / 100,000 = 26.84874$$

$$164 \text{ (deaths)} / 26.84874 = 6.1$$

Therefore, the all-cause mortality rate per 100,000 person-years among unvaccinated 10-14-year-olds is 6.1 deaths per 100,000 person-years between 1st Jan 21 and 31st March 22.



Sources: Office for National Statistics, Britain

<https://www.ons.gov.uk/file?uri=%2fpeoplepopulationandcommunity%2fbirthsdeathsandmarriages%2fdeaths%2fdatasets%2fdeathsbyvaccinationstatusengland%2fdeathsoccurringbetween1january2021and31march2022/>

[referencetable20220516accessible.xlsx](#)

and

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland>

and <https://expose-news.com/2022/05/20/kids-death-risk-increases-8100percent-covid-vaccination/>

- **FDA Meeting about covid19 vaccinations for small children and babies, June 2022**

US Congress man Louie Gohmert queries the FDA about serious risks to the lives and health of children from the covid19 vaccines at an FDA meeting about approving covid19 vaccines for small children and babies in June 2022



<https://thehighwire.com/videos/us-congressman-slams-fdas-dystopian-experiment/>

Scientists, medical doctors and researchers condemn and oppose covid19 for small children and babies at FDA meeting and after it

American news report at <https://thehighwire.com/videos/episode-273-sacrificing-science/>

- no vaccine efficacy proven for small children and babies in vaccine trials

- dangers from the covid19 vaccine for small children and babies proven but ignored, and not acknowledged by FDA

- vaccine based on outdated wuhan variant and totally ineffective against Omicron and newer variants.
- too much risk for children while vaccine companies and bought scientists and academics get all of the benefits.
- Link to FDA meeting at https://www.youtube.com/results?search_query=fda+vrbpac+june+15+

Published Scientific studies showing Covid Vaccines proving ineffective for children

Association of Prior BNT162b2 COVID-19 Vaccination With Symptomatic SARS-CoV-2 Infection in Children and Adolescents During Omicron Predominance

Dutra et al. 2022. JAMA. Published online May 13, 2022. doi:10.1001/jama.2022.7493

<https://jamanetwork.com/journals/jama/fullarticle/2792524>

‘Among children and adolescents, estimated vaccine effectiveness for 2 doses of BNT162b2 against symptomatic infection decreased rapidly’

Persistent Cardiac Magnetic Resonance Imaging Findings in a Cohort of Adolescents with Post-Coronavirus Disease 2019 mRNA Vaccine Myopericarditis

Schauer et al. 2022

[https://www.jpeds.com/article/S0022-3476\(22\)00282-7/fulltext#](https://www.jpeds.com/article/S0022-3476(22)00282-7/fulltext#)

and news report at

<https://dailyclout.io/pfizer-vaccine-fda-fails-to-mention-risk-of-heart-damage-in-teens/>

SARS-CoV-2 mRNA Vaccination-Associated Myocarditis in Children Ages 12-17: A Stratified National Database Analysis

Hoeg et al. 2021

[https://www.researchgate.net/publication/354465833_SARS-CoV-2_mRNA_Vaccination-](https://www.researchgate.net/publication/354465833_SARS-CoV-2_mRNA_Vaccination-Associated_Myocarditis_in_Children_Ages_12-17_A_Stratified_National_Database_Analysis)

[Associated_Myocarditis_in_Children_Ages_12-17_A_Stratified_National_Database_Analysis](https://www.researchgate.net/publication/354465833_SARS-CoV-2_mRNA_Vaccination-Associated_Myocarditis_in_Children_Ages_12-17_A_Stratified_National_Database_Analysis)

BNT162b2 Vaccine-Associated Myo/Pericarditis in Adolescents: A Stratified Risk-Benefit Analysis

Hoeg et al. 2022

<https://onlinelibrary.wiley.com/doi/10.1111/eci.13759>

Pfizer knew in May of 2021 that 35 minors’ hearts had been damaged a week after MRNA injection — but the FDA rolled out the EUA for teens a month later anyway, and parents did not get a press release from the US government about heart harms til August of 2021, after thousands of teens were vaccinated. And the same has happened in Ireland and in Europe.

<https://dailyclout.io/pfizer-vaccine-fda-fails-to-mention-risk-of-heart-damage-in-teens/>

- **Legal Controversy in Britain over injuries, illnesses, disabilities and deaths caused to children by covid vaccines**

Up to December 22nd, the [Medicines and Healthcare products Regulatory Agency](#) (MHRA), who assess the safety of new drugs, had received 2,546 reports of adverse events (likely to be [10% of the true total](#)) for under 18s via their [Yellow Card](#) self-reporting scheme, but give details only about heart inflammation.

A statement said: “As of November 17th, 2021, there have been 432 reports of myocarditis and 332 reports of pericarditis following the use of the Pfizer vaccine. There have been 101 reports of myocarditis and 57 reports of pericarditis following the use of the Moderna vaccine.....” ‘

News report at <https://dailysceptic.org/2022/01/17/why-wont-they-release-the-data-on-child-deaths-following-covid-vaccination/>

Evidence from VAERS in the USA

Found 10,626 cases where Age is 5-or-more-and-under-12 and Vaccine targets COVID-19 (COVID19)

Table		
↓	↑ ↓	
Event Outcome	Count	Percent
Death	9	0.08%
Permanent Disability	43	0.4%
Office Visit	1,635	15.39%
Emergency Room	2	0.02%
Emergency Doctor/Room	675	6.35%
Hospitalized	313	2.95%
Hospitalized, Prolonged	1	0.01%
Recovered	3,764	35.42%
Birth Defect	3	0.03%
Life Threatening	56	0.53%
Not Serious	5,442	51.21%
TOTAL	† 11,943	† 112.39%
† Because some cases have multiple vaccinations and symptoms, a single case can account for multiple entries in this table. This is the reason why the Total Count is greater than 10626 (the number of cases found), and the Total Percentage is greater than 100.		

Source:

<https://medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=CAT&EVENTS=ON&PERPAGE=100&VAX=COVID19&VAXTYPES=COVID-19&WhichAge=range&LOWAGE=5&HIGHAGE=12>

There were 10,766 adverse events associated with covid vaccine. By contrast, there have been 939 cases of vaccine adverse events during this same time period for all FDA approved vaccines for

children in this age group (Source below) . That means there has been an increase of over 1,000% of vaccine injuries and deaths for this age group following the COVID-19 vaccines.

Chart below cites 939 cases from the VAERS database.

Found 939 cases where Age is 5-or-more-and-under-12 and Vaccine is 6VAX-F or ADEN or ADEN_4_7 or ANTH or BCG or CEE or CHOL or DF or DPIPv or DPP or DT or DTAP or DTAPH or DTAPHEPBIP or DTAPIPV or DTAPIPVHIB or DTIPV or DTOX or DTP or DTPHEP or DTPHIB or DTPIHI or DTPIPV or DTPPHIB or DTPPVHBPB or EBZR or FLU(H1N1) or FLU3 or FLU4 or FLUA3 or FLUA4 or FLUC3 or FLUC4 or FLUN(H1N1) or FLUN3 or FLUN4 or FLUR3 or FLUR4 or FLUX or FLUX(H1N1) or H5N1 or HBHEPB or HBPV or HEP or HEPA or HEPAB or HEPATYP or HIBV or HPV2 or HPV4 or HPV9 or HPVX or IPV or JEV or JEV1 or JEVX or LYME or MEA or MEN or MENB or MENHIB or MER or MM or MMR or MMRV or MNC or MNQ or MNQHIB or MU or MUR or OPV or PER or PLAGUE or PNC or PNC10 or PNC13 or PNC15 or PNC20 or PPV or RAB or RUB or RV or RV1 or RV5 or RVX or SMALL or SSEV or TBE or TD or TDAP or TDAPIPV or TTOX or TYP or UNK or VARCEL or VARZOS or YF and Vaccination Date from '2021-10-01' to '2022-12-31'

Table

↓	↑ ↓	
Event Outcome	Count	Percent
Death	1	0.11%
Permanent Disability	5	0.53%
Office Visit	177	18.85%
Emergency Doctor/Room	71	7.56%
Hospitalized	16	1.7%
Recovered	370	39.4%
Life Threatening	9	0.96%
Not Serious	428	45.58%
TOTAL	† 1,077	† 114.7%
† Because some cases have multiple vaccinations and symptoms, a single case can account for multiple entries in this table. This is the reason why the Total Count is greater than 939 (the number of cases found), and the Total Percentage is greater than 100.		

Source: <https://medalerts.org>

News report about these child deaths on <https://healthimpactnews.com/2022/1000-increase-in-vaccine-deaths-and-injuries-following-pfizer-covid-19-eua-vaccine-for-5-to-11-year-olds/>

- **On COVID vaccines: why they cannot work, and irrefutable evidence of their causative role in deaths after vaccination**

by Dr. Sucharit Bhakdi, MD and Dr. Arne Burkhardt, MD

<https://doctors4covidethics.org/wp-content/uploads/2021/12/end-covax.pdf>

Bhakdi/Burkhardt pathology results show 93% of people who died after being vaccinated were killed by the vaccine

News reports at <https://stevekirsch.substack.com/p/bhakdiburkhardt-pathology-results>

- **A new Report prepared for the Liberal Party of Canada shows that the vaccines have no benefit for those under 60**

<https://www.skirsch.com/covid/LiberalPartyReport.pdf>

- **More Corroborating Evidence of Reckless Endangerment of Children from the covid19 vaccines**

Dr. John Campbell, a very experienced and respected medical doctor in Britain presented medical and scientific findings and evidence of increased risk from covid19 vaccines for children aged 5 -11 years old in July 2022. And that these vaccines lose effectiveness after a few weeks. He claims that the risk-benefit analysis has changed and shows very little or no benefit for children. The All Cause Mortality risk for children has not been measured, but scientific studies show that this risk is higher after covid19 vaccinations.



<https://www.youtube.com/watch?v=uFSvnB1WlQ>

- **U.S. VAERS data about total child injuries, illnesses and deaths caused by covid vaccines**
US Vaccine Adverse Events Reporting System (VAERS) has received 35,000 reports of injuries for Covid-19 vaccines among 5 - 17 year-olds up to 21 January 2022, including 623 reports of myocarditis and pericarditis, 68 reports of anaphylaxis, 178 blood clotting disorders and 40 deaths.
<https://childrenshealthdefense.org/defender/vaers-cdc-covid-vaccine-injuries-children/>

- **U.S. VAERS data from Dec. 14, 2020, to Feb. 25, 2022, for 5- to 11-year-olds show:**
8,817 adverse events, including 200 rated as serious and 4 reported deaths.

The most recent death involves an 8-year-old boy (VAERS I.D. 2109625) from Mississippi who died 7 days after his second dose of Pfizer's COVID vaccine when he was found blue and lifeless at home. He was taken to the hospital with a full code in process. A pulse was detected several times, but the boy ultimately died in the ICU. It was reported to the doctor who filed the report that the boy died from multisystem inflammatory syndrome. He did not have COVID.

- 17 reports of myocarditis and pericarditis (heart inflammation).
- 32 reports of blood clotting disorders.

U.S. VAERS data from Dec. 14, 2020, to Feb. 25, 2022, for 12- to 17-year-olds show:

- 29,797 adverse events, including 1,714 rated as serious and 39 reported deaths.

The most recent death involves a 13-year-old girl (VAERS I.D. 2115839) from Wisconsin who was severely compromised and received two doses of Pfizer's COVID vaccine. Although the cause of death wasn't clear, she appeared to have significant health issues, respiratory distress and heart problems.

- 69 reports of anaphylaxis among 12- to 17-year-olds where the reaction was life-threatening, required treatment or resulted in death — with 96% of cases attributed to Pfizer’s vaccine.
- 648 reports of myocarditis and pericarditis with 631 cases attributed to Pfizer’s vaccine.
- 159 reports of blood clotting disorders, with all cases attributed to Pfizer.

Source: VAERS in USA and <https://childrenshealthdefense.org/defender/vaers-cdc-covid-vaccine-injuries-kids-5-to-11-pfizer-vaccine/>

• **U.S. VAERS data from Dec. 14, 2020, to Jan. 21, 2022, for 5- to 11-year-olds show:**

- 7,052 adverse events, including 152 rated as serious and 3 reported deaths.

The most recent death involves a 7-year-old girl (VAERS I.D. 1975356) from Minnesota who died 11 days after receiving her first dose of Pfizer’s COVID vaccine when she was found unresponsive by her mother. An autopsy is pending.

- 14 reports of myocarditis and pericarditis (heart inflammation).
- 24 reports of blood clotting disorders.

U.S. VAERS data from Dec. 14, 2020, to Jan. 21, 2022, for 12- to 17-year-olds show:

- 27,772 adverse events, including 1,588 rated as serious and 37 reported deaths.

The most recent deaths involve a 13-year-old male (VAERS I.D. 2042005) from an unidentified state who died from a sudden heart attack seven months after receiving his second dose of Moderna, and a 17-year-old female from an unidentified state (VAERS I.D. 2039111) who died after receiving her first dose of Moderna. Medical information was limited and it is unknown if an autopsy was performed in either case.

- 68 reports of anaphylaxis among 12- to 17-year-olds where the reaction was life-threatening, required treatment or resulted in death — with 96% of cases attributed to Pfizer’s vaccine.
- 609 reports of myocarditis and pericarditis with 597 cases attributed to Pfizer’s vaccine.
- 154 reports of blood clotting disorders, with all cases attributed to Pfizer.

• **Dr. Joseph Mercola: Do More Children Die From the COVID Shot Than From COVID?**

Dr. Joseph Mercola is a medical doctor based in the USA and with many years experience as a medical doctor.

https://www.theepochtimes.com/more-children-die-from-the-covid-shot-than-from-covid_4215381.html?utm_source=ref_share&utm_campaign=copy&rs=SHRQLJLC&



‘ The video above features **Collette Martin**, a practicing nurse who [testified](#) before a Louisiana Health and Welfare Committee hearing December 6, 2021. Martin claims she and her colleagues have witnessed “terrifying” reactions to the COVID shots among children—including blood clots, heart attacks, encephalopathy and arrhythmias—yet their concerns are simply dismissed.....

In early September 2021, Tracy Beth Hoeg and colleagues posted an analysis of VAERS data on the preprint server medRxiv, showing that more than 86 percent of the children aged 12 to 17 who report symptoms of myocarditis were severe enough to require hospitalization.

Cases of myocarditis explode after the second shot, Hoeg found, and disproportionately affect boys. A full 90 percent of post-jab myocarditis reports are males, and 85 percent of reports occurred after the second dose.....

“The estimated incidence of CAEs [cardiac adverse events] among boys aged 12-15 years following the second dose was 162 per million; the incidence among boys aged 16-17 years was 94 per million. The estimated incidence of CAEs among girls was 13 per million in both age groups.” ‘

As of December 17, 2021, looking only at U.S. reports and excluding the international ones, VAERS had received:

- 308 cases of myocarditis among 18-year-olds
- 252 cases among 17-year-olds
- 226 cases in 16-year-olds
- 256 cases in 15-year-olds
- 193 in 14-year-olds
- 132 in 13-year-olds
- 108 in 12-year-olds

In total, that's 1,475 cases of myocarditis in teens aged 18 and younger—five times the background rate. And again, this does not take into account the underreporting rate, which has been calculated to be anywhere from five to 40. The scientific and statistical findings show the figures for children above should be multiplied by 40. A Harvard medical school study in 2010 concluded that VAERS underestimates serious illnesses or disabilities by a factor of 10 or more. ”

We ask for nurse Collette Martin and Dr. Joseph Mercola to be subpoenaed into the Irish courts to provide testimony and evidence.

' Adverse events from drugs and vaccines are common, but underreported. Although 25% of ambulatory patients experience an adverse drug event, less than 0.3% of all adverse drug events and 1 - 13% of serious events are reported to the Food and Drug Administration (FDA). Likewise, fewer than 1% of vaccine adverse events are reported. Low reporting rates preclude or slow the identification of “problem” drugs and vaccines that endanger public health. New surveillance methods for drug and vaccine adverse effects are needed.'

Harvard Medical School study 2010

Source: [Electronic Support for Public Health–Vaccine Adverse Event Reporting System \(ESP:VAERS\)](#) and <https://digital.ahrq.gov/ahrq-funded-projects/electronic-support-public-health-vaccine-adverse-event-reporting-system/final-report>

- **Official British Data from MHRA about dangers to children from these vaccines**

Children (Under 18) Adverse Events UK – up to January 19th, the MHRA reports a total of 3,039 adverse event reports, comprising 2,754 Pfizer, 253 AstraZeneca, 17 Moderna and 15 unspecified from 3,014,300 children vaccinated. This includes 57 reported cases with Pfizer and one with Moderna of myocarditis/pericarditis, suggesting a current risk of 14 cases per million first doses and 15 per million second doses for this age group.

These figures are under-reported by a factor of 10 or more according to the MHRA and a Harvard Medical School study and international scientific studies

This page provides a quick summary for all adverse events reported all ages taken from UK government data <https://yellowcard.ukcolumn.org/yellow-card-reports>

Should we cause these illnesses, disabilities and injuries to Irish children or children in any country?

News report of horrifying vaccine injuries and illnesses at

<https://dailysceptic.org/2022/02/03/vaccine-safety-update-25/>

- **Evidence from Australia**

'The TGA is also closely monitoring adverse event reports in 5-11 year olds. To 1 May 2022, we have received about 1,311 reports from approximately 2.1 million Comirnaty (Pfizer) doses administered in this age group. The most common reactions reported included chest pain, vomiting, fever, headache and abdominal pain. We have received 33 reports of suspected myocarditis and/or pericarditis in this age group. Following review of information in the reports, 2 were likely to represent myocarditis - one in a 9-year-old boy and one in a 10-year-old girl - and another 6 reports were likely to represent pericarditis.'

<https://www.tga.gov.au/periodic/covid-19-vaccine-weekly-safety-report-05-05-2022>

- **Expert advice of medical doctor for parent and child regarding covid19 vaccination of children citing published scientific studies, statistics and medical evidence**

This details the scientific and medical reasons for NOT vaccinating children with covid19 vaccines.

Vaccine Exemption Letter For a 16 Year-Old Camp Counselor

Dr. Peter Kory, MD.

<https://pierrekory.substack.com/p/vaccine-exemption-letter-for-a-16-c85?s=w>

This letter contains important scientific and medical evidence for the courts. Dr. Peter Kory is willing to testify in courts.

- 86% of Children suffered an Adverse Reaction to the Pfizer Covid-19 Vaccine in the Clinical Trial

Table 5: Study 2 – Frequency and Percentages of Adolescents With Solicited Local Reactions, by Maximum Severity, Within 7 Days After Each Dose – Adolescents 12 Through 15 Years of Age – Safety Population*

	Pfizer-BioNTech COVID-19 Vaccine Dose 1 N^a=1127 n^b (%)	Placebo Dose 1 N^a=1127 n^b (%)	Pfizer-BioNTech COVID-19 Vaccine Dose 2 N^a=1097 n^b (%)	Placebo Dose 2 N^a=1078 n^b (%)
Redness^c				
Any (>2 cm)	65 (5.8)	12 (1.1)	55 (5.0)	10 (0.9)
Mild	44 (3.9)	11 (1.0)	29 (2.6)	8 (0.7)
Moderate	20 (1.8)	1 (0.1)	26 (2.4)	2 (0.2)
Severe	1 (0.1)	0 (0.0)	0 (0.0)	0 (0.0)
Swelling^c				
Any (>2 cm)	78 (6.9)	11 (1.0)	54 (4.9)	6 (0.6)
Mild	55 (4.9)	9 (0.8)	36 (3.3)	4 (0.4)
Moderate	23 (2.0)	2 (0.2)	18 (1.6)	2 (0.2)
Severe	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Pain at the injection site^d				
Any	971 (86.2)	263 (23.3)	866 (78.9)	193 (17.9)
Mild	467 (41.4)	227 (20.1)	466 (42.5)	164 (15.2)
Moderate	493 (43.7)	36 (3.2)	393 (35.8)	29 (2.7)
Severe	11 (1.0)	0 (0.0)	7 (0.6)	0 (0.0)

Note: Reactions were collected in the electronic diary (e-diary) from Day 1 to Day 7 after vaccination.

a. N = Number of participants reporting at least 1 yes or no response for the specified reaction after the specified dose.

b. n = Number of participants with the specified reaction.

c. Mild: >2.0 to ≤5.0 cm; Moderate: >5.0 to ≤10.0 cm; Severe: >10.0 cm.

d. Mild: does not interfere with activity; Moderate: interferes with activity; Severe: prevents daily activity.

* Randomized participants in the safety analysis population who received at least 1 dose of the study intervention.

Sources: <https://www.fda.gov/emergency-preparedness-and-response/coronavirus-disease-2019-covid-19/comirnaty-and-pfizer-biontech-covid-19-vaccine#additional>

- 1 in 9 Children suffered a Severe Adverse Reaction leaving them unable to perform daily activities in the Pfizer Clinical Trial

Outcome 7: Reactogenicity^a, Severe (Grade ≥3) Studies with Unvaccinated Comparator (n=1)

Study/population	Events/Vaccine (n/N)	% Vaccine	Events/Placebo (n/N)	% Placebo
Pfizer/BioNTech, unpublished	121/1131	10.7	22/1129	1.9

a. Reactogenicity outcome includes local and systemic events, grade ≥3. Grade 3: prevents daily routine activity. Grade 4: requires emergency room visit or hospitalization. One participant in the vaccine group reported grade 4 pyrexia (40.4 °C).

Sources: <https://www.fda.gov/media/144413/download> and

<https://www.cdc.gov/vaccines/acip/meetings/downloads/slides-2021-05-12/03-COVID-Wallace-508.pdf>

- Published scientific paper showing increased risk of heart diseases in covid vaccinated children
Persistent Cardiac Magnetic Resonance Imaging Findings in a Cohort of Adolescents with Post-Coronavirus Disease 2019 mRNA Vaccine Myopericarditis

Schauer et al. 2022

[https://www.jpeds.com/article/S0022-3476\(22\)00282-7/fulltext#](https://www.jpeds.com/article/S0022-3476(22)00282-7/fulltext#)

and news report at

<https://dailyclout.io/pfizer-vaccine-fda-fails-to-mention-risk-of-heart-damage-in-teens/>

Pfizer knew in May of 2021 that 35 minors' hearts had been damaged a week after MRNA injection — but the FDA rolled out the EUA for teens a month later anyway, and parents did not get a press release from the US government about heart harms til August of 2021, after thousands of teens were vaccinated. And the same has happened in Ireland and in Europe.

<https://dailyclout.io/pfizer-vaccine-fda-fails-to-mention-risk-of-heart-damage-in-teens/>

- **Covid Vaccine Advisory Group of medical doctors, professors and scientists in Britian urges JCVI and British government NOT to approve covid vaccines for children aged 5 – 11 years old due to the risks and dangers involved for children**

<https://childrensunion.org/2022/02/11/cvag-urge-pause-to-child-covid-roll-out-in-light-of-shocking-new-data/>

“further information is available regarding myocarditis, with an occurrence rate of 1/2680 young men in [Hong Kong](#), they paused their second dose, just as the UK moved from one to two doses; data from the US also confirms high myocarditis rates of 1/9443 in males aged 16-17 after their second dose;”

In Israel, rates were one in 6,637 in 16-19 year-old males after the Pfizer vaccine.

<https://www.nejm.org/doi/pdf/10.1056/NEJMoa2109730?articleTools=true>

and

news report at <https://dailyexpose.uk/2022/02/12/cvag-urges-immediate-pause-to-rollout-for-children/>

and

a group of 30 MPs, peers, doctors and scientists in Britain has publicly written to the JCVI to demand a halt to the vaccination of children under the age of 16

<https://dailysceptic.org/2022/02/11/stop-vaccinating-under-16s-as-the-risks-outweigh-the-benefits-mps-and-scientists-tell-government/>


- **Deaths among male Teens increased by 53% following Covid-19 Vaccination in 2021 and the Death spikes correlate perfectly with the uptake of vaccine dose 1, 2 & 3**

Sources: The Office of National Statistics in Britain, its web site at

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/weeklyprovisionalfiguresondeathsregisteredinenglandandwales>

and news report at <https://dailyexpose.uk/2022/01/16/male-teen-deaths-53-percent-higher-after-covid-vaccination-in-2021/>


Diagram below



- Major Study at Oxford University : Heart Disease Risk in Young Males 14 Times Higher After Job
Scientific paper - <https://www.medrxiv.org/content/10.1101/2021.12.23.21268276v1.full>
News report - <https://principia-scientific.com/major-study-heart-disease-risk-in-young-males-14x-times-higher-after-job/>
- Risk of Myopericarditis following COVID-19 mRNA vaccination in a Large Integrated Health System: A Comparison of Completeness and Timeliness of Two Methods

DIAGRAM FROM STUDY BELOW

Figure 1: Rate per Million



Revised Risk for Teenagers from the covid vaccines in 2022

This risk is too high yet several governments including the Irish government persist in measures which will kill children. And profit and financial gain is the primary motive.

MYOCARDITIS RATES IN MALES AFTER 2ND DOSE OF MRNA VACCINE



ESTIMATED

12-17: **62.8 PER MILLION**
18-24: **50.5 PER MILLION**



REVISED

12-17: **377.4 PER MILLION**
18-24: **537.1 PER MILLION**



- Dangers to children and teenagers and young adults from covid19 vaccines. The following chart from a CDC meeting in August 2021 outlines some of the dangers. This is serious damage to the heart and an onset of heart diseases. This represents reckless endangerment of children & minors.

Preliminary myocarditis/pericarditis reports to VAERS following dose 2 mRNA vaccination, Exp. vs. Obs. using 7-day risk window (data thru Jun 11, 2021)

Age groups	Females			Males		
	Doses admin	Expected ^{*,†}	Observed [*]	Doses admin	Expected ^{*,†}	Observed [*]
12-17 yrs	2,189,726	0-2	19	2,039,871	0-4	128
18-24 yrs	5,237,262	1-6	23	4,337,287	1-8	219
25-29 yrs	4,151,975	0-5	7	3,625,574	1-7	59
30-39 yrs	9,356,296	2-18	11	8,311,301	2-16	61
40-49 yrs	9,927,773	2-19	18	8,577,766	2-16	34
50-64 yrs	18,696,450	4-36	18	16,255,927	3-31	18
65+ yrs	21,708,975	4-42	10	18,041,547	3-35	11
Not reported	—	—	1	—	—	8



^{*} Assumes a 7-day post-vaccination observation window (i.e., symptom onset from day of vaccination through Day 6 after vaccination)

[†] Based on Gubernot et al. U.S. Population-based background incidence rates of medical conditions for use in safety assessment of COVID-19 vaccines. Vaccine. 2021 May 14;39(20):4106-4110. Expected counts among females 12-29 years adjusted for lower prevalence relative to males by factor of 1.7 (Fairweather, D. et al, Curr Probl Cardiol. 2013;38(1):7-48).

28

Source: CDC in the USA, June 2021

Expected vs. Observed reports after mRNA vaccination dose 2, 7-day risk period (N=765)*

Age group, years	Females		Males	
	Cases of myopericarditis, expected	Cases of myopericarditis, observed	Cases of myopericarditis, expected	Cases of myopericarditis, observed
12-15*	0-3	12	1-5	117
16-17*	0-2	15	0-3	121
18-24*	1-8	24	1-11	213
25-29*	1-6	16	1-9	56
30-39	2-21	10	2-19	72
40-49	2-22	22	2-19	45
50-64	4-40	15	4-35	13
65+	4-44	6	4-36	8



* As of Aug 18, 2021, assumes a 7-day observation window, with 765 of 897 reports after mRNA vaccines occurring during Days 0-6 after vaccination; counts among 12-29 years from reports meeting case definition for myopericarditis; expected estimates for females 12-29 years adjusted to reflect reduced incidence in this age group

Source: CDC in the USA, August 2021


- **Sajid Javid Must Halt Child Covid Vaccination Immediately and Investigate the Cause of the Spike in Child Deaths**

The evidence shows a large increase in child deaths and in excess mortality for children after the introduction of covid vaccines for children.

Sources: Office for National Statistics in Britain

and <https://dailysceptic.org/2022/01/20/sajid-javid-must-halt-child-vaccination-immediately-and-investigate-the-cause-of-the-spike-in-child-deaths/>

The graph below is from official government statistics in Britain and shows a significant rise in mortality in children covid vaccinations in 2021



- **UK Government reports show a large increase in child deaths from covid vaccines**

Official figures released by the Office for National Statistics in Britain show a large increase in child deaths after covid vaccinations. These vaccines poses a serious threat of death or serious to children aged from 0 to 18 years old. The facts and evidence are clear.

See chart below.


Sources: Office for National Statistics in Britain

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland>

and <https://dailyexpose.uk/2022/01/29/ons-data-covid-vaccinated-children-52x-more-likely-to-die/>

Age-standardised mortality rates by Vaccination Status, per 100,000 person-years, England, Age 10-14 and Age 15-19, deaths occurring between 1 January 2021 and 31 October 2021

Source - Office for National Statistics, Deaths by vaccination status Dataset, England



Sources: Office for National Statistics in Britain

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsbyvaccinationstatusengland>

and <https://dailyexpose.uk/2022/01/29/ons-data-covid-vaccinated-children-52x-more-likely-to-die/>

- **Pfizer vaccine trial data shows high risk of myocarditis for children aged 5 – 11**

Table below from the Pfizer trial outlines this high risk of myocarditis for children. The damage to the heart is typically permanent, and the three- to five-year survival rate for myocarditis has historically ranged from 56% to 83%.

See chart below:

Table 14. Model-Predicted Benefit-Risk Outcomes of Scenarios 1-6 per One Million Fully Vaccinated Children 5-11 Years Old

Sex	Benefits				Risks			
	Prevented COVID-19 Cases	Prevented COVID-19 Hospitalizations	Prevented COVID-19 ICU Admissions	Prevented COVID-19 Deaths	Excess Myocarditis Cases	Excess Myocarditis Hospitalizations	Excess Myocarditis ICU Admissions	Excess Myocarditis Deaths
Males & Females								
Scenario 1	45,773	192	62	1	106	58	34	0
Scenario 2	54,345	250	80	1	106	58	34	0
Scenario 3	2,639	21	7	0	106	58	34	0
Scenario 4	58,851	241	77	1	106	58	34	0
Scenario 5	45,773	192	62	3	106	58	34	0
Scenario 6	45,773	192	62	1	53	29	17	0
Males only								
Scenario 1	44,790	203	67	1	179	98	57	0
Scenario 2	54,345	250	82	1	179	98	57	0
Scenario 3	2,639	21	7	0	179	98	57	0
Scenario 4	57,857	254	83	1	179	98	57	0
Scenario 5	44,790	203	67	3	179	98	57	0
Scenario 6	44,790	203	67	1	89	49	29	0
Females only								
Scenario 1	45,063	172	54	1	32	18	10	0
Scenario 2	54,345	250	78	2	32	18	10	0
Scenario 3	2,639	21	7	0	32	18	10	0
Scenario 4	57,938	215	67	2	32	18	10	0
Scenario 5	45,063	172	54	4	32	18	10	0
Scenario 6	45,063	172	54	1	16	9	5	0

Scenario 1: COVID-19 incidence as of September 11, 2021, VE 70% vs. COVID-19 cases and 80% vs. COVID-19 hospitalization. Scenario 2: COVID-19 incidence at peak of U.S. Delta variant surge at end of August 2021, VE 70% vs. COVID-19 cases and 80% vs. COVID-19 hospitalization.

Myocarditis has a 56% mortality rate within 4.3 years according to the American Heart Association.

Giant cell myocarditis had an 80% mortality rate in five years. –

<https://www.vaccinedeaths.com/2021-11-08-vaccine-induced-myocarditis-children-50percent-fatality-rate.html>

Dr. Anthony Hinton, a consultant surgeon with 30 years of experience working for the United Kingdom’s National Health Service (NHS), has warned that coronavirus (Covid-19) “vaccine”-related myocarditis has a 20 percent fatality rate in children after two years, and a 50 percent fatality rate in five years.

These outcomes are similar to the Mayo Clinic’s observational data of 5-year survival rates that approximate 50%. Survival with giant cell myocarditis is substantially lower, with <20% of patients surviving 5 years – <https://www.ahajournals.org/doi/full/10.1161/circulationaha.105.584532>

- **Covid19 Vaccines causing liver disorders and hepatitis in children**

In Ireland and Britain there has been a large rise in liver inflammation and hepatitis among children after receiving the covid19 vaccines. In Ireland this is being investigated by the HSE and HPSC and has been reported in the Irish press and media

Mystery hepatitis outbreak hits small number of young children as experts test connection to pandemic

Irish Independent, April 13, 2022. <https://www.independent.ie/irish-news/news/mystery-hepatitis-outbreak-hits-small-number-of-young-children-as-experts-test-connection-to-pandemic-41548356.html>

The UKHSA in Britain is working swiftly with the NHS and public health colleagues across the UK to investigate the potential cause. Pfizer internal documents about the vaccine show that the spike protein accumulates in large quantities in the liver of vaccinated people. And scientific research is showing a relationship between liver disorders and illnesses and the covid19 vaccine.

- This has been reported by medical doctors and scientists and published scientific research, and is in a news report of the World Freedom Alliance at

<https://worldfreedomalliance.org/au/news/pfizer-study-suggests-covid-19-vaccine-to-blame-for-huge-increase-in-hepatitis-among-children-as-uk-government-launches-urgent-investigation/>

- **Danish Scientific Study – covid vaccines not preventing infection and transmission in vaccinated children**


A Danish scientific study published in 2022 has found that vaccinated children, ages 6 to 11, have a higher chance of getting covid infection and transmitting it than unvaccinated children. These vaccines are not effective for children but carry great dangers and risks for them.

Danish Scientific study - <https://covid19danmark.dk/#gennembrudsinfektioner>


Graph of results below. The age group 6 – 11 is relevant here.

Positive per 100.000

Angiver antal positive per 100.000 i alders- og vaccinationsgruppen




- **VAERS Reports about Myocarditis caused by covid vaccines and Comparison to previous years**
Covid19 vaccines are causing more cases of myocarditis and pericarditis than all the other vaccines combined in the last 22 years.



It afflicts younger people in higher numbers

All Myo/Pericarditis Reported to VAERS Post COVID Vaccine by Dose



- **98% of Myocarditis cases in children is caused by the covid vaccines according to American Heart Association**

Clinically Suspected Myocarditis Temporally Related to COVID-19 Vaccination in Adolescents and Young Adults

Truong et al. 2021

<https://www.ahajournals.org/doi/10.1161/CIRCULATIONAHA.121.056583>

- The US FDA and Pfizer advisory committee admitted that the long-term safety of the vaccine for 5-11-year-old children will have to be carried out post vaccinations. ***The number of participants in the current clinical development program is too small to detect any potential risks of myocarditis associated with vaccination. Long-term safety of COVID-19 vaccine in participants 5 to <12 years of age will be studied in 5 post-authorization safety studies, including a 5-year follow-up study to evaluate long term sequelae of post-vaccination myocarditis/pericarditis***

<https://www.fda.gov/media/153409/download>

- SARS-CoV-2 vaccination and myocarditis or myopericarditis

Husby et al. 2021

<https://www.bmj.com/content/375/bmj-2021-068665>

- **How dangerous is Myocarditis for children ? how dangerous are the covid vaccines for children ?**

Myocarditis has a 56% mortality rate within 4.3 years according to the American Heart Association. Giant cell myocarditis had an 80% mortality rate in five years. –

<https://www.vaccinedeaths.com/2021-11-08-vaccine-induced-myocarditis-children-50percent-fatality-rate.html>

Dr. Anthony Hinton, a consultant surgeon with 30 years of experience working for the United Kingdom’s National Health Service (NHS), has warned that coronavirus (Covid-19) “vaccine”-related myocarditis has a 20 percent fatality rate in children after two years, and a 50 percent fatality rate in five years.

These outcomes are similar to the Mayo Clinic’s observational data of 5-year survival rates that approximate 50%. Survival with giant cell myocarditis is substantially lower, with <20% of patients surviving 5 years – <https://www.ahajournals.org/doi/full/10.1161/circulationaha.105.584532>

- **Covid-19 vaccinated children are up to 52 times more likely to die of any cause than unvaccinated children.**

A report published by the Office for National Statistics on 20th Dec 21, on deaths by vaccination status in England inadvertently revealed that Covid-19 vaccinated children are up to 52 times more likely to die of any cause than unvaccinated children.


Source: Office of National Statistics Britain, December 20, 2021

<https://www.ons.gov.uk/file?uri=%2fpeoplepopulationandcommunity%2fbirthsdeathsandmarriages%2fdeaths%2fdatasets%2fdeathsbyvaccinationstatusengland%2fdeathsoccurringbetween1januaryand31october2021/referencetable31.xlsx>

and

<https://www.ons.gov.uk/file?uri=%2fpeoplepopulationandcommunity%2fbirthsdeathsandmarriages%2fdeaths%2fdatasets%2fdeathsbyvaccinationstatusengland%2fdeathsoccurringbetween1januaryand31october2021/referencetable31.xlsx>

Age-standardised mortality rates by Vaccination Status, per 100,000 person-years, England, Age 10-14, deaths occurring between 1 January 2021 & 31 October 2021
 Source - Office for National Statistics, Deaths by vaccination status Dataset, England



Source: Office of National Statistics Britain, December 20, 2021

News report about this at <https://dailyexpose.uk/2022/03/02/ons-cover-up-data-showing-vaccinated-children-52-times-likely-die/>

MIT study

A scientific study using statistical analysis and data analysis and cost-benefit analysis by MIT experts shows significant and serious dangers for children -

https://www.skirsch.com/covid/Seneff_costBenefit.pdf

- **800,000 Children aged 5-11 were forced to miss School in the USA after suffering a Severe Adverse Reaction to the Covid-19 Vaccine**

<https://dailyexpose.uk/2022/02/23/800k-kids-missed-school-adverse-reaction-covid-jab/>

and

JCVI admits the No. of Children who will suffer Myocarditis due to Covid-19 Vaccination is 815x greater than the No. of Children the Jab will save from Covid-19

<https://dailyexpose.uk/2022/02/23/jcvi-myocarditis-kids-covid-vaccine-huge-risk/>

- **Scientific studies showing Covid Vaccines proving ineffective for children**

Association of Prior BNT162b2 COVID-19 Vaccination With Symptomatic SARS-CoV-2 Infection in Children and Adolescents During Omicron Predominance

Dutra et al. 2022. JAMA. Published online May 13, 2022. doi:10.1001/jama.2022.7493

<https://jamanetwork.com/journals/jama/fullarticle/2792524>

‘Among children and adolescents, estimated vaccine effectiveness for 2 doses of BNT162b2 against symptomatic infection decreased rapidly’

- **Irish newspapers reporting more and more cases of serious side effects in children from the covid vaccines**

Drugs regulator monitors reports of suspected Covid vaccine side-effects in five to 17-year-olds

<https://www.independent.ie/world-news/coronavirus/drugs-regulator-monitors-reports-of-suspected-covid-vaccine-side-effects-in-five-to-17-year-olds-41262698.html>

and

One in 2,500 children with vaccine reports suspected side effect

<https://www.irishtimes.com/news/health/one-in-2-500-children-with-vaccine-reports-suspected-side-effect-1.4781873>

and

Regulator receives 80 reports of heart inflammation after Covid-19 vaccines

<https://www.irishtimes.com/news/health/regulator-receives-80-reports-of-heart-inflammation-after-covid-19-vaccines-1.4694295>

Open Letter to the MHRA and British Government regarding Child Deaths and the covid vaccines from the HART group of medical doctors, professors and scientists

Signals that Covid-19 Vaccines may have caused death in children and young adults

by HART group

The HART group which consists of many medical doctors, hospital consultants and research scientists in Britain has published an Open Letter to Sajid Javid, Chris Whitty, Patrick Vallance and the relevant public health bodies calling for an Investigation and a stop to these vaccines for children.

See letter at <https://www.hartgroup.org/open-letter-to-the-mhra-regarding-child-death-data/>

and

‘Should children be vaccinated against COVID-19?’

by HART group of top medical doctors and scientists in Britain, November 2021

<https://www.hartgroup.org/should-children-be-vaccinated-against-covid-19/>

and

Recent deaths in young people in England and Wales

<https://www.hartgroup.org/recent-deaths-in-young-people-in-england-and-wales/>

and

Article on FDA s fraudulent modelling being used to justify vaccinating 5 11-year-olds

<https://www.hartgroup.org/fdas-fraudulent-modelling-to-justify-vaccinating-5-11-year-olds/>

- **The McCullough & Rose Report**

The McCullough & Rose Report by a top American medical doctor and University Professor, Dr. Peter McCullough and a research scientist Dr. Jessica Rose details the dangers of covid19 vaccines to children and young adults. For example it revealed the following startling facts.

'Within 8 weeks of the public offering of COVID-19 products to the 12-15-year-old age group, we found 19 times the expected number of myocarditis cases in the vaccination volunteers over background myocarditis rates for this age group.'

Sources:

<https://web.archive.org/web/20211002192421/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8483988/> and <https://jessicar.substack.com/p/a-report-on-myocarditis-adverse-events>

and Dr Peter McCullough Sues Medical Journal for Refusing to Publish Study Highlighting Risks of Covid-19 Vaccine in Children

<https://dailyexpose.uk/2021/11/19/dr-peter-mccullough-sues-medical-journal-for-refusing-to-publish-study-highlighting-risks-of-covid-19-vaccine-in-children/>

- Dr. Peter McCullough a medical doctor and Professor of Medicine provides a video interview showing evidence of reckless endangerment of children from covid19 vaccines. November 8th 2021. <https://www.marktaliano.net/myocarditis-jabs-and-children-by-dr-peter-mccullough/>
- Dr. Jessica Rose, a top research scientist provides a video interview showing evidence of reckless endangerment of children from covid19 vaccines. November 2021. <https://rumble.com/vouo1t-gal-shalev-interview-with-dr.-jessica-rose-interview-vaers-data.html?s=08>

- **Important Scientific Studies**

SARS-CoV-2 mRNA Vaccination-Associated Myocarditis in Children Ages 12-17: A Stratified National Database Analysis

Hoeg et al. September 2021

<https://www.medrxiv.org/content/10.1101/2021.08.30.21262866v1>

Rate of Myocarditis for 12 -15 year olds – 162 per million

Abstract 10712: Observational Findings of PULS Cardiac Test Findings for Inflammatory Markers in Patients Receiving mRNA Vaccines

Gundry, 2021, Circulation

https://www.ahajournals.org/doi/10.1161/circ.144.suppl_1.10712

Researchers have found Pfizer and Moderna mRNA COVID-19 shots dramatically increase biomarkers associated with thrombosis, cardiomyopathy and other vascular events following injection. People who had received two doses of the mRNA jab more than doubled their five-year risk of acute coronary syndrome (ACS), the researchers found, driving it from an average of 11% to 25%.

Myocarditis and Pericarditis After Vaccination for COVID-19

Diaz et al. 2021, JAMA

<https://jamanetwork.com/journals/jama/fullarticle/2782900>

- **Dr. Geert Vanden Bossche a top scientist and vaccine developer in Pfizer for many years expresses his opposition to the covid vaccination of children based on dangers to children**
<https://www.voiceforscienceandsolidarity.org/videos-and-interviews/part-1-children-vaccination-english>
- **Israel reports link between rare cases of heart inflammation and Covid-19 vaccination in young men - myocarditis rate among the vaccinated was between 5 -25 times the background rate**
<https://www.science.org/news/2021/06/israel-reports-link-between-rare-cases-heart-inflammation-and-covid-19-vaccination>
- **Pfizer Vaccine Only 12% Effective in Kids 5 to 11, Scientific Study Says**
<https://childrenshealthdefense.org/defender/pfizer-vaccine-only-12-percent-effective-kids-5-to-11/>
- **According to Steve Kirsch, a scientist in the USA, 1 in 317 boys will get myocarditis from the covid vaccines. He uses research data and statistics to back up his calculation.**
https://docs.google.com/presentation/d/11SqfJ5m_rvBfssP_wtgGEgdpUue6KHOWXxrfpNADp1c/e_dit#slide=id.g102944e166e_0_239
- **New Risk - Benefit analysis – for every 1 child saved, 117 will die**
Steve Kirsch summarises a new risk-benefit analysis by Dr Toby Rogers, which indicates that for every child saved, 117 would die. He notes this is consistent with the estimates of Ronald Kostoff and Harald Walach (which he notes has now been published again in a peer-reviewed journal after being withdrawn from the first).

Scientific papers and research below:

<https://stevekirsch.substack.com/p/we-will-kill-117-kids-to-save-onee?>

and [https://cf5e727d-d02d-4d71-89ff-](https://cf5e727d-d02d-4d71-89ff-9fe2d3ad957f.filesusr.com/ugd/adf864_8c97b2396c2842b3b05975bfbfd8254cb.pdf)

[9fe2d3ad957f.filesusr.com/ugd/adf864_8c97b2396c2842b3b05975bfbfd8254cb.pdf](https://cf5e727d-d02d-4d71-89ff-9fe2d3ad957f.filesusr.com/ugd/adf864_8c97b2396c2842b3b05975bfbfd8254cb.pdf)

and <https://www.sciencedirect.com/science/article/pii/S221475002100161X>

[We subpoena Steve Kirsch into the court case](#)

- **Release of Pfizer trial internal documents**

A court in the USA has ordered Pfizer to release its documents about the covid19 vaccine and one can view them on the following web site - <https://phmpt.org/pfizers-documents/> . I refer the DPP to the Pfizer document at <https://phmpt.org/wp-content/uploads/2021/11/5.3.6-postmarketing-experience.pdf> and pages 30 - 38 of that document which show the terrible injuries and illnesses and disabilities caused by the covid19 vaccines. And also show 42,000 case reports and 158,000 adverse events and 1,223 deaths by February 28, 2021, less than 3 months into the vaccination of the general public. This is official Pfizer data from their own internal documents. This corroborates our evidence in prior books of evidence. Pages 30 – 38 attached to this document.

This is shocking and distressing and has NOT been told to parents and guardians of children and to teenage children and to adults in general prior to them getting the covid19 vaccines. They were not given the essential information to make an informed decision and provide their informed consent for getting these covid19 vaccines. In addition to this the official HPRA evidence is showing deaths to hundreds of people and thousands of injuries, illnesses and disabilities from these covid19 vaccines in Ireland. And a massive rise in excess mortality and actual mortality in Ireland after the introduction of these covid19 vaccines. All detailed in previous books of evidence submitted to DPP. These are crimes against those adults and children who got the covid19 vaccines in Ireland.

- **The sars-cov2 virus which allegedly causes covid19 has not been isolated according to official HSE records in Ireland. And the alleged virus has not been subjected to Koch's Postulates.**

Signed HSE Records Management Department Records, including record C839 states there is no proof that the virus exists and it has not been isolated.

And record C848 shows NO proof that masks work, and record C849 shows proof that masks are dangerous, and record C850 shows NO proof social distancing works. Record C846 shows NO proof General lockdowns work, and record C851 NO PROOF mRNA works.

These documents can be provided to the court.

- **Expert Witness Testimony for the Courts**

New Scientific Documentary Film produced about covid19 by top scientists and medical doctors and medical professionals called 'The Viral Delusion'. More evidence that sars-cov2 virus has not been isolated and subjected to Koch's Postulates. And new evidence showing the alleged virus has not been found to infect human cells.

This documentary film corroborates the data and evidence in our books of evidence



Available at: <https://www.bitchute.com/video/jajyAdPMdzfJ/>

and <https://www.bitchute.com/video/RITRi608ztYy/>

and <https://yandex.com/search/?text=the+viral+delusion+wallach>

- **Published scientific paper showing increased risk of heart diseases in covid vaccinated children**

Persistent Cardiac Magnetic Resonance Imaging Findings in a Cohort of Adolescents with Post-Coronavirus Disease 2019 mRNA Vaccine Myopericarditis

Schauer et al. 2022

[https://www.jpeds.com/article/S0022-3476\(22\)00282-7/fulltext#](https://www.jpeds.com/article/S0022-3476(22)00282-7/fulltext#)

and news report at

<https://dailyclout.io/pfizer-vaccine-fda-fails-to-mention-risk-of-heart-damage-in-teens/>

- **Pregnancy and Pfizer covid vaccine trial**

In prior books of evidence the harms and deaths caused to unborn babies of vaccinated mothers were detailed. About 270 women got pregnant during the study. The details of 238 of them were lost somehow. But of the 36 pregnant women whose outcomes were followed - *28 lost their babies.*

In the Pfizer documents that were released thanks to legal force, there is data on reported adverse events since the rollout of the vaccine. On pages 12-13 of the document labeled “postmarketing-experience” Dr. Wolf’s Team 5 found:


- 28% of the 270 pregnancies + 4 fetus/baby cases of adverse events were categorized as serious, including:
 - Miscarriages
 - Fetal deaths
 - Uterine contractions
 - Pre-term deliveries
 - Premature rupture of membranes
 - Fetal growth restrictions
- Breastfed babies were reported to have effects such as:
 - Infantile vomiting
 - Fever
 - Rash
 - Agitation
 - Allergy to the vaccine
- 4 nursing women reported adverse events such as:
 - Partial paralysis
 - Suppressed lactation
 - Breastmilk discoloration
 - Breast pain
 - Migraines

Source: Pfizer vaccine trial Confidential document (5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports at <https://phmpt.org/wp-content/uploads/2021/11/5.3.6-postmarketing-experience.pdf>)


The Pfizer vaccine trial Confidential document (5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports at <https://phmpt.org/wp-content/uploads/2021/11/5.3.6-postmarketing-experience.pdf>) contains case reports for the first 68 days of vaccine rollout (from 12/20/2020 to 2/28/2021). The section covering pregnancy and lactation on pages 12-13, reveals that 20% of the 413 reported cases of adverse events were “serious.” These included 25 miscarriages, 5 fetal deaths as well as uterine contractions during pregnancy, preterm deliveries, premature rupture of membranes and fetal growth restriction. Also included were serious and less serious adverse side effects of breast-fed babies that included infantile vomiting, fever, rash, agitation, and allergy to the vaccine. There were also 6 cases of women having adverse events who received COVID-19 vaccine while breast feeding; some of these include paresis (partial paralysis), suppressed lactation, breast pain, migraines and breast milk discoloration. Pfizer’s response to the above alarming data was, “There were no safety signals that emerge from the review of these cases of use in pregnancy and

while breast feeding.”

See chart below



The US Military found a large increase in congenital malformations immediately after covid vaccinations in the military in 2021. See chart below.



Source: DOD in USA and <https://health.mil/Military-Health-Topics/Combat-Support/Armed-Forces-Health-Surveillance-Division/Data-Management-and-Technical-Support/Defense-Medical-Epidemiology-Database>

Pfizer internal documents show a build up of mRNA and vaccine parts in the Ovaries of covid vaccinated rats. This has important consequences for human females, women who were vaccinated.

https://phmpt.org/wp-content/uploads/2022/03/125742_S1_M4_4223_185350.pdf

In addition to higher rates of pregnancy losses in 2021, the rates of ovarian cancer have increased in 2021

<https://expose-news.com/2022/06/07/confidential-pfizer-docs-covid-vaccination-causing-depopulation/>

Animal studies of pregnant animals show increased fetal abnormalities in covid vaccinated animals

<https://www.sciencedirect.com/science/article/pii/S0890623821000800?via%3Dihub>

and <https://expose-news.com/2022/06/07/confidential-pfizer-docs-covid-vaccination-causing-depopulation/>

According to the Centers for Disease Control's (CDC) Vaccine Adverse Event Database (VAERS), as of April 2022, a total of 4,113 foetal deaths had been reported as adverse reactions to the Covid-19 injections, 3,209 of which were reported against the Pfizer injection. There were only 2,239 reported foetal deaths to VAERS in the 30 years prior to the emergency use authorisation of the Covid-19 injections in December of 2020

Sources: VAERS in CDC and <https://healthimpactnews.com/2022/4113-fetal-deaths-in-vaers-following-covid-19-vaccines-not-including-those-murdered-alive-to-develop-the-vaccines/>

Scotland

In highly vaccinated Scotland, almost twice the number of babies died in 2021 as died in baseline numbers.

<https://www.heraldscotland.com/news/19726487.investigation-launched-abnormal-spike-newborn-baby-deaths-scotland/>

and

Official figures reveal that the rate of neonatal deaths increased to 4.6 per 1000 live births in March 2022, a 119% increase on the expected rate of deaths. This means the neonatal mortality rate breached an upper warning threshold known as the 'control limit' for the second time in at least four years.

The last time it breached was in September 2021, when neonatal deaths per 1000 live births climbed to 5.1. Although the rate fluctuates month to month, the figure for both September 2021 and March 2022 is on a par with levels that were last typically seen in the late 1980s.

Source: <https://scotland.shinyapps.io/phs-covid-wider-impact/>

In Ontario, Canada, 86 babies died in 2021, versus a baseline of four or five; this was a baby die-off so severe that a brave Parliamentarian brought the issue to Parliament.

<https://nonvenipacem.com/2021/12/10/explosive-rise-in-ontario-stillbirths-triggers-parliamentary-questions>

In Israel, at RamBam Hospital in Haifa, there were 34% more spontaneous abortions and stillbirths to vaccinated women as to unvaccinated women.

https://jackanapes.substack.com/p/still-births-miscarriages-and-abortion?utm_source=substack&utm_campaign=post_embed&utm_medium=web

IVF clinics started having serious problems right after the vaccines started rolling out

https://stevekirsch.substack.com/p/ivf-clinics-started-having-serious?utm_source=substack&utm_campaign=post_embed&utm_medium=web&s=r

Scientific News article about this by Etana Hecht


https://etana.substack.com/p/vaccinated-women?utm_source=substack&utm_campaign=post_embed&utm_medium=web&s=r

News article by the famous writer and author Naomi Wolf at

<https://naomiwolf.substack.com/p/dear-friends-sorry-to-announce-a?s=r>

No safety studies carried out on pregnant women and unborn babies yet the HSE in Ireland and health authorities in several other countries falsely claim the covid vaccine is safe for pregnant women and unborn babies. Scientific news and analysis at <https://dailyclout.io/covid-19-vaccines-pregnancy-risky-business/>

- **Massive increase in ambulance call outs for heart related conditions in UK after covid19 vaccinations in 2021**




Sources: https://www.whatdotheyknow.com/request/patients_with_heart_conditionsst

and

https://www.whatdotheyknow.com/request/856828/response/2042736/attach/4/Request%20Ref%203846%20Attachment%201.xlsx?cookie_passthrough=1


This is corroborated by evidence from Scotland showing an increased level of heart related illnesses and conditions in 2021 among children and young adults

Weekly number of cardiovascular cases in Scotland by age group



Source: https://scotland.shinyapps.io/phs-covid-wider-impact/ w_1d24036b/

More Evidence that Young Covid Vaccinated people are dying in higher numbers than Unvaccinated young people



Source: Office of National Statistics, England

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/dataset/s/deathsbyvaccinationstatusengland>

and The Expose news channel at <https://expose-news.com/2022/06/09/covid-vaccine-causing-sudden-adult-death-syndrome/>

- **More and more published scientific studies are showing link between covid vaccines and myocarditis across all age groups especially younger men and male children**

<https://maryannedemasi.com/publications/f/myocarditis-post-vaccination-%E2%80%93-should-we-be-concerned>

and

<https://jamanetwork.com/journals/jama/fullarticle/2782900>,

<https://jamanetwork.com/journals/jamacardiology/fullarticle/2783052?>

<https://www.nejm.org/doi/full/10.1056/NEJMoa2109730>

- **The Covid vaccines – Pfizer, Moderna, Janssen, and Astrazeneca are banned in many countries due to safety concerns for adults and children**

- Moderna banned in these countries

<https://yandex.com/search/?text=moderna+banned&lr=105201>

- Pfizer banned in these countries

<https://yandex.com/search/?text=pfizer+banned&lr=105201>

- Janssen banned in these countries
<https://yandex.com/search/?text=janssen+banned&lr=105201>

- Astrazeneca banned in these countries
<https://yandex.com/search/?text=astrazeneca+banned&lr=105201>

- **Myocarditis after BNT162b2 Vaccination in Israeli Adolescents**

New England Journal of Medicine, 2022

<https://www.nejm.org/doi/full/10.1056/NEJMc2116999>

- Analysis of child deaths in Britain caused by covid vaccines
<https://childrenshealthdefense.org/defender/does-pfizer-shot-increase-kids-risk-death/>
- Top scientists express strong opposition to covid vaccinations of children due to safety issues
<https://childrenshealthdefense.org/defender/covid-vaccines-damage-kids-brains-heart-other-organs/>
- **Vaccine-Induced Myocarditis Injuring Record Number of Young People according to official government reports and statistics**
<https://childrenshealthdefense.org/defender/vaccine-induced-myocarditis-injuring-young-people/>

- **Child Abuse in Ireland**

IRISH CHILDREN & TEACHERS SPEAK OUT AGAINST COVID19 TYRANNY & OPPRESSION AND THE MISTREATMENT AND ABUSE OF CHILDREN

https://brandnewtube.com/watch/irish-children-amp-teachers-speak-out-against-tyranny-amp-oppression_LZgLNj77ZNEteDj.html

- **Link between covid vaccination and an increase in deaths of vaccinated and partially vaccinated people. And Scientific research showing Deaths among the partially vaccinated were mislabelled as “unvaccinated deaths” in Britain and other countries**
Scientific research from Germany and Britain has revealed that partially vaccinated people who died were mislabelled as “unvaccinated deaths” due to the wait for the second dose and the 14 day wait after the second dose to be deemed “vaccinated”. The evidence shows that the vaccines killed them. They were covid vaccine deaths.
Scientific paper: Latest statistics on England mortality data suggest systematic mis-categorisation of vaccine status and uncertain effectiveness of Covid-19 vaccination. Neil et al. 2021.

<https://www.researchgate.net/publication/356756711> Latest statistics on England mortality data suggest systematic mis-categorisation of vaccine status and uncertain effectiveness of Covid-19 vaccination
News report: <https://www.servustv.com/aktuelles/a/reportage-im-stich-gelassen-die-covid-impfopfer/201058/> and <https://rairfoundation.com/revealed-uk-statisticians-find-massive-death-spike-during-covid-vaccine-campaigns/>

- **Covid vaccine Injuries and deaths per population in Britain so far**

In Britain on January 20th, the MHRA Yellow Card reporting system has recorded a total of 1,439,579 events based on 439,578 reports. The total number of fatalities reported is 1,972.

- Pfizer (25.6 million first doses, 22.5 million second doses) now has one Yellow Card in 159 people vaccinated. Deaths: 1 in 36,467 people vaccinated (702).
- AstraZeneca (24.9 million first doses, 24.2 million second doses) has one Yellow Card in 103 people vaccinated. Deaths: 1 in 20,750 people vaccinated (1,200).
- Moderna (1.6 million first doses, 1.4 million second doses) has one Yellow Card in 46 people vaccinated. Deaths: 1 in 48,485 people vaccinated (33).

The MHRA has previously [estimated](#) that the Yellow Card reporting rate may be approximately 10% of actual figures.

News report of horrifying vaccine injuries and illnesses at

<https://dailysceptic.org/2022/02/03/vaccine-safety-update-25/>

- **A comprehensive overview of covid vaccine and booster safety issues and effectiveness issues for children**

by Dr. Robert Malone, medical doctor, research scientist and inventor of the mRNA technology used in covid vaccines

<https://www.rwmalonemd.com/mrna-vaccination-in-children>

and more scientific research findings at

<https://rwmalonemd.substack.com/p/were-never-going-to-learn-about-how>

and new scientific research findings and updates about this at

<https://rwmalonemd.substack.com/>

- **Important scientific paper**

Why are we vaccinating children against COVID-19?

Kostoff et al. 2021

<https://www.sciencedirect.com/science/article/pii/S221475002100161X>

- **Important Canadian Scientific research findings about dangers to children and young adults**
<https://www.canadiancovidcarealliance.org/wp-content/uploads/2021/12/The-COVID-19-Inoculations-More-Harm-Than-Good-REV-Dec-16-2021.pdf>
 and <https://www.canadiancovidcarealliance.org/media-resources/the-pfizer-inoculations-for-covid-19-more-harm-than-good-2/>
- **Should we give children cancers or increased risk of cancers by giving them these covid vaccines ?**

New Scientific Study finds that the Covid-19 Vaccines are causing a new form of Acquired Immunodeficiency Syndrome in the vaccinated

Scientific Paper:

Innate Immune Suppression by SARS-CoV-2 mRNA Vaccinations: The role of G-quadruplexes, exosomes and microRNAs

McCullough et al. January 2022

https://www.researchgate.net/publication/357994624_Innate_Immune_Suppression_by_SARS-CoV-2_mRNA_Vaccinations_The_role_of_G-quadruplexes_exosomes_and_microRNAs

Table below

Cancer Reports to VAERS	Counts COVID-19 vaccines	Counts All other vaccines	Ratio: COVID-19 vaccines/ All other vaccines
Breast	147	49	3.00
Prostate	32	13	2.46
Lung	82	46	1.78
Colorectal/Colon	30	7	5.00
Ovarian	24	7	3.43
Uterine	11	5	2.20
Uterine leiomyoma	80	12	6.67
Lymphoma (subtype not identified)	52	47	1.11
B-cell lymphoma	19	3	6.33
Follicular lymphoma	13	1	13.00
Metastasis	13	7	1.86
Glioblastoma	16	3	5.33
Brain neoplasm	22	34	0.65
Neoplasm (unspecified)	71	82	0.87
Hepatic	40	8	5.00
Pancreatic	27	6	4.50
Prostate	23	13	1.77
Squamous cell carcinoma (not otherwise characterized)	33	25	1.32
Total	735	368	2.00

Dr Peter McCullough, Dr Anthony Kyriakopoulos, Dr Greg Nigh, and Dr Stephenie Sennef conclude their study by calling attention to three very important aspects of the safety profile of the Covid-19 vaccines.

1. The extensively documented subversion of innate immunity, which they claim is and will continue to have a wide range of consequences including reduced ability to effectively combat future infections.
2. The poor ability of the vaccine damaged immune system to detect and prevent “genetically driven malignant transformation within cells and the consequent potential for vaccine to promote those transformations”.
3. The disruption caused by Covid-19 mRNA vaccinated to the intracellular communication carried out by exosomes, and the potentially serious inflammatory consequences of mRNA vaccination inducing cells to take up spike mRNA and produce high levels of spike-carrying exosomes.

“In the end, we are not exaggerating to say that billions of lives are at stake. We call on the public health institutions to demonstrate, with evidence, why the issues discussed in this paper are not relevant to public health, or to acknowledge that they are and to act accordingly. Until our public health institutions do what is right in this regard, we encourage all individuals to make their own health care decisions with this information as a contributing factor in those decisions”.

- American news reports about dangerous vaccine batches which are killing and injuring children and adults - ‘BREAKING: Deadly Vax Lot Numbers IDENTIFIED, Still in Circulation!’
<https://rumble.com/vrvjfu-breaking-deadly-vax-lot-numbers-identified-still-in-circulation.html>
- From https://childrenshealthdefense.org/defender_category/covid/ which publishes scientific and medical evidence in USA and specializes in reporting covid vaccine injuries to children.

The screenshot shows the website 'the Defender' with the tagline 'CHILDREN'S HEALTH DEFENSE NEWS & VIEWS'. The navigation bar includes categories like CHD, COVID, BIG PHARMA, BIG ENERGY, BIG FOOD, BIG TECH, BIG CHEMICAL, COMMUNITY, and LEGAL. A blue banner promotes a book: 'BUY TODAY: Robert F. Kennedy, Jr.'s New Book — 'The Real Anthony Fauci''. The main article is titled '120 Teens Hospitalized, 3 Dead Following Pfizer Vaccine Rollout for 15- to 17-Year-Olds in Vietnam' by Megan Redshaw, dated 12/06/21. A 'Donate Now' button is visible with the text 'You make the difference.' and a logo for 'THE PLAZIUM SEAL OF INTEGRITY'. Below the article, there are social media sharing icons and a 'Latest News' section with two items: 'Myocarditis Tops List of COVID Vaccine Injuries Among 12- to 17-Year-Olds, VAERS Data Show' and 'As Protests Erupt, Some Countries Backtrack on COVID Mandates While...'

EN

the Defender™

CHILDREN'S HEALTH DEFENSE NEWS & VIEWS



CHD COVID BIG PHARMA BIG ENERGY BIG FOOD BIG TECH BIG CHEMICAL COMMUNITY LEGAL

BUY TODAY: Robert F. Kennedy, Jr.'s New Book — 'The Real Anthony Fauci'

01/14/22 • COVID NEWS

Myocarditis Tops List of COVID Vaccine Injuries Among 12- to 17-Year-Olds, VAERS Data Show

VAERS data released Friday by the Centers for Disease Control and Prevention included a total of 1,033,994 reports of adverse events from all age groups following COVID vaccines, including 21,745 deaths and 170,446 serious injuries between Dec. 14, 2020, and Jan. 7, 2022.

By Megan Redshaw



Get FREE News & Updates!

First Name..

Last Name..

Email..

SIGN UP

News story at: <https://childrenshealthdefense.org/defender/vaers-cdc-myocarditis-tops-list-covid-vaccine-injuries-teens/>

- US Children's Hospitals Now Overwhelmed with Infant Cardiac Patients
<https://stevekirsch.substack.com/p/how-are-they-going-to-explain-all>
and news report at <https://theexpose.uk/2021/11/10/us-childrens-hospitals-now-overwhelmed-with-infant-cardiac-patients/>
- **An overview on Covid-19 vaccine adverse events - Swiss Policy Research**
<https://swprs.org/the-latest-on-covid-vaccine-adverse-events/>
- In UK, between the week ending June 26 and the week ending September 18, 2020, 148 deaths were reported among 15- to 19-year-olds. Between the week ending June 25, 2021, and the week ending September 17, 2021, 217 deaths occurred in that age group. That's an increase of 47% !
Sources: Office of National Statistics, Britain
<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/weeklyprovisionalfiguresondeathsregisteredinenglandandwales>
and
<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/weeklyprovisionalfiguresondeathsregisteredinenglandandwales>

and news report on <https://dailyexpose.uk/2021/09/30/deaths-among-teenagers-have-increased-by-47-percent-since-covid-vaccination-began/>

- **Pfizer vaccine trial data**

The Pfizer vaccine trial lasted 6 months and involved 22,000 vaccinated people and 22,000 placebos. This 6 month trial for the covid vaccines were the fastest trials in history, as trials usually take from 4 years to 7 years to complete. In the Pfizer vaccine trial, 21 vaccinated people died of various causes and 17 placebo people died of various causes. The main cause of death in the vaccinated group was heart attacks and cardiovascular illnesses. Pfizer lied to the FDA about these numbers originally and they have been corrected since.

$21 - 17 = 4$, this means the unvaccinated have a 20% less chance of dying of all causes. This is the All Cause Mortality risk, which has NOT been mentioned by the government, the health authorities, and the press and media. The high rate of cardiovascular deaths and illnesses in the vaccinated group is very significant as thousands of vaccinated people have died worldwide from this illness and hundreds of thousands of people have developed heart and cardiovascular illnesses since the covid vaccinations began in 2021. The link between heart and cardiovascular illnesses and deaths and covid vaccines is strong. The role of the spike proteins and graphene oxide is playing a role in this according to published scientific research and continuing scientific research worldwide. And there 5,241 serious adverse events in the vaccinated group and 1,311 in the placebo group. These facts and evidence were not mentioned to millions of people before they were vaccinated. Informed consent was not given.

A video about the failings of the Pfizer covid vaccine trial has been produced by an organisation of Canadian medical doctors and scientists for court cases in Canada and it clarifies these points for lawyers, the police, prosecutors and the courts. . Video below.

<https://www.canadiancovidcarealliance.org/media-resources/the-pfizer-inoculations-for-covid-19-more-harm-than-good-2/>

These facts and evidence were not mentioned to millions of people before they were vaccinated in many countries including Ireland. Informed consent was not given which is criminal offence.

- **13 Scientific and Medical Reasons not to give covid vaccines to children aged 5 -11 years old**

<https://dailyexpose.uk/2021/12/23/13-reasons-why-children-5-to-11-should-not-have-the-covid-vaccine/>

- **Brazil: Child Vaccination Suspended After 10-Year-Old Girl Suffers Cardiac Arrest Hours After Receiving Pfizer Vaccine**

News reports at <https://thecovidworld.com/shock-as-10-year-old-luisa-petenuci-suffers-cardiac->

[arrest-12-hours-after-receiving-pfizer-covid-19-vaccine/](#) and <https://www.thegatewaypundit.com/2022/01/brazil-child-vaccination-suspended-10-year-old-girl-suffers-cardiac-arrest-hours-receiving-pfizer-vaccine/> and <https://www.redetv.uol.com.br/jornalismo/cidades/entreguei-minha-filha-morta-diz-pai-de-menina-que-sofreu-parada-cardiaca-ap>

- **A group of top medical doctors and Professors and scientists gathered in the Senate in Washington, D.C. on Monday January 24th 2022 for a panel discussion on Covid-19 hosted by Senator Ron Johnson (R-WI).**

The medical doctors and scientists included Dr. Robert Malone, Dr. Peter McCullough, Dr. Bret Weinstein, Dr. Jay Bhattacharya, Dr. Ryan Cole, Dr. Harvey Risch, Dr. George Fareed, Dr. Pierre Kory, Dr. Richard Urso, Dr. Paul Marik, Dr. Aaron Kheriaty and Dr. David Wiseman.

The dangers and ineffectiveness of covid vaccines and the failures of lockdowns and masks and other social restrictions and the corruption and conflicts of interests driving the covid19 pandemic were discussed and evidence presented. Covid vaccine risks and dangers for children were also discussed.

Links

<https://rumble.com/vt62y6-covid-19-a-second-opinion.html?fbclid=IwAR0PDSSGdzj6QpVdj3hT-8qeqlkFUFsU6G5SnpsX155FWClkH-0LwfMlsg>

<https://www.infowars.com/posts/must-watch-censored-doctors-speak-out-against-americas-pandemic-response-at-capitol-hill-covid-hearing/>

- HEART INFLAMMATION IN YOUTH RECENTLY VAXXED

<https://thehighwire.com/videos/heart-inflammation-in-youth-recently-vaxxed/>

and


[CDC To Hold "Emergency Meeting" After 100s Suffer Heart Inflammation Following COVID Vaccines](#)

Zero Hedge, June 2021

<https://www.zerohedge.com/covid-19/cdc-hold-emergency-meeting-after-100s-suffer-heart-inflammation-following-covid-vaccines?s=08>

- In Canada, up to 7 August, Over 100 Ontario youth were sent to hospital for heart problems <https://torontosun.com/news/provincial/over-100-ontario-youth-have-been-sent-to-hospital-for-vaccine-related-heart-problems> and <https://www.publichealthontario.ca/-/media/documents/ncov/epi/covid-19-myocarditis-pericarditis-vaccines-epi.pdf>

- Vaccinating five to 11-year-olds against Covid won't 'make much difference' because most have natural immunity and jabs don't prevent school closures, expert says ahead of official decision
Daily Mail, February 2022
<https://www.dailymail.co.uk/news/article-10493103/Vaccinating-5-year-olds-against-Covid-wont-make-difference-expert-says-ahead-decision.html>
- **20 children suffer a circulatory collapse at school sports event in Germany in 2022**
<https://newsrnd.com/news/2022-07-05-puzzling--20-students-suffered-a-circulatory-collapse-at-the-sports-festival-in-freising.r1lLJgziq.html>
<https://www.merkur.de/lokales/freising/freising-ort28692/sportfest-gymnasium-freising-schueler-kreislauf-kollaps-91649794.html> (in German)
- **Freedom of Information request to the Medicines Regulator in Britain**
This has revealed that covid vaccines and boosters have killed more people than all vaccines combined together over the last 21 years in Britain. This is shocking and another reason for stopping these vaccines
Sources: <https://dailyexpose.uk/wp-content/uploads/2021/09/FOI-21-907-Response-1.pdf>
and <https://dailyexpose.uk/wp-content/uploads/2021/09/FOI-21-907-Response-1.pdf>
and news report at <https://dailyexpose.uk/2022/01/18/uk-5-times-more-deaths-due-to-covid-vaccines/>



- **Official US Government data reveals the Covid-19 Vaccines are over 49 times deadlier than the Flu Vaccines per Number of doses administered**

Sources: <https://wonder.cdc.gov/vaers.html>

<https://dailyexpose.uk/2022/02/10/us-gov-data-covid-jabs-49x-deadlier-than-flu-jabs/>

- **Government and CDC Evidence from the USA shows highest levels of deaths, injuries and disabilities in over 30 years caused by covid vaccines in 2021**

The evidence from the USA shows approximately 300 million vaccinations are given out every year, for many years, and a similar number of covid vaccinations were given in 2021. The combined vaccinations over the last 30 years amount to trillions of vaccinations. Yet in one year 2021 the number of deaths and injuries and disabilities in 2021 outnumbered the combined number of deaths and injuries and disabilities caused by trillions of vaccinations over the last 30 years. This is extraordinary - the adverse effects of vaccinations for one year 2021 have been worse than trillions of vaccinations over the last 30 years. See VAERS chart below.

- **US Senate Meeting in November 2021 – Crimes against Humanity**

Doctors and COVID-19 Vaccine Injured Testify in the US Senate in Washington D.C. to Crimes Against Humanity

<https://healthimpactnews.com/2021/doctors-and-covid-19-vaccine-injured-testify-in-washington-d-c-to-crimes-against-humanity-cdc-fda-hin-fauci-are-no-shows/>

and <https://sovren.media/video/hear-the-suppressed-voices-of-the-vaccine-injured-234.html>

- **Medical Doctors too afraid to speak out about dangers to children because of threats, blackmail and severe consequences for them**

From : Steve Kirsch a scientist and statistician in the USA

<https://stevekirsch.substack.com/p/myocarditis-rates-in-kids-is-off>

Anecdotal data from a pediatric cardiologist shows an estimated 100 times increase in myocarditis rates. Cardiologists can't speak out without risking retribution.

Medical doctors across the USA are seeing an increase in myocarditis, but few are willing to talk about it. In a recent Substack post, Steve Kirsch [writes](#): "I just read a comment on my private 'healthcare providers only' substack. An estimated 100X elevation in rate of myocarditis, but nobody will learn of it since cardiologists aren't going to speak out for fear of retribution.

His comment was a private conversation he had with a pediatric cardiologist. The cardiologist is never going to say this in public, to the press, or have his name revealed since his first duty is to his family (keeping his job). If a 'fact checker' called the cardiologist, he might either refuse to comment or say 'I'm seeing somewhat more cases after the vaccine rolled out.' Here's the exact comment that was posted to the private substack:


'Pre-jab, one or two cases per year of myocarditis. Now, half his waiting room. Tells parents they are 'studying' the causality. Refers them to infectious disease specialist for discussions on their other children. Admits he and about 50% of his colleagues know what's going on but are too terrified to speak out for fear of retaliation from hospitals and state licensing boards. Other 50% don't want to know, don't care and/or are reveling in the cognitive dissonance (like Dr. Harvey [Cohen] at Stanford) and/or letting loose their authoritarian demon. Good luck with these former colleagues of mine. The stench is overpowering.'

... From 1 or 2 cases per year to 'half his waiting room.' I don't know the size of his waiting room, but it's at least two people since he said 'half.' So, the rate has increased by: 250 day per year open/1.5 avg cases per year = 166X."

A survey with 1,000 healthcare providers revealed the following:

Did the rate of myocarditis increase or decrease after vaccination rolled out

39 responses



We subpoena Steve Kirsch into the court case

- Scientific and medical evidence from around the world proves that the covid vaccines and boosters are ineffective against covid19 and it's variants and they damage the immune systems of adults and children
<https://stevekirsch.substack.com/p/new-study-shows-vaccines-must-be>
and <https://stevekirsch.substack.com/>
- Analysis of Scientific Findings, Facts and Evidence and the Official Statistics around vaccinations of adults and children and the risks attached to this
<https://dailyexpose.uk/2022/01/18/gov-data-suggests-covid-vaccines-killed-more-kids-than-covid/>
- **13 Valid Scientific and Medical Reasons for not giving covid vaccines to children**
<https://dailyexpose.uk/2021/12/23/13-reasons-why-children-5-to-11-should-not-have-the-covid-vaccine/>
- **Scientific studies and government reports and press and media reports opposing covid vaccination of children**
<https://www.ukmedfreedom.org/open-letters/covid-19-vaccination-for-children-useful-references-for-parents>

- CDC is hiding the true number of Myocarditis Cases in Covid-19 Vaccinated Teens
news report at <https://dailyexpose.uk/2022/01/03/cdc-hiding-true-number-of-myocarditis-cases-in-covid-19-vaccinated/>
- [FDA will add warning to Pfizer and Moderna vaccines after CDC said there's a 'likely link' between the vaccines and a rare heart inflammation in young adults](#)
 Mail Online, 24 June 2021
- The Flimsy evidence being used by the CDC to vaccinate all children
 Wall Street Journal, July 19 2021
<https://www.wsj.com/articles/cdc-covid-19-coronavirus-vaccine-side-effects-hospitalization-kids-11626706868>
- British Government body, the JCVI rejects calls for mass vaccination of children with covid19 vaccines
['Letting children catch Covid may be safer than giving them vaccine, say experts'](#)
 The Telegraph, June 30, 2021
- [Covid-19: Should we be worried about reports of myocarditis and pericarditis after mRNA vaccines?](#)
 The British medical Journal
<https://www.bmj.com/content/373/bmj.n1635/rr>
- Long list of young people and young athletes dying of various heart conditions after covid vaccination
<https://www.notonthebeeb.co.uk/post/surge-of-sports-people-worldwide-suffering-unexpected-ill-health>
News article - The 'Died Suddenly' Pandemic – Athletes worldwide are coincidentally dropping like flies since the Covid-19 Vaccine roll-out
<https://dailyexpose.uk/2021/11/14/the-died-suddenly-pandemic-athletes-worldwide-are-coincidentally-dropping-like-flies-since-the-covid-19-vaccine-roll-out/>
 and 519 Athlete Cardiac Arrests, Serious Issues, 311 Dead, After COVID Shot
<https://goodsciencing.com/covid/athletes-suffer-cardiac-arrest-die-after-covid-shot/>
- Tawny Buettner, RN observed a >10X increase in the rate of myocarditis after the vaccines rolled out
<https://stevekirsch.substack.com/p/tawny-buettner-rn-observed-a-10x>

- A warning to the general public in all nations including Ireland from Dr. Robert Malone, a top medical doctor and research scientist and patent holder in the USA and inventor of the mRNA technology used in the covid vaccines and boosters.

From web site: <https://dailyexpose.uk/2022/01/16/because-of-his-warning-to-protect-our-children-dr-malone-was-banned-across-all-social-media/>

Because of His Warning To “Protect Our Children,” Dr. Malone Was Banned Across All Social Media

By [Patricia Harrity](#) on [January 16, 2022](#)

In an attempt to warn parents of the risks of taking the gene therapy jab, internationally recognised scientist/physician Dr. Robert Malone, the original inventor of mRNA vaccination as a technology, shared a video message which resulted in him being banned across all social media. Although it is hard to comprehend why any parent would still be in favour of their child receiving the jab due to the known health risks, it is important to share Dr Malone’s expert warning just in case.

Who is Robert Malone?

It is important to know exactly “who” this “expert” is if you do not already, as Malone, like many other esteemed scientists, has been accused of being a “conspiracy theorist” and “[pro-anti-vaxxer](#)”, yet he himself has admitted to having had the COVID vaccine.



Not only that but has spent his career developing vaccinations including the mRNA, DNA vaccination, and multiple non-viral DNA and RNA/mRNA platform delivery technologies. He also holds numerous fundamental domestic and foreign patents in the fields of gene delivery, delivery formulations, and vaccines.

Dr. Robert Malone received his medical degree from the Northwestern Feinberg School of Medicine, completed the Harvard Medical School fellowship as a global clinical research scholar was

scientifically trained at the University of California at Davis, the University of California at San Diego, and at the Salk Institute Molecular Biology and Virology laboratories. He also served as an assistant and associate professor of pathology and surgery at the University of California at Davis, the University of Maryland, and the Armed Forces University of the Health Sciences.

He has approximately 100 scientific publications his work has over 12,000 citations giving him an “outstanding” impact factor rating” on Google Scholar. He has sat on or served as chairperson on [United States Department of Health and Human Services](#) and [United States Department of Defense](#) committees and has been invited to speak at over 50 conferences, and currently sits as a non-voting member on the NIH ACTIV committee, which is tasked with managing clinical research for a variety of drug and antibody treatments for COVID-19.

The following is Robert Malone’s message from his video written verbatim.

Dr Malone’s Warning

Reading from a prepared script which he says is to ensure he got “every single word and scientific fact correct” Malone begins: “My name is Robert Malone, I am a physician and a scientist, but more importantly, I am a father and grandfather”.

I stand by this statement with a career dedicated to vaccine research and development, I am vaccinated for COVID and I am generally pro-vaccination. I have devoted my entire career to developing safe and effective ways to prevent and treat infectious diseases.

An Irreversible Decision

Before you inject your child, a decision that is irreversible, I wanted to let you know the scientific facts about this genetic vaccine that is based on the RNA vaccine technology that I created. There are three main issues that parents need to understand before they take this irrevocable decision. The first is a viral gene will be injected into your parent cells, this gene forces your child’s body to make toxic spike proteins. These proteins often cause permanent damage in children’s critical organs. These organs include their brain and nervous system, their heart and blood vessels including blood clots, their reproductive system and most importantly, this vaccine can trigger fundamental changes to their immune system.

The most alarming point about this is, is that once these damages have occurred they are irreparable, they cannot be reversed. You can’t fix the lesions within their brains, you cannot repair heart tissues

scarring, you cannot repair a genetically reset immune system and this vaccine can cause reproductive damage that could affect future generations of your family.

The second thing you need to know is about the fact that this novel technology has not been adequately tested, we need at least five years of testing and research before we can really understand the risks associated with this new technology. The harms and risks from new medicines often become revealed many years later. I ask you to ask yourself as a fellow parent if you want your child to be part of the most radical experiment in human history.

One final point, the reason they are giving you to vaccinate your child is a lie, your children represent no danger to their parents or grandparents, actually, the opposite their immunity after getting COVID is critical to save their family if not the world from this disease.

Finally, in summary, there's no benefit for your children or your family to be vaccinating your children against the small risks of the virus, given the known health risks of the vaccine that is apparent you and your children may have to live with for the rest of your lives. The risk-benefit analysis is not even close with this vaccine for children. As a parent and grandparent, my strong recommendation to you is to resist and fight to protect your children" It should worry everyone that an expert in the field such as Robert Malone would have such an important message censored, especially when it is a warning to protect the children.


The actual video may be watched on Dr Simone Gold's Telegram channel

<https://t.me/SimoneGoldOfficial/41>

- REPORT: Younger Males Are at a Higher Risk of Myocarditis Following Covid-19 Vaccine, VAERS Cases are "Just the Tip of the Iceberg"
"41% of all myocarditis reports were made for children aged 10 through 20 and 72% of all myocarditis reports were made for young adults aged 10-30 years of age."
news report at <https://theexpose.uk/2021/10/06/report-younger-males-are-at-a-higher-risk-of-myocarditis-following-covid-19-vaccine-vaers-cases-are-just-the-tip-of-the-iceberg/>
- Deaths among Children are 44% higher than the 5-year-average since they were offered the Covid-19 Vaccine according to ONS data
news report at <https://dailyexpose.uk/2021/11/24/child-deaths-increasing-since-offered-covid-vaccine/>
- Children are up to 16 times more likely to die with Covid-19 if they've had the Covid Vaccine according to latest UK Health Security Agency report
news report at <https://dailyexpose.uk/2021/10/22/children-up-to-16-times-more-likely-to-die->

[with-covid-19-if-vaccinated/](#)

- Since children were offered the Covid-19 Vaccine deaths among male children have risen by 86% news report at <https://theexpose.uk/2021/11/10/deaths-among-male-children-have-risen-by-86-percent-since-offered-covid-vaccine/>
- Shocking testimony by Sarah Jessica Blattner, a 14 year old girl seriously injured by the covid vaccines and died shortly after from them <https://rumble.com/embed/vpo4wn/?pub=poi65>
News report <https://nomoresilence.world/pfizer-biontech/sarah-jessica-blattner-aged-14-pfizer-death/>
- Deaths and serious injuries from the covid vaccines and boosters continue to rise globally <https://www.data-analytica.org/page2.htm>
- **COVID-19 Genetic Vaccine Safety in Children**
Dr. Robert Malone
<https://rwmalonemd.substack.com/p/covid-19-genetic-vaccine-safety-in>
- **Director-General of the WHO** claims Countries are giving Boosters to kill children, and this is not right
<https://dailyexpose.uk/2021/12/22/tedros-says-countries-killing-kids-with-boosters/>
“So if it’s going to be used (the Covid-19 vaccine) it’s better to focus on those groups of severe disease and death, rather as we see some countries are using to give boosters to kill children, this is not right.”
- Evidence that children being killed by the covid vaccines in Britain
<https://dailyexpose.uk/2021/12/08/bad-batch-covid-vaccine-killing-children-west-midlands/>
‘Statistics show that from the week following Chris Whitty’s advice to vaccinate children, up to 14th November 2021, deaths among all children aged 10-14 were 44% higher than the 2015-2019, 5-year-average. With boys seeing a 42% increase in deaths, and girls seeing a 47% increase in deaths.’
- **Menstruation and covid-19 vaccination**
The BMJ, 2022
<https://www.bmj.com/content/376/bmj.o142>
- **Dr. Robert Malone, the inventor of mRNA** which is used in the covid19 vaccines has come out publicly to condemn covid vaccinations for children as they pose too high a risk for children. It will lead to deaths and serious injuries and illnesses for children. Video at <https://www.bitchute.com/video/wxZZIEJTQwoG/>



and news report at <https://www.lifesitenews.com/opinion/toxic-spike-proteins-made-by-covid-jabs-often-cause-permanent-damage-in-kids-mrna-inventor/>

We invite Dr. Robert Malone to testify in our court case

- **Scientists and Scientific Evidence which expose a Terrorist Plot directed against many nations including Ireland in relation to covid vaccine ingredients and plans associated with this. Police and Military must investigate this in Ireland and other countries.**

The following lecture by a DARPA scientist, Dr. James Giordano of Georgetown University was delivered in 2017 to a group of US government employees, contractors, academics and scientists. It outlines the great dangers involved in this new generation of covid vaccines. He reveals a disturbing plan to put nanochips, nano-transmitters, nano-transceivers, nano-robots, and nano-networks and toxic ingredients into new vaccines which would be injected into people worldwide so as tighten control over human bodies and biological systems, control over peoples and nations, implement a digital control grid and totalitarian political systems and destroy democracy, and provide the capability to murder certain people or groups of people. Its an effective murder weapon and leaves no clues for police and investigators. The people who will receive the vaccines are not told about this and informed consent will not be given. This lecture three years before the covid19 began. In our books of evidence, we provide scientific evidence from Dr. Ricardo Delgado, a scientist and Professor in Spain and other scientists and medical doctors who found nanochips, nano-transmitters, nano-transceivers and nano-networks and toxic ingredients in the covid vaccines using electron microscopes and other powerful microscopes. These have been injected into millions of people without their knowledge. This is terrorism and needs to be investigated by police and military in Ireland and many other countries.

Lecture: full video at <https://www.youtube.com/watch?v=N02SK9yd60s>

and at <https://mwi.usma.edu/mwi-video-brain-battlefield-future-dr-james-giordano/>

- 100% of Covid-19 Vaccine Permanent Disabilities and Deaths among Children were caused by just 6% of the batches produced according to official Government data
<https://dailyexpose.uk/2021/12/05/all-covid-vaccine-deaths-and-disabilities-in-children-caused-by-6-percent-of-batches/>
- UK Government Guidance Admits High Percentage of All Hospitalised Children Are Suffering Myocarditis Due to Covid Injections
<https://dailyexpose.uk/2021/12/03/uk-government-guidance-admits-high-percentage-of-all-hospitalised-children-are-suffering-myocarditis-due-to-covid-injections/>
- Dr Vernon Coleman – “Studies suggest that 20% of Children with Myocarditis are dead in two years and 50% are dead in five years”
<https://dailyexpose.uk/2021/11/28/50-percent-kids-with-myocarditis-dead-within-5-years/>
- **School District in New York Sends out Email Warning Parents of Sudden Cardiac Arrest in Students Grades K-12**
<https://www.thegatewaypundit.com/2021/12/school-district-new-york-sends-email-warning-parents-sudden-cardiac-arrest-students-grades-k-12/>
- **The stunning increase in myocarditis rates after the vaccines rolled out**
<https://stevekirsch.substack.com/p/the-stunning-increase-in-myocarditis>
- Vaccines Are Perfectly Safe, Unless You're Young and Swedish
https://www.theepochtimes.com/vaccines-are-perfectly-safe-unless-youre-young-and-swedish_4137290.html
- Official Data shows Deaths of male Children are up 54% since they were offered the Covid Vaccine
<https://dailyexpose.uk/2021/12/04/deaths-male-children-up-54-percent-since-covid-vaccination/>
- Health ministry warns of vaccine's side effects
https://www3.nhk.or.jp/nhkworld/en/news/20211204_12/
- Latest Public Health Data proves the Covid-19 Vaccines INCREASE the risk of Infection, Hospitalisation and Death due to Covid-19
Sources: https://publichealthscotland.scot/media/11223/22-01-19-covid19-winter_publication_report.pdf
and news report at <https://dailyexpose.uk/2022/01/20/public-health-data-confirms-vaccinated-more-likely-to-die-of-covid/>
- **Measuring the Rate of Loss of Effectiveness for covid vaccines across all age groups**
'UK Government Data proves the Covid-19 Vaccines DOUBLE your chances of catching Covid-19'
Sources: UK Health Security Agency (official government body)
https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1047814/Vaccine-surveillance-report-week-2-2022.pdf
and news report at <https://dailyexpose.uk/2022/01/19/vaccines-double-chance-of-catching-covid/>

Table of Statistics showing loss of covid vaccine effectiveness and minus figures for vaccine effectiveness

www.data-analytica.org/effect.jpg

or <https://i0.wp.com/dailyexpose.uk/wp-content/uploads/2022/01/image-168.png?resize=1024%2C447&ssl=1>

or <https://dailyexpose.uk/2022/01/19/vaccines-double-chance-of-catching-covid/>

- **Scientific Evidence showing Natural Immunity is superior to covid vaccine immunity. Children have strong natural immunity against covid19.**
'COVID-19 Cases and Hospitalizations by COVID-19 Vaccination Status and Previous COVID-19 Diagnosis — California and New York, May–November 2021'
León et al. January 2022. CDC study
<https://www.cdc.gov/mmwr/volumes/71/wr/mm7104e1.htm>
- Vietnamese Province Discontinues Pfizer Vaccine Batch After Over 120 Students Hospitalized
https://www.theepochtimes.com/mkt_breakingnews/over-120-students-hospitalized-in-vietnam-after-getting-pfizer-vaccine-3-deaths_4145206.html
- 28 times increase in stillbirths in multiple parts of Canada?
<https://stevekirsch.substack.com/p/28x-increase-in-stillbirths-in-multiple>
- **Women and Babies**
Stillbirths & Deaths of Newborns have hit “Critical Levels” and Cases of Ovarian Cancer are at an all time high – Are the Covid-19 Vaccines to blame?
<https://dailyexpose.uk/2021/12/20/stillbirths-newborn-deaths-hit-critical-levels-covid-vaccine/>
- COVID vaccines and pregnancy: 416,186 spontaneous abortions due to the vaccine
<https://stevekirsch.substack.com/p/covid-vaccines-and-pregnancy-172000>
- **An FDA meeting on 17 September 2021 found that covid19 vaccines cause 71 times more heart attacks in vaccinated people. And they kill 2 people for every 1 person saved**
<https://www.youtube.com/watch?v=WFph7-6t34M&t=15617s>
- Myocarditis and Pericarditis after covid19 vaccines on VAERS system
<https://openvaers.com/covid-data/myo-pericarditis>
- **The Evidence shows some vaccines are creating chronic diseases and illnesses for children so Big Pharma can profit from selling them drugs and vaccines throughout the life of the sick child and later the sick adult. Making people sick and keeping people sick is highly profitable but illegal**
This is detailed in the book ‘The Real Anthony Fauci’, a book by Robert F. Kennedy Jr in the last section of this document

- **Reckless Decisions and Behaviour which the puts the lives of children at risk**

Dr. Eric Rubin approved covid vaccines and boosters for children at an FDA meeting in the USA in October 2021 on the premise that we would all wait and see how many children are killed and seriously injured by the covid vaccines and boosters. All evidence showing deaths and injuries caused to children and high risks to children from these vaccines at the FDA meeting were ignored. This is NOT Science, this is illegal and unethical experiments on children. This FDA ruling has impacted the European Union and Ireland, facilitating the same experiments on children here. The rising number of deaths and injuries and illnesses / disabilities caused to children provides evidence of a dangerous experiment which is out of control and needs to be stopped by governments in Ireland, Europe and worldwide. This is strong evidence of the crime of reckless endangerment of children on the part of Rubin and those who followed his direction and advice such as NPHET, the HSE, vaccinators and the Irish government.

News reports <https://yandex.com/search/?text=eric+rubin+vaccines+children>



- France sparks Covid vaccine warning: Doctors urge against jabs for certain children
The Express, November 19th 2021. <https://www.express.co.uk/news/world/1523707/covid-news-France-vaccine-warning-doctors-against-jabs-healthy-children>
- Toby Rodgers identified fraud in trials to make the covid vaccines appear harmless to children
<https://tobyrogers.substack.com/p/ten-red-flags-in-the-fdas-risk-benefit>
- Worse Than the Disease? Reviewing Some Possible Unintended Consequences of the mRNA Vaccines Against COVID-19

Seneff et al. 2021

<https://ijvtpr.com/index.php/IJVTPR/article/view/23/51>

and news report at <https://dailyexpose.uk/2022/01/19/covid-injections-and-neurodegenerative-disease/>

- Analysis of ONS data on Deaths suggests the Covid-19 Vaccination Campaign has been an Unmitigated Disaster
<https://dailyexpose.uk/2021/11/22/analysis-of-ons-data-on-deaths-suggests-the-covid-19-vaccination-campaign-has-been-an-unmitigated-disaster/>
- Doctor Warns How COVID mRNA ‘Vaccines’ Will Cause Delayed Strokes & Heart Attacks — ‘The Worst Is Yet To Come’
<https://christiansfortruth.com/doctor-warns-how-covid-mrna-vaccines-will-soon-cause-strokes-heart-attacks-the-worst-is-yet-to-come/>
- Taiwan Stops Pfizer Shots for 12 to 17 Year Olds
The risk of heart conditions and diseases and death is too high.
<https://www.taiwannews.com.tw/en/news/4340862> and
<https://vaccineimpact.com/2021/pfizer-secretly-adds-dangerous-ingredient-to-injections-for-5-to-11-year-olds-as-taiwan-stops-pfizer-shots-for-12-to-17-year-olds/>
- **Illegal and unlawful Censorship of the experts such as medical doctors, scientists, statisticians and epidemiologists**
We now live in a Orwellian 1984 world where the scientific evidence and facts are censored, the medical and scientific experts are censored, threatened and blackmailed and only one narrative is allowed to be put forward in the press and media. The so called “Trusted News Initiative” is actively enforcing this one narrative in the press and media and on social media in many countries including Ireland. See the facts about this on:
<https://odysee.com/@VSRF:d/Vaccine-Safety-Research-Foundation-TNI:e>
and <https://yandex.com/search/?text=trusted+news+initiative>
and <https://duckduckgo.com/?q=trusted+news+initiative>
- Why have deaths among Female Children increased by 57% against the 5-year-average since they were first offered the Covid-19 Vaccine?
<https://dailyexpose.uk/2021/11/17/57-percent-increase-in-deaths-among-young-girls-over-12-since-covid-vaccine-roll-out/>
- Israeli Data Favor Higher Estimates of Post-Vax Myocarditis
<https://www.medpagetoday.com/infectiousdisease/covid19vaccine/94892>

- **More Corroborating Evidence of the toxic and dangerous ingredients in the covid19 vaccines from German Laboratories and top German Scientists**

The German Working Group for COVID Vaccine Analysis is an interdisciplinary working group that has undertaken the task of analysing the contents and the effects of the novel COVID-19 vaccines. The group consists of independent scientists, including physicians, physicists, chemists, microbiologists, pharmacologists and alternative health practitioners, supported by lawyers, psychologists, analysts and journalists.

See Report attached to this document titled 'SUMMARY OF PRELIMINARY FINDINGS'

And news report at

<https://anamihalceamdphd.substack.com/p/alarmed-new-report-from-working>

- Myocarditis After Vaccination for SARS-CoV-2
Annals of Internal Medicine. <https://www.acpjournals.org/doi/10.7326/M21-3871>
- Taiwan Bans 2nd Pfizer Shot For Kids 12-17 Over Myocarditis Concerns
<https://thepulse.one/2021/11/15/taiwan-bans-2nd-pfizer-shot-for-kids-12-17-over-myocarditis-concerns/>
- **Children / Young Adults Dropping dead on sports fields after covid vaccinations**
news reports from around the world show covid vaccinated children and young athletes dropping dead from heart attacks and strokes and hemorrhages in 2021. This is bizarre and unprecedented.
See <https://www.data-analytica.org/page2.htm#drop>
- **Big Rise in Sudden deaths of fit young adults and athletes after covid vaccinations worldwide**
 - German Newspaper Highlights "Unusually Large" Number Of Soccer Players Who Have Collapsed Recently
<https://www.zerohedge.com/medical/german-newspaper-highlights-unusually-large-number-soccer-players-who-have-collapsed>
 - Worldwide Search Trend For "Died Suddenly" Spikes To Record Highs
https://www.zerohedge.com/political/worldwide-search-trend-died-suddenly-spikes-record-highs?utm_source=&utm_medium=email&utm_campaign=284
 - Search Engines
<https://duckduckgo.com/?q=sudden+deaths+vaccine&t=h &ia=web> and
<https://yandex.com/search/?text=sudden+deaths+vaccine&lr=10515>
- Fraudulent Modelling used to justify covid vaccines for small children and infants by HART group of medical doctors and scientists, November 2021

<https://www.hartgroup.org/fdas-fraudulent-modelling-to-justify-vaccinating-5-11-year-olds/>

- **Covid Vaccination and Pregnancy**

<https://swprs.org/covid-vaccination-and-pregnancy/>

- Preliminary Findings of mRNA Covid-19 Vaccine Safety in Pregnant Persons

https://www.nejm.org/doi/full/10.1056/NEJMx210016?query=recirc_curatedRelated_article

- News analysis of scientific facts and official government figures

2,433 Dead Babies in VAERS as Another Study Shows mRNA Shots Not Safe for Pregnant Women

<https://vaccineimpact.com/2021/2433-dead-babies-in-vaers-as-another-study-shows-mrna-shots-not-safe-for-pregnant-women/>

- Canadian Whistleblowers Expose 13 Stillborn Deaths in 24 Hours at Lions Gate Hospital Caused by Covid-19 Vaccines

<https://dailyexpose.uk/2021/11/23/canadian-whistleblowers-expose-13-stillborn-deaths-in-24-hours-at-lions-gate-hospital-caused-by-covid-19-vaccines/>

- Spontaneous Abortions and Policies on COVID-19 mRNA Vaccine Use During Pregnancy

Brock et al. 2021

https://cf5e727d-d02d-4d71-89ff-9fe2d3ad957f.filesusr.com/ugd/adf864_2bd97450072f4364a65e5cf1d7384dd4.pdf

'A re-analysis of these figures indicates a cumulative incidence of spontaneous abortion ranging from 82% (104/127) to 91% (104/114), 7–8 times higher than the original authors' results'

- VAERS Data Reveals 50 X More Ectopic Pregnancies Following COVID Shots than Following ALL Vaccines for Past 30 Years

<https://healthimpactnews.com/2021/vaers-data-reveals-50-x-more-ectopic-pregnancies-following-covid-shots-than-following-all-vaccines-for-past-30-years/>

- There is a long listing of scientific research detailing the injuries, disabilities and deaths caused by the covid19 vaccines at <https://principia-scientific.com/full-facts-figures-from-doctors-scientists-on-covid19/>

This presents reckless endangerment of children and of adults.

- **13 Scientific and Medical Reasons why you should not allow your child to get the Covid-19 Vaccine**

<https://theexpose.uk/2021/09/14/13-reasons-why-you-should-not-allow-your-child-to-get-the-covid-19-vaccine/>

- Myocarditis-induced Sudden Death after BNT162b2 mRNA COVID-19 Vaccination in Korea: Case Report Focusing on Histopathological Findings

Choi et al. October 2021

<https://pubmed.ncbi.nlm.nih.gov/34664804/>

- Dr. Clare Craig: Unusual Heart Disease Statistics and Censorship
<https://theexpose.uk/2021/11/14/dr-clare-craig-unusual-heart-disease-statistics-and-censorship/>
- Vaccine Passports are discriminatory, Children should not be given the Covid-19 Vaccine, and the Jabs are useless at preventing infection and spread of Covid-19 according to the leader of the WHO
<https://theexpose.uk/2021/11/12/who-chief-tedros-confirms-covid-vaccine-useless-and-should-not-be-given-to-kids/>
- 3 More Reports of Teen Deaths After COVID Vaccines, as Reported Injuries Exceed 850,000
<https://childrenshealthdefense.org/defender/vaers-cdc-adverse-events-deaths-covid-vaccines/>
- Doctors for Covid Ethics letters detailing risks to children and adults at
<https://doctors4covidethics.org/letters/>
This a group of medical doctors and scientists highly qualified with many years experience.
- FDA's fraudulent modelling to justify vaccinating 5-11 year olds
HART group of medical doctors and scientists, Britain, November 2021
<https://www.hartgroup.org/fdas-fraudulent-modelling-to-justify-vaccinating-5-11-year-olds/>
- A Report on Myocarditis Adverse Events in the U.S. Vaccine Adverse Events Reporting System (VAERS) in Association with COVID-19 Injectable Biological Products
Rose et al. October 2021
<https://www.sciencedirect.com/science/article/pii/S0146280621002267>
- **Big rise in child deaths after covid vaccinations of children in Britain**
Mr. John Looney a Funeral Director has publicly stated on a news channel that he and other funeral directors have seen a big rise in the deaths of children after their covid vaccinations.
<https://libertytactics.co.uk/children-are-dying-funeral-director-john-olooney/>
Mr. John Looney can be subpoenaed into the Irish criminal court to testify.
- **Deadly to Children**
Dr. Peter McCullough is a medical doctor, an Internist, Cardiologist, Epidemiologist, and Professor of Medicine at Texas A & M College of Medicine, Dallas, Texas in USA. He presents evidence and facts exposing the dangers of the covid19 vaccine on an American news channel on November 5 2021 - <https://www.brighteon.com/89e0f5b4-c5b8-490c-b7e7-05f7fa0619ac> at point 57:51 in

the video

- New Zealand researchers Aleisha Brock and Simon Thornley have published a peer-reviewed paper in *Science, Public Health Policy, and the Law* which reanalyses a key CDC study showing mRNA vaccines are safe during pregnancy and found that the actual rate of miscarriage before 20 weeks gestation following mRNA exposure was at least 81.9% – a massive seven-fold increase over the expected background rate of 11.3%. They have called for a halt on COVID-19 vaccines for pregnant women.

[https://cf5e727d-d02d-4d71-89ff-](https://cf5e727d-d02d-4d71-89ff-9fe2d3ad957f.filesusr.com/ugd/adf864_2bd97450072f4364a65e5cf1d7384dd4.pdf)

[9fe2d3ad957f.filesusr.com/ugd/adf864_2bd97450072f4364a65e5cf1d7384dd4.pdf](https://cf5e727d-d02d-4d71-89ff-9fe2d3ad957f.filesusr.com/ugd/adf864_2bd97450072f4364a65e5cf1d7384dd4.pdf)

https://www.theepochtimes.com/researchers-call-for-halt-on-covid-19-vaccines-for-pregnant-women-after-re-analysis-of-cdc-study_4081606.html

- CDC: Teens Injected with COVID Shots have 7.5 times More Deaths, 15 times More Disabilities, 44 times More Hospitalizations than All FDA Approved Vaccines in 2021

<https://healthimpactnews.com/2021/cdc-teens-injected-with-covid-shots-have-7-5-x-more-deaths-15-x-more-disabilities-44-x-more-hospitalizations-than-all-fda-approved-vaccines-in-2021/>

- Scientific research findings showing a high rate of deaths and disabilities in covid vaccinated children. Far higher risk for children from covid vaccine death and injuries and disabilities than from covid19 infection, hospitalization or death. Research by Steve Kirsch who has presented his findings to the FDA at FDA meets in the USA. Scientific Report - www.data-analytica.org/kirsch.pdf

Steve Kirsch can be subpoenaed to testify in court.

- Deaths among male Children are 83% higher than the 5-year-average since they were given the Covid-19 Vaccine - <https://theexpose.uk/2021/10/27/deaths-among-male-children-increased-by-89-percent-since-given-covid-19-vaccine/>

- Canadian Politician demands urgent investigation into rise of sudden deaths among Teens following Covid-19 Vaccination

<https://theexpose.uk/2021/10/27/politician-demands-investigation-sudden-deaths-teens-after-covid-vaccination/>

- FDA experts ask why Kids are “dropping like flies” right after getting the Covid-19 Vaccine as they meet to debate authorisation of the Pfizer jab for 5-11-year-olds

<https://theexpose.uk/2021/10/26/fda-experts-ask-why-kids-are-dropping-like-flies-right-after-getting-the-covid-19-vaccine/>

- In addition to the many illnesses and disabilities afflicting adults, children also have a higher risk of heart illnesses from these covid19 vaccines in addition to higher risks for other illnesses some of them fatal and of them disabling.. These illnesses and disabilities are detailed on www.data-analytica.org/page2.htm and on www.data-analytica.org/side-effects.pdf

- 360,000 teens age 12 to 17 develop heart conditions after Covid-19 shots. with many cases need hospitalization
<https://www.newsbreak.com/news/2337411633472/360-000-teens-age-12-to-17-develop-heart-conditions-after-covid-19-shots-with-many-cases-need-hospitalization>
 and https://www.upi.com/Health_News/2021/08/10/coronavirus-vaccine-teens-myocarditis-study/9051628602366/

- SARS-CoV-2 mRNA Vaccination-Associated Myocarditis in Children Ages 12-17: A Stratified National Database Analysis
<https://www.medrxiv.org/content/10.1101/2021.08.30.21262866v1>

The medium and long term effects of these poisons and toxins in the vaccines are not known but the short term effects detailed on some web sites such as www.data-analytica.org/page2.htm are extremely worrying for parents and their children.

- Boys more at risk from Pfizer jab side-effect than Covid, suggests study
 The Guardian, September 2021
<https://www.theguardian.com/world/2021/sep/10/boys-more-at-risk-from-pfizer-jab-side-effect-than-covid-suggests-study>
 and in TELEGRAPH NEWSPAPER at
<https://www.telegraph.co.uk/news/2021/09/09/teenage-boys-risk-vaccines-covid/>

- Professor Finn, a member of the Joint Committee on Vaccination and Immunisation in Britain and a senior government advisor, says that in normal times, the vaccine would not have been recommended for widespread use in children until the long-term consequences of rare side effects had been fully investigated. Parents are justified in waiting until the risks are clearer before getting their teenagers vaccinated and the NHS needs to spell out the uncertainty over long-term effects better, he argues
- News story here at <https://www.thetimes.co.uk/article/children-should-know-about-tiny-risk-from-covid-vaccine-insist-experts-5c5nwffxt>

- Why are we vaccinating children against COVID-19?
 Kostoff et al. . September 2021

Toxicology Reports

<https://www.sciencedirect.com/science/article/pii/S221475002100161X#bib0020>

'A novel best-case scenario cost-benefit analysis showed very conservatively that there are five times the number of deaths attributable to each inoculation vs those attributable to COVID-19 in the most vulnerable 65+ demographic'

- **Covid Vaccine Ineffectiveness for children and adults**

Vaccine effectiveness against SARS-CoV-2 infection with the Omicron or Delta variants following a two-dose or booster BNT162b2 or mRNA-1273 vaccination series: A Danish cohort study

Hansen et al. 2021

<https://www.medrxiv.org/content/10.1101/2021.12.20.21267966v3> and scientific analysis of this paper and it's findings <https://dailyexpose.uk/2022/01/05/covid-19- vaccines-damage-the-immune-system-permanently/>

Worldwide Bayesian Causal Impact Analysis of Vaccine Administration on Deaths and Cases Associated with COVID-19: A BigData Analysis of 145 Countries

https://www.researchgate.net/publication/356248984_Worldwide_Bayesian_Causal_Impact_Analysis_of_Vaccine_Administration_on_Deaths_and_Cases_Associated_with_COVID-19_A_BigData_Analysis_of_145_Countries

and Listing of recent scientific studies at <https://stevekirsch.substack.com/p/new-big-data-study-of-145-countries>

- Young adult mortality in Israel during the COVID-19 crisis

by Dr Steve Ohana and Dr Alexandra Henrion-Caude

<https://steve-ohana.medium.com/young-adult-mortality-in-israel-during-the-covid-19-crisis-ff7456cff74f>

- At an FDA Meeting about covid19 vaccines and boosters on September 17, 2021, Dr Jessica Rose states that based on the VAERS Data, the risks of the covid19 vaccines and boosters far outweigh the benefits especially for children. There are 10 times more Adverse Events for vaccines in 2021 compared to the previous year and previous ten years. And 46 times more deaths for vaccines in 2021 than in previous years. These covid19 vaccines have proven to be dangerous to the general public. She also provides evidence that the covid19 vaccines are creating and driving the new variants of covid19. Video below.

<https://mobile.twitter.com/NeverSleeper/status/1438935548664688643?s=09>

and <https://www.data-analytica.org/rose.mp4>

- Myocarditis in Children
COVID-19 Vaccine Safety in Adolescents Aged 12–17 Years — United States, December 14, 2020–July 16, 2021
<https://www.cdc.gov/mmwr/volumes/70/wr/mm7031e1.htm>
- Biological and molecular evidence why children are effectively COVID immune and can be considered already vaccinated
Paul Alexander, Trial Site News.
<https://trialsitenews.com/covid-injections-offer-children-no-opportunity-for-the-benefit-and-only-potential/>
- Unvaccinated children getting infected with Covid isn't an issue because they face such a vanishingly rare chance of falling seriously ill, expert says
The Daily mail, 23 September, 2021
<https://www.dailymail.co.uk/news/article-10021243/Scientists-slam-Chris-Whitty-scare-mongering-unjabbed-children-Covid.html>
- Schools Aren't COVID Infection Hubs, Says Public Health Boss
BBC September 2021 <https://www.bbc.com/news/uk-58418767>
- The following web sites contain details of thousands of cases of injuries and illnesses and disabilities and deaths caused to children by covid19 vaccines.
www.data-analytica.org/page2.htm#child
and <https://www.openvaers.com/covid-data>
- The Defender web site is focused on child protection and provides regular scientific and medical updates about the dangers posed to children from covid19 vaccines. There is vast and growing evidence of these dangers and risks.
<https://childrenshealthdefense.org/covid-news-watch/>
https://childrenshealthdefense.org/defender_category/covid
- **Covid19 Vaccines for Children condemned in Britain**
In September 2021 the JCVI in Britain which provides expert scientific advice to the government about vaccines ruled against giving covid19 vaccines to children as the risks far outweigh any benefit. But the government has ignored this scientific advice and in pushing through with covid19 vaccines for children. The political desire to sell and profit from covid19 vaccines outweighs the dangers to the health and the lives of children. Another example of science being ignored for political and profit reasons.

See news report - <https://www.telegraph.co.uk/politics/2021/09/03/child-covid-vaccines-rollout-pushed-ministers/>

and Member of the JCVI Professor Adam Finn giving an interview to Sky news - <https://twitter.com/SkyNews/status/1434133658865180676?s=20>

Criminal intent to commit crimes via dangerous and experimental covid vaccines used on adults and children. The same crimes committed in several countries including in Ireland.

The following video interview of medical doctors and scientists by the legal team of Reiner Fuellmich, a highly experienced lawyer qualified in the USA and in Europe, provides strong evidence of criminal intent and criminal premeditation to use dangerous and experimental vaccines worldwide, including in Ireland. Dr. Wolfgang Wodarg, a top German medical doctor and scientist provides data and graphs to support the fact that vaccine companies used different batches of covid vaccines at different times, some were dangerous batches which caused injuries, disabilities and deaths and some were harmless batches which did no harm. There is also evidence of coordination between vaccine companies in the giving of these dangerous batches to people. This has been done without the informed consent of the vaccinated people which is a criminal offence in many countries including Ireland. Tens of thousands of people have died or been injured by these vaccine experiments which is also a criminal offence involving charges of murder, manslaughter, assault causing serious harm and poisoning. Criminal intent is proven by the fact that vaccine companies have been using different batches of vaccines some of which they know to be dangerous and deadly and others which are harmless, and they know of the high number of deaths, injuries and disabilities and yet persist in their crimes. This evidence will be presented before the German criminal courts by the legal team of Reiner Fuellmich. This video and evidence will also be presented in the International Criminal Court. And presented in criminal courts in European countries and North America, including in Ireland.

https://brandnewtube.com/watch/dr-sam-white-important-information-this-has-to-be-shared_5KL8mCLn8YTMx5L.html

and other links to this at

<https://www.bitchute.com/search/?query=reiner%20fuellmich%20and%20dr.%20sam%20white&kind=video>

British news report at <https://dailyexpose.uk/2022/01/06/death-by-covid-injection-is-premeditated-and-co-ordinated-experts-conclude/>

We ask for Dr. Wolfgang Wodarg and the legal team of Reiner Fuellmich to be subpoenaed into the Irish courts to provide testimony and evidence.

Ethical hackers and whistleblowers in North America working within the law have exposed these dangerous vaccine batches and presented their findings and evidence online. They have done this at considerable risk to their own lives and the lives of their families. This is viewable at <https://howbad.info/>

American news reports about these dangerous vaccine batches which are killing and injuring people - 'BREAKING: Deadly Vax Lot Numbers IDENTIFIED, Still in Circulation!'

<https://rumble.com/vrvjfu-breaking-deadly-vax-lot-numbers-identified-still-in-circulation.html>

Scientific and Statistical explanation of variations in vaccine batches and why some cause deaths and serious injuries, illnesses and disabilities

<https://dailyexpose.uk/2021/12/16/how-bad-is-my-covid-19-vaccine-batch/>

<https://dailyexpose.uk/2022/01/13/vaccinators-are-responsible-for-checking/>

<https://dailyexpose.uk/2022/01/11/mike-yeardon-the-variability-in-serious-adverse-events/>

"It's not the same stuff in each glass bottle ... It cannot be accidental ... It's not possible that this is [due to] small variation in product ... I'm absolutely sure profit alone is not the motivation ... This is calibration of a killing weapon," Dr. Yeadon said.

Deaths from the covid vaccines are further corroborated in **Autopsy Findings** of dead covid vaccinated people by a top scientist and pathologist in Germany

Scientific paper - <https://doctors4covidethics.org/wp-content/uploads/2021/12/end-covax.pdf>

News report - Research: Autopsy Analysis shows 93% of Post-Covid Vaccination Deaths are caused by the Jabs at <https://dailyexpose.uk/2022/01/04/93-percent-of-covid-vaccination-deaths-are-caused-by-the-jabs/>

Dr. Sucharit Bhakdi is a German medical doctor, scientist and Professor of Microbiology in Germany and provides more testimony about this

'Dr Bhakdi – "Covid-19 Vaccines are killing people by causing an autoimmune attack of killer Lymphocytes"'

<https://dailyexpose.uk/2022/01/03/dr-bhakdi-killer-autoimmune-attack-induced-by-covid-vaccine/>

We ask for Dr. Sucharit Bhakdi and Dr. Arne Burkhardt to be subpoenaed into the Irish courts to provide testimony and evidence.

Life Insurance companies provide further corroborating evidence

News report - US Life Insurance Company Reports 40% Increase in Death Claims Since Start of Covid-19 Vaccine Rollout at <https://dailyexpose.uk/2022/01/04/us-life-insurance-company-reports-40-increase-in-death-claims-since-start-of-covid-19-vaccine-rollout/>

News report - Life Insurance CEO Says Deaths Up 40% Among Those Aged 18-64 at

<https://www.zerohedge.com/medical/life-insurance-ceo-says-deaths-40-among-those-aged-18-64->

[and-not-because-covid](#)

*"We are seeing, right now, **the highest death rates we have seen in the history of this business – not just at OneAmerica,**" said Scott Davison, head of the \$100 billion insurance company that's been in operation since 1877 and has approximately 2,400 employees."*

OneAmerica Life Insurance data confirms Covid-19 Vaccinated 18 to 64-year-olds are 50% more likely to die than Unvaccinated people

<https://dailyexpose.uk/2022/01/09/life-insurance-data-proves-vaccinated-more-likely-to-die/>

American news interview with Dr. Robert Malone, the inventor of the mRNA technology used in the vaccines and one of the top scientists in the world about this big rise in deaths in 2021 -

<https://rumble.com/vrxtuh-live-mrna-inventor-dr.-robert-malone-faces-tough-questions-aussies-rising-u.html>

We ask for Dr. Robert Malone to be subpoenaed into the Irish courts to provide testimony and evidence.

The Cheltenham Post ran an article on the massive number of deaths and injuries caused by the covid vaccines and boosters in January 2022. This has shocked many British people. See

<https://www.bitchute.com/search/?query=cheltenham%20post&kind=video>

Long List of Scientific and Medical Articles and Reports about covid vaccine deaths and injuries and disabilities worldwide presented to the British Police and Prosecutors in 2022

<https://www.saveusnow.org.uk/covid-vaccine-scientific-proof-lethal/>

Government and scientific figures show deaths and serious injuries from the covid vaccines and boosters continue to rise globally

<https://www.data-analytica.org/page2.htm>

and more evidence is provided in the books of evidence submitted to gardai (Irish police) and DPP since May 7th 2021

Governments and Health Authorities in Ireland and other countries should cease covid vaccinations until such time as the court cases are concluded in Germany, the ICC and in Ireland. Failure to do this would make them complicit in serious crimes.

First time detection of the vaccine spike protein in a person who died after covid vaccination – Important Information for all pathologists and all autopsies of dead vaccinated people

The suspicion that the spike protein formed in the body as a result of the "vaccination" against Covid-

19 could be responsible for the pathologically observed inflammations and lesions of vessels has now been confirmed immunohistologically for the first time.

The pathologists Prof. Dr. Arne Burkhardt and Prof. Dr. Walter Lang and their team have succeeded in reliably detecting the vaccine spike protein in the vessels of a person who died 4 months after "vaccination" and who had vascular lesions and also vaccine-induced myocarditis. Detection was successful using an antibody specific for the spike protein by conventional immunohistochemistry on the tissue sections.

The described detection method can be applied to all organ and cell damage in which conspicuous pathological findings are found after "vaccination" against Covid-19. From this follows: For ethical, legal and scientific reasons, all histopathological examinations in connection with damage due to "vaccination" against Covid-19 must be accompanied with this method with immediate effect.

Reutlingen, January 17, 2022

Prof. Dr. Arne Burkhardt Prof. Dr. Walter Lang

Web: <https://pathologie-konferenz.de/en> Telegram-Kanal: @PathologyConference

More corroborating evidence of the PCR test frauds and related crimes. The effects of defective PCR tests and very high percentages of False Positives on the number of so called 'covid cases' and 'covid deaths' and the fear, panic and paranoia caused to the general public in Ireland and other countries which led to lockdowns, apartheid and other social restrictions. Deaths from covid19. The Facts VS Fiction.

The Central Statistics Office (CSO) has officially stated that only 61 people died of covid19 and no other underlying illnesses, disease or condition in 2020. This is far less than the official figure 1,672 people dying of covid19. According to the CSO, the other 1,611 people died of other illnesses, diseases and conditions and covid19 was a secondary factor or the result of a defective PCR test which gave over 96% false positives. The facts and evidence now show that only 61 people died of covid19 and nothing else. This was not a pandemic. CSO evidence included below.

----- Forwarded message -----

From: <VitalStats@csso.ie>

Date: Wed 2 Feb 2022, 10:40

Subject: RW: Covid only death certificates 2020 - 2021

To: [REDACTED]

Hi Lisa,

Attached is the further breakdown as requested:

COVID-19 deaths with no other underlying causes - 2020						
Cause of Death	ICD-10 Code	Under 65	65-74	75-84	85+	Total
COVID-19 virus identified and virus unidentified	U07	3	6	20	32	61

Kind Regards
Rosaleen

The PCR tests which used high cycle counts of 40 to 45 cycles produced over 96% False Positives and this played a role in the fraudulent covid19 cases and deaths. It was a pandemic of false positives. This fraud must be properly investigated and brought to the criminal courts in Ireland.

The mean age of death for covid19 was 82 and the median age was 84 in 2020 according to the CSO. And in Quarter 1 in 2021 the mean age of death for covid19 was 81.7 years while the median age was 83.4 years. These ages are higher than Irish life expectancy. The facts and evidence show that most covid19 deaths were very old people who were at increased risk of death from all causes. And the fact that most people classified as dying of covid19 had other illnesses, diseases or conditions, and most of these were elderly people who are at increased risk of dying from all causes for many years and decades. The facts and evidence show that there was no pandemic. The covid19 was equivalent to a flu and a flu season which we have had for hundreds of years.

International evidence from other countries corroborates this. From March 2020 to January 2022, The Office of National Statistics in England and Wales has confirmed 17,371 deaths from covid19 and nothing else not the 150,000 deaths claimed by the British government. Only 12% of the 150,000 died of covid19 and nothing else and 133,000 died of other pre-existing illnesses, other diseases, co-morbidities and accidents but were mislabelled as "covid19 deaths".

Source:

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/dataset>

[s/preexistingconditionsofpeoplewhodiedduetocovid19englandandwales](https://preexistingconditionsofpeoplewhodiedduetocovid19englandandwales)

News report about this at <https://articles.mercola.com/sites/articles/archive/2022/01/31/covid-death-statistics.aspx>

Another Freedom of Information Request to The Office of National Statistics has revealed that only 6,183 people died of covid19 only and no other illnesses, diseases or accidents. This is far less than the 150,000 claimed by the British government and the press and media. See table below

Source:

<https://www.ons.gov.uk/aboutus/transparencyandgovernance/freedomofinformationfoi/covid19deathsandautopsiesfeb2020todec2021>

Table 1: Number of deaths where COVID-19 was the only cause mentioned on the death certificate, 1 February 2020 to 31 December 2021, by sex and age group

Age group	Males	Females	Total	Accumulated Total
<1	1	0	1	1
1-4	0	0	0	1
5-9	0	0	0	1
10-14	0	1	1	2
15-19	1	0	1	3
20-24	4	1	5	8
25-29	12	3	15	23
30-34	24	7	31	54
35-39	42	15	57	111
40-44	52	24	76	187
45-49	87	43	130	317
50-54	138	52	190	507
55-59	234	92	326	833
60-64	254	102	356	1,189
65-69	279	119	398	1,587
70-74	357	204	561	2,148
75-79	395	252	647	2,795
80-84	492	402	894	3,689
85-89	470	533	1,003	4,692
90+	520	971	1,491	6,183
Total	3,362	2,821	6,183	

Source: Office For National Statistics (ONS)

The same happened In Ireland as pointed out in our previous books of evidence. Evidence in our prior books of evidence show that 6% of people who died had covid19 and no other pre-existing illnesses, diseases or accidents. And CDC data from the USA shows similar numbers and data from the public health authority in Italy has similar figures. All included in our books of evidence. Many of these covid19 deaths could have been prevented with the use of safe and effective medicines for covid19 available since April 2020 and with early treatment, but they were blocked and banned by governments and their advisors and health authorities ; this crime has been stated in our prior books of evidence. This is a matter for the criminal courts in Ireland.

More evidence that the covid vaccines and boosters are harmful to adults and children.

The scientific, medical and statistical findings from governments, health authorities, scientists, scientific research, and medical doctors around the world are detailed in the Books of Evidence for the High Court, and can be viewed on <https://www.data-analytica.org/evidence.htm> . The books of Evidence for the Court are attached.

Providing ineffective vaccines and boosters to children which cannot stop infection by covid19 and its variants but pose high risks of death, injuries, illnesses or disabilities for children is reckless endangerment of children. Courts must act to stop this criminal activity.